
MILITARY SPECIFICATION SHEET

COUPLING, TYPE II, SWAGED FERRULE CONNECTING FLUID LINE, FLEXIBLE, MAX. ENVELOPE AND WEIGHT

This specification is approved for use by all Departments and Agencies of the Department of Defense

The complete requirements for procuring the coupling described herein shall consist of this document and the issue in effect of Specification MIL-C-22263



DASH NO.	TUBE O.D.	A	B	D	G	L	REQ'D SEAL SIZE (MS33666) (REF)	WEIGHT (LBS) (ALUM)	WEIGHT (LBS) (STEEL)
-012	0.75	2.51	1.68	1.53	1.31	1.29	-212	.055	.154
-016	1.00	2.57	1.84	1.78	1.37	1.35	-216	.072	.201
-020	1.25	2.57	1.84	2.03	1.37	1.35	-220	.086	.240
-024	1.50	2.90	2.07	2.40	1.63	1.54	-326	.128	.358
-028	1.75	2.90	2.07	2.65	1.63	1.54	-328	.176	.492
-032	2.00	2.95	2.07	3.05	1.65	1.54	-330	.212	.593
-040	2.50	2.95	2.07	3.42	1.65	1.54	-334	.225	.630
-048	3.00	2.95	2.07	3.92	1.65	1.54	-338	.285	.798
-056	3.50	3.06	2.17	4.42	1.76	1.63	-342	.375	1.050
-064	4.00	3.06	2.18	4.92	1.76	1.64	-346	.399	1.117
-072	4.50	3.35	2.30	5.67	1.99	1.76	-426	.504	1.411
-080	5.00	3.58	2.52	6.17	2.21	1.98	-430	.738	2.066
-088	5.50	3.60	2.56	6.55	2.19	2.02	-434		
-096	6.00	3.64	2.60	7.05	2.24	2.06	-437		

NOTE:

1. DIMENSIONS IN INCHES

FSC 4730

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:45Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AV
Navy - AS
Air Force - 11

Preparing Activity:
Navy - AS

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:45Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL	OMB Approval No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE	
MIL-C-22263/2	COUPLING, TYPE II, SWAGED FERRULE CONNECTING FLUID LINE, FLEXIBLE, MAX. ENVELOPE AND WEIGHT

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO (If "Yes", in what way?)

4. REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-19T11:45Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD
316



Engineering Specifications and Standards Department (Code X)
Naval Air Engineering Center
Philadelphia, PA 19112

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T11:45Z
Check the source to verify that this is the current version before use.