MIL-R-8202D(USAF)
AMENDMENT 2
21 OCTOBER 1986
SUPERSEDING
AMENDMENT 1
21 Mar 80

MILITARY SPECIFICATION

REGULATOR, OXYGEN, DILUTER DEMAND D-2A
(REGULATOR, AUTOMATIC DILUTER DEMAND,
OXYGEN PRESSURE BREATHING, TYPE D-2A)

This amendment forms a part of MIL-R-8202D, dated 10 Aug 1965, and is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* Delete "2.1" and add: "2.1 Government documents."

* Add: "2.1.1 Specification standards, and hanbdbooks. The following specifications, standards, and handbooks form a part of this specification to the extent specified herein. Unless otherwise specified, the issue of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation."

Under SPECIFICATIONS, Federal, delete "PPP-B-566," "PPP-B-585," "PPP-B-591," "PPP-B-621," "PPP-B-636," "PPP-B-665," "PPP-B-676," and add: "PPP-B-1672 Boxes, Shipping Reusable with Cushioning."

* Under SPECIFICATIONS, Military delete "MIL-L-10547," "MIL-M-26512," "MIL-R-26667," "MIL-T-38180," and "MIL-D-70327."

Add boxed paragraph to bottom center of page.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Oklahoma City Air Logistics Center/MMEDO, Tinker AFB OK 73145-5990 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

PAGE 2

* Under STANDARDS, add: "Federal."

* Under STANARDS, Federal, add: "Fed-Std-209A Clean Room and Work Station Requirements, Controlled Environment."

Under STANDARDS, Military, delete "MIL-STD-1186;" "MS 33586" and add:


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:01Z
Check the source to verify that this is the current version before use.

"DOD-STD-100 Engineering Drawing Practices
MIL-STD-471 Maintainability Demonstration
MIL-STD-781 Reliability Tests Exponential Distribution
MIL-STD-794 Part and Equipment, Procedures for Packaging and Packing of
MIL-STD-889 Dissimilar Metals
MIL-STD-2073-1 DOD Material Procedures For Development and Application of Packaging Requirements."

3.1 Delete and add:
"3.1 First Article. When specified, the contractor shall furnish sample units for first article inspection and approval (see 4.2 and 6.1)."

3.3.6 Line 6 Delete "MS33586" and add: "MIL-STD-889."

* Add: "3.3.7 Recovered materials. Recovered materials shall be used to the maximum extent possible without jeopardizing the end use of the item."

PAGE 14

3.6.19.1 First sentence: Delete "(equipment longevity as defined in MIL-R-26667)."

3.6.20 Delete and add:
"3.6.20 Maintainability. The Mean-Maintenance-time, as defined in MIL-STD-471, in the maintenance of the regulator shall be the minimum possible as determined by maintainability verification as defined in 4.6.21. Time to accomplish each maintenance task shall include time for fault location, disassembly, fault correction, adjustment and realignment, final test, and reassembly."

3.11. Line 7: Delete "MIL-D-70327" and add: "DOD-STD-100."

PAGE 15

* Add: "4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

4.2 Delete in this paragraph and all subsequent paragraphs in section 4 the use of Preproduction and Acceptance tests. In place of "Preproduction" add "First article", and in place of "Acceptance tests" add "Quality Assurance Provisions."

4.4.3.1 Delete and add:
"4.4.3.1 First article reliaility tests. The two first article samples specified in 4.4.1 shall be tested by the contractor for reliability and one of the two regulators shall be continued through a longevity test. Deviation of the MCBF demonstration test on each unit shall not be less than three times the specified MCBF. Acceptance, permitting production, shall be in accordance with the accept-reject criteria of Test Plan 1C of MIL-STD-781. Recording, data handling, and reporting procedures shall be in accordance with MIL-STD-781."



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:01Z
Check the source to verify that this is the current version before use.

4.6.21. Delete and add:
"4.6.21 Maintainability verification. Verification of the maintainability requirements for the regulator shall be in accordance with Test Methods 1B, MIL-STD-471, Maintainabilty Verification/Demonstration/Evaluation."



* Delete Section 5 in its entirety and add:

5. Packaging

5.1 Preservation-packaging: Preservation-packaging shall be level A, IAW MIL-STD-2073-1. All preservation and packaging shall be accomplished IAW Federal Standard 209a.

5.1.1. Level A. Unless otherwise specified, each oxygen regulator shall be preserved Method 1A8 of Specification MIL-P-116.

5.1.1.1. Cleaning. Each oxygen regulator shall be cleaned for oxygen service in accordance with industry practice according to applicable cleaning processes of MIL-P-116. Petroleum and other flammable solvents shall not be used.

5.1.1.2. Drying. Each oxygen regulator shall be thoroughly dried with filtered oil-free air or nitrogen. Any area of the regulator that does not contact high purity oxygen shall be cleaned and dried in accordance with the applicable processes and procedures of MIL-P-116.

5.1.1.3. Preservation application. Not applicable.

5.1.1.4. Unit packaging. Unless otherwise specified by the contracting activity, oxygen regulators shall be individually packaged in accordance with MIL-P-116, Method 1A8, insuring compliance with the applicable requirements of that specification.

5.2 Packing. Packing shall be level, A, B, C, as specified.

5.2.1. Level A. Unless otherwise specified by the contracting activity, oxygen regulators packaged as specified in 5.1.1 shall be packed in shipping containers applicable to level A requirements of MIL-STD-2073. Insofar as practical, exterior shipping containers shall be of uniform shape size, minimum tare and cube consistent with the protection required.

5.2.2. Level B. Unless otherwise specified by the contracting activity, oxygen regulators packaged as specified in 5.1.1 shall be packed in shipping containers conforming to PPP-B-1672, Type I, Style A. Other requirements as specified in 5.2.1 are applicable.

5.2.3. Level C. Packing shall be applied which affords protection from domestic shipment from the supply source to the first domestic receiving activity and shall conform to applicable carrier rules and regulations.

5.3. Marking. In addition to any other markings required by the contract or other (see 6.2) interior and exterior containers shall be marked in accordance with MIL-STD-129.



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:01Z
Check the source to verify that this is the current version before use.

5.3.1. Precautionary Marking. The following precautionary marking shall appear on each package.

CAUTION: Do not allow contaminants of any kind to be used on or about the oxygen regulators."

PAGE 23

6.2 Delete "preproduction" and add: "first article."

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
AIR FORCE-99

Preparing Activity:
AIR FORCE-71

Reviewer:
AIR FORCE-11

Project number:
1660-F560



Source: https://assist.dla.mil -- Downloaded: 202610-17T10:01Z
Check the source to verify that this is the current version before use.