INCH-POUND

MIL-M-63456A (AR)
AMENDMENT 3
25 APRIL 1990
SUPERSEDING
AMENDMENT 2
2 SEPTEMBER 1989

MILITARY SPECIFICATION

MINE, ANTI-PERSONNEL: HE, BLU-92/B
LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-M-63456A (AR), dated 8 February 1988, and is approved for use within the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.2: Add under Product Drawings:

"12589966 - Packing and Marking For Box, Fiberboard, Inner, For Mine, Anti-Personnel, BLU-92/B, or Mine, Anti–Tank, BLU-91/B.

“12589967 - Packing and Marking For Box, Wood, Outer, For Mine, Anti-Personnel, BLU-92/B, or Mine, Anti-Tank, BLU-91/B.

PAGE 9

4.4.2.2: Kill mechanism. Major 101: Delete “Cavity depth, min.,"” and substitute ‘Cavity volume under minimum,”.

* 4.4.2.2: Major 106: Under sample units - delete "5” and substitute "1".

Note 1/ Delete "...five(5)..." and substitute "...One(l)..."

AMSC N/A

FSC 1345

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

PAGE 11

* 4.4.2.4: Mine assembly. Add the following major category:

"108 screws installed improperly 0.409 3.2 Gage[w]

PAGE 14

4.4.5 Launch simulator. Delete "150T6" and substitute "145+25".

PAGE 17

* 4.5.2.b: Delete "Five(5) ...*" and substitute "One(l) ..."

PAGE 19

5. Packaging. Delete Section 5 in its entirety and substitute the following:

"5. PACKAGING

5.1 Packaging.

5.1.1 Level A. Not applicable.

5.1.2 Level B. Not applicable.

5.1.3 Level C. Level C Packaging shall be in accordance with dwg. 12589966.

5.2 Packing.

5.2.1 Level A. Not applicable.

5.2.2 Level B. Not applicable.

5.2.3 Level C. Level C Packing shall be in accordance with dwg. 12589967.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.

5.3 Marking.

5.3.1 Level A. Not applicable.

5.3.2 Level B. Not explicable.

5.3.3 Level C. Level C Marking shall be in accordance with dwgs. 12589966 and 12589967."

PAGE 21

4.5.3: HE explosive exudation test. Change from "Destructive Test" to "Non-destructive test".

PAGE 29

* 40.4.2.4: Mine Assembly, Practice: Add the following major category:

"107 Screws installed improperly 0.40% 3.2 Gage"

NOTE : The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1345-A569)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:54Z
Check the source to verify that this is the current version before use.