MIL-I-48086 (AR)
AMENDMENT 2
23 January 1980
SUPERSEDING
AMENDMENT 1
29 May 1975

MILITARY SPECIFICATION

INCREMENTS, PROPELLANT FOR CHARGE, PROPELLING, M36A2
(MADE FROM PROPELLANT M8)

This Amendment forms a part of Military Specification MIL-I-48086 dated 1 September 1972.

PAGE 2

*Drawings Add:

9272315 - Chipboards, commercial

9328024 - Clip, packing, front

9328025 - Clip, packing, rear

PAGE 6

Paras. 4.2.2.1, Half Increment; 4.2.2.2 Increments; and 4.2.2.3 Five Increment Bundle;

Delete:

Critical:
1. Incorrect Weight.....Scale CD

and substitute:

100% Inspection

Special (see para 6.6)

1. Incorrect Weight.....Scale CD

Paras. 4.2.2.4, Propelling Charge Sub-Assembly (Front); and 4.2.2.5, Propelling Charge Sub-Assembly (Rear); Delete:

FSC: 1376

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:12Z
Check the source to verify that this is the current version before use.

1208

Critical:

1. Incorrect weight (weighting to be done immediately prior to assembling increments to shipping or spindle.....Scale CD

and substitute:

100% Inspection

Critical (applicable to any half increment, or five increment bundle missing).

Special (see 6.6); (applicable to propelling charge sub-assembly out of weight tolerance).

1. Incorrect weight (weighing to be done immediately prior to assembling increments onto shipping spindle.....Scale CD

PAGE 9

Para 4.2.3.2.1, Delete Code Letter I and substitute: Code letter F:

PAGE 11

*Para 5.1.3 Delete in entirety and substitute:

5.1.3 Level C

The propelling charge sub-assembly (front) - Part No. 9276822 shall be inserted in packing clip (front) Drawing 9328024 and then overpacked 150 clips to a fiberboard carton conforming to requirements for carton No. 2 of Drawing 7548645 except that case liner shall conform to Type 1, Grade A material of spec MIL-L-10547. The clips shall be arranged in 6 layers of 5x5 with chipboard fillers, Drawings 9272315 added on sides on top as required to achieve a tight pack (see 5.1.3.1). The propelling charge sub-assembly (rear) - Part No. 9276823 shall be inserted in packing clip (rear) Drawing 9328025 and then overpacked 200 clips to a fiberboard

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:12Z
Check the source to verify that this is the current version before use.

1208

carton conforming to requirements for carton No. 2 of Drawing 7548645 except that case liner shall conform to Type 1, Grade A material for spec MIL-L-10547. The clips shall be arranged in 8 layers of 5x5 with chipboard fillers, Drawing 9272315 added on sides and top as required to achieve a tight pack (see 5.1.3.1).

PAGE 11

*Add new paragraph as follows:

5.1.3.1 Alternative Cartons

Use of existing cartons No's 1, 3, and 4 Dwg. 7548645 is permissible when these cartons are available. All new procurements are to be made to the No. 2 design carton.

6.6 Special Defect

A defect, other than critical that judgment and experience indicates may, depending upon the degree of variance from the design requirement, result in hazardous or unsafe conditions for individuals using, maintaining or depending upon the product or could prevent performance of the tactical function of a major end item.

NOTE: The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amemdment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
ARMY-AR

Preparing Activity
ARMY-AR
Project Number: 1376-A153

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:12Z
Check the source to verify that this is the current version before use.

1208