MILITARY STANDARD

MIL-STD-1322-92
(NAVY)
12 MARCH 1987


UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT

FIRING DEVICE, ACOUSTIC, MK 35 MOD 0
IN CONTAINER, SHIPPING AND STORAGE, DL5178223

UNIT LOAD DATA DODIC/NALC NO. 2W39

NUMBER OF FIRING DEVICES PER CONTAINER	1	
NUMBER OF CONTAINERS PER UNIT LOAD	24	
NUMBER OF FIRING DEVICES PER UNIT LOAD	24	
GROSS WEIGHT OF ONE CONTAINER	20	LBS
WEIGHT OF WOOD FRAMES	52	LBS
WEIGHT OF STEEL STRAPPING	7	LBS
WEIGHT OF PALLET	75	LBS
GROSS WEIGHT OF UNIT LOAD	614	LBS △
CUBE	35.5	CU FT


△ DO NOT USE FOR SHIPPING WEIGHT



SHIPPING AND STORAGE CONDITION
DRAWING NUMBER 5371I-5178223

DO NOT STACK MORE THAN
5 UNIT LOADS HIGH IN STORAGE.

HAZARD CLASSIFICATION
DOT - CLASS A
CG - CLASS VI



AMSC NO. - N/A

NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

M.S. Gray NWHC 3/11/87
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J.E. Kelly WPNSTA EARLE 3/12/87
SIGNATURE SEASYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

ORIGINATOR William O. Schroeder 3/12/87
DATE
NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:53Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) FABRICATE TWO FRAME ASSEMBLIES AS SHOWN IN DETAIL A WITH THE STRAPPING, ITEM 4, POSITIONED AS SHOWN. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5, AND SECURE THE STRAPPING WITH STAPLES, ITEM 6.
(B) THREAD TWO STRAPS, ITEM 2, THROUGH THE SLOTS IN THE PALLET DECK, ITEM 1, AS SHOWN IN DETAIL B.
(C) POSITION ONE FRAME ASSEMBLY ON THE PALLET DECK WITH EQUAL OVERHANG AT BOTH ENDS AND BOTH SIDES.
(D) POSITION CONTAINERS IN THE FRAME ASSEMBLY AS SHOWN.
(E) POSITION THE SECOND FRAME ASSEMBLY, OPEN SIDE DOWN, OVER THE CONTAINERS.
(F) POSITION STRAPPING, ITEM 2, OVER THE UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5.
(G) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND OVER THE UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5.
(H) SECURE STRAPPING, ITEMS 2 AND 3, TO THE TOP FRAME ASSEMBLY WITH STAPLES, ITEM 6, AS SHOWN.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1322 (NAVY).



NOTES:
1. ALL MATERIALS SHALL BE IN ACCORDANCE WITH THE BASIC DOCUMENT, MIL-STD-1322 (NAVY).
2. DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

DEPALLETIZING PROCEDURE


(A) REMOVE TOP SURFACE STAPLES.
(B) CUT AND REMOVE OVER THE LOAD STRAPPING, ITEMS 2 & 3.
(C) REMOVE TOP FRAME ASSEMBLY.
(D) REMOVE CONTAINERS.
(E) REMOVE BOTTOM FRAME ASSEMBLY.

LIST OF MATERIALS

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
AS REQ'D.	10	NAIL, BOX	SEE NOTE 1	6d
10	9	BATTEN	SEE NOTE 1	1 X 8 X 35 1/2
4	8	END PIECE	SEE NOTE 1	1 X 4 X 35 1/2
4	7	SIDE PIECE	SEE NOTE 1	1 X 4 X 45 1/4
16	6	STAPLE	SEE NOTE 1	3/4
6	5	SEAL	SEE NOTE 1	3/4
2	4	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 15 FT
2	3	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 12 FT 6 IN
2	2	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 14 FT 6 IN
1	1	PALLET, WOOD	MIL-P-15011 STYLE 1A, CL 1	35 X 45 1/2 X 5 1/2


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:53Z
Check the source to verify that this is the current version before use.

UNIT LOAD DETAILS



DETAIL A

FRAME ASSEMBLY
(TWO REQUIRED)



DETAIL B

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:53Z
Check the source to verify that this is the current version before use.