MILITARY STANDARD


MIL-STD-1323-315 (NAVY)

10 DECEMBER 1984

UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25mm, HEI-T, MK 210 MOD 0 (LINKED) AND CARTRIDGE, 25mm, PGU-25/U (LOOSE) IN CLEATED WOODEN BOX

UNIT LOAD DATA


	MK 210-0 (LINKED)	PGU-25/U (LOOSE)
NUMBER OF CARTRIDGES PER BOX	50	80
NUMBER OF BOXES PER UNIT LOAD	12	12
NUMBER OF CARTRIDGES PER UNIT LOAD	600	960
GROSS WEIGHT OF ONE BOX	100 LBS	130 LBS
WEIGHT OF END BATTEN ASSEMBLY	90 LBS	90 LBS
WEIGHT OF STEEL STRAPPING	5 LBS	5 LBS
WEIGHT OF PALLET		
MK 12 MOD 0 ..... 110 LBS		
MK 12 MOD 1 ..... 72 LBS		
GROSS WEIGHT OF UNIT LOAD △		
MK 12 MOD 0	1405 LBS	1765 LBS
MK 12 MOD 1	1367 LBS	1727 LBS
CUBE		
MK 12 MOD 0	38.6 CU. FT.	38.6 CU. FT.
MK 12 MOD 1	38.2 CU. FT.	38.2 CU. FT.
HAZARD CLASSIFICATION		
DOT	A	A
CG	IV	IV



WOODEN BOX
DWG 12013671 (LINKED)
DWG 12013674 (LOOSE)

△ DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN 4 UNIT LOADS HIGH IN STORAGE



DIM. A	MK 12-0	MK 12-1
	41 7/8	41 1/2

NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS

M.D. Gray NWHC — 12/10/84
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) — DATE

J.E. Kelly — 12/10/84
SIGNATURE — SEASYSCOM BY DIRECTION — DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR S.R. Petrie — 12/10/84
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD STRAPPING, ITEM 2, BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(B) PLACE 2 STACKS OF 3 WOODEN BOXES ON PALLET, INSERT MID SPACER PANEL, ITEM 6, AND THEN PLACE REMAINING 2 STACKS ON THE PALLET.


(C) POSITION STRAPPING, ITEM 2, AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL, ITEM 4.

(D) PLACE THE END BATTEN ASSEMBLIES, DETAIL B - ITEMS 7 AND 8, AGAINST THE UNIT LOAD AS SHOWN, POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND AROUND THE END BATTEN ASSEMBLIES AND UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL, ITEM 4.

(E) SECURE STRAPPING, ITEM 2 AND # TO HORIZONTAL BATTENS, ITEM 8 OF THE END BATTEN ASSEMBLIES WITH STAPLES, ITEM 5 AS SHOWN.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323.



NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL MATERIALS SHALL BE IN ACCORDANCE WITH MIL-STD-1323


REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
AS REQ'D	9	NAILS	SEE FIELD NOTE	6d
8	8	HORIZONTAL BATTEN	SEE NOTE 1	2 x 4 x 45 1/2
2	7	END BATTEN PANEL	SEE NOTE 1	1/2x45 1/2x36 3/4H
1	6	MID SPACER PANEL	SEE NOTE 1	1/2x31 1/2x36 3/4H
AS REQ'D	5	STAPLES	COM'L	3/4
4	4	SEAL	SEE NOTE 1	3/4
2	3	STEEL STRAPPING	SEE NOTE 1	3/4x.035x13 FT 6
2	2	STEEL STRAPPING	SEE NOTE 1	3/4 x .035 x 15 FT
1	1	MK12 PALLET MOD 0 MOD 1	10001 - 2086479 10001 - 2645217	35 x 45 1/2x5 1/8H 35 x 45 1/2x4 3/4H

LIST OF MATERIALS


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.

DEPALLETIZING PROCEDURE

(A) CUT AND REMOVE STRAPPING
(B) REMOVE STAPLES
(C) REMOVE BATTEN ASSEMBLIES




MOD 0 PALLET



MOD 1 PALLET

DETAIL A



DETAIL B

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.