MIL-P-1251A
9 February 1955
SUPERSEDING
MIL-P-1251
27 July 1949

MILITARY SPECIFICATION

POST, DRILLING

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

** 1. SCOPE

1.1 This specification covers one type and size of drilling post.

** 2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

MILITARY

MIL-H-15424 - Hand Tools; Packaging Of.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

** 3. REQUIREMENTS

3.1 Preproduction sample.- When specified (see 6.2), before production is commenced, a sample drilling post covered by this specification shall be submitted or made available to the contracting officer or his authorized representative for approval in accordance with 4.2. The approval of the preproduction sample authorizes the commencement of production, but does not relieve the supplier of responsibility for compliance with all applicable provisions of this specification. The preproduction sample shall be manufactured in the same facilities to be used for the manufacture of the drilling posts.

/FSC 5110/

Source: https://assist.dla.mil -- Downloaded: 202610-16T13:02Z
Check the source to verify that this is the current version before use.

* 3.2 Materials.- Materials shall be as specified herein. Materials not definitely specified shall be suitable for the purpose intended.

3.3 Design and construction.-

3.3.1 Illustration.- The illustration contained herein is for the convenience of identification, and is not intended to preclude the purchase of drilling posts which are otherwise in accordance with the requirements of this specification.

* 3.3.2 The drilling post shall consist of an arm, foot and post and be similar to figure 1. The arm and foot shall be cast or drop forged from medium carbon steel or malleable iron. The post shall be made from a solid steel bar, 1-1/4-inches minimum diameter. The overall height of the drilling post shall be 20-inches, plus or minus 1/4-inch.




Figure 1. - Drilling Post

* 3.3.2.1 Arm.- When assembled, the arm shall be not less than 10-inches in length from its outer end to the center of the post. The arm shall be of such design as to permit easy adjustment and secure fastening in any position desired within a complete circle and along the entire exposed length of post without special tools.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:02Z
Check the source to verify that this is the current version before use.

3.3.2.2 Foot.- The foot shall be constructed from one piece, having a shape similar to figure 1, and be designed so that it can be fastened to the post in the same manner as the arm, or the post may screw into the foot. The foot shall be provided with a through slot so that it can be securely bolted to a fixed surface when in use. The top and bottom contact surfaces shall be flat and parallel to within 2 degrees.

3.4 Finish.- The drilling post covered by this specification shall be finished in accordance with the manufacturer's standard practice, and be free from flashings, parting lines, sharp edges, burrs and rust or corrosion.

3.5 Marking.- Each drilling post shall be permanently marked with the manufacturer's name or trademark of such character that the manufacturer can be readily determined.

3.6 Workmanship.- Workmanship of the drilling post shall be of a quality prevailing among manufacturer's normally producing drilling posts of the type specified in this specification.

** 4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Preproduction sample inspection.- When a preproduction sample is required, it shall be examined for defects in Table I and dimensions specified.

4.3 Sampling for inspection and acceptance.- Sampling for inspection and acceptance shall be performed in accordance with the provisions set forth in MIL-STD-105, except where otherwise indicated.

4.3.1 End item inspection.- The lot shall be all drilling posts submitted for inspection at one time. The sample unit shall be one completely assembled drilling post.

4.3.1.1 Visual examination.- Visual examination of the end item shall be in accordance with the classification of defects as set forth in Table I. The inspection level shall be level II, with an acceptable quality level (AQL) of 2.5 for major defects and 6.5 for total defects, expressed in terms of defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 202610-16T13:02Z
Check the source to verify that this is the currentversion before use.

TABLE I.- Classification of defects

Examine	Defect	Classification Major	Minor
Finish.	Not in accordance with manufacturer's standard practice.		X
	Not free from flashings, parting lines, sharp edges or burrs.	X	
	Evidence of rust or corrosion.	X	
Design, construction and workmanship.	Component missing.	X	
	Arm does not adjust easily; or cannot be securely fixed to the post.	X	
	Post cannot be securely fixed to the foot.	X	
	Foot cannot be securely bolted to a fixed surface.	X	
Identification marking.	Missing, incomplete, illegible, not correct or permanent.		X

4.3.1.2 Dimensional examination.- Examination shall be made of drilling posts for compliance with dimensions specified. Any noncompliance with specified requirements shall constitute a defect. The inspection level shall be S-4 with an AQL of 2.5, expressed in terms of defects per hundred units.

4.3.2 Examination of preparation for delivery.- Inspection to determine compliance with preparation for delivery shall be made in accordance with MIL-H-15424.

5. PREPARATION FOR DELIVERY

5.1 Preservation, packaging, packing and marking.- Preservation, packaging, packing and marking shall be in accordance with MIL-H-15424. Levels of preservation and packaging and level of packing shall be as specified (see 6.2).

6. NOTES

6.1 Intended use.- The drilling post covered by this specification is intended for use with hand operated ratchet drills and feed screw type power drills when positioned for operation.

Source: https://assist.dla.mil -- Downloaded: 202610-16T13:02Z
Check the source to verify that this is the current version before use.

6.2 Ordering data.- Procurement documents should specify the following:

a. Title, number and date of this specification.
b. When preproduction sample is required (see 3.1).
c. Selection of the applicable levels of preservation, packaging and packing (see 5.1).

6.3 Notations.- The outside margins of this document have been marked to indicate where changes from the previous issue have been made. An asterisk (*) indicates a substantive change in the paragraph text. A double asterisk (**) indicates deletion of a paragraph bearing the same number. The sign (#) indicates the addition of a completely new paragraph. This has been done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and suppliers are cautioned to evaluate the requirements of this document based on the entire content as written irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - CL
Navy - SH
Air Force - 69

Review activities:
Army - MI
Navy - SH
Air Force - 69

User activities:
Army - CR
Navy - YD, MC

Preparing activity:
Army - CL
Project No. 5110-0162

Review and User information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current Federal Supply Classification Listing Of DOD Documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:02Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:02Z
Check the source to verify that this is the current version before use.

"to detach this form, cut along this line"

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity.

SPECIFICATION

Post, Drilling MIL-P-1251A

ORGANIZATION	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1 OCT 64 1426

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:02Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01762

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRE-SS
Natick, Massachusetts 01762

FOLD

"to detach this form, cut along this line"

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:02Z
Check the source to verify that this is the current version before use.