PP-D-745H
July 12, 1974
SUPERSEDING
Fed. Spec. PP-D-745G
February 20, 1970

FEDERAL SPECIFICATION

DUCK, GOOSE, GUINEA AND SQUAB, CHILLED AND FROZEN (READY-TO-COOK)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers chilled and frozen, ready-to-cook (eviscerated) ducks, geese, guineas, and dressed or ready-to-cook (eviscerated) squabs.

1.2 Classification.

1.2.1 Types, classes, styles, grades, and weight ranges. The birds shall be of the following types, classes, styles, grades, and weight ranges as specified (see 6.1).

1.2.1.1 Types.

Type I - Fresh, chilled (see 3.2.1)
Type II - Frozen not more than 60 days (see 3.2.2)
Type III - Frozen more than 60 days (see 3.2.3)
Type IV - Frozen (special) (see 3.2.4)

1.2.1.2 Classes.

Class 1 - Broiler or fryer duckling
Class 2 - Roaster duckling
Class 3 - Mature duck or old duck
Class 4 - Young goose
Class 5 - Mature goose or old goose
Class 6 - Young guinea
Class 7 - Mature guinea or old guinea
Class 8 - Squab

FSC 8905

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

1.2.1.3 Styles.

Style 1 - Ready-to-cook, whole
Style 2 - Ready-to-cook, halved (split)
Style 3 - Ready-to-cook, quartered

1.2.1.4 Grades.

Grade A
Grade B
Grade C

1.2.1.5 Weight ranges. Ready-to-cook birds shall conform to a weight range or ranges in table I, as specified (see 6.1).

TABLE I. Weight range for ready-to-cook ducks, geese, guineas, and squabs

Kind of Poultry	Weight range per carcass			
	Minimum		Maximum	
	Pounds	Ounces	Pounds	Ounces
Ducks (all classes)	Over 3	0	4	0
	Over 4	0	5	0
	Over 5	0	6	0
	Over 6	0	7	0
	Over 7	0	None	
Geese (all classes)	6	0	8	0
	Over 8	0	10	0
	Over 10	0	12	0
	Over 12	0	14	0
	Over 14	0	None	
Guineas (all classes)	1	0	1	4
	Over 1	4	1	8
	Over 1	8	1	12
	Over 1	12	2	0
	Over 2	0	2	4
	Over 2	4	2	8
	Over 2	8	None	
Squabs	Over 0	8	0	10
	Over 0	10	0	12
	Over 0	12	0	14
	Over 0	14	0	16
	Over 0	16	None	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

L-C-110	-	Cellophane (Coated and Noncoated Regenerated Cellulose Film).
L-P-378	-	Plastic Film (Polyethylene Thin Gage).
PPP-B-585	-	Boxes, Wood, Wirebound.
PPP-B-636	-	Boxes, Shipping, Fiberboard.
PPP-B-1163	-	Box, Corrugated Fiberboard, High Compression Strength, Weather Resistant, Wax-Resin Impregnated.

Federal Standards:

FED-STD-101	-	Preservation, Packaging and Packing Materials Test Procedures.
FED-STD-123	-	Marking for Domestic Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-668	-	Sanitary Standards for Food Plants.

Source: https://assist.dla.mil -- Downloaded: 20260-26T12:02Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

LAWS AND REGULATIONS

U.S. Department of Agriculture

Poultry Products Inspection Regulations (9 CFR Part 381)

Regulations Governing the Grading and Inspection of Poultry and Edible Products Thereof and United States Classes, Standards, and Grades With Respect Thereto (7 CFR Part 70).

United States Standards for Condition of Food Containers

(Single copies may be obtained without charge from the U.S. Department of Agriculture, Agricutural Marketing Service, Poultry Division, Washington, DC 20250.)

U.S. Department of Health, Education and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:02Z
Check the source to verify that this is the currentversion before use.

Technical Association of the Pulp and Paper Industry

Technical Association of the Pulp and Paper Industry (TAPPI) Testing Methods, Recommended Practices and Specifications

(Application for copies should be addressed to the Technical Association of the Pulp and Paper Industry, 360 Lexington Avenue, New York, NY 10017.)

(Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

3. REQUIREMENTS

3.1 Material. All birds, except class 8, shall be processed and chilled or frozen under continuous Government inspection in accordance with the Poultry Products Inspection Regulations.

3.2 Description of types.

3.2.1 Type I, fresh chilled. Birds shall be processed subsequent to date of contract. Unless otherwise specified, the ready-to-cook product shall be eviscerated warm, followed by immediate chilling of the eviscerated bird. In addition, unless otherwise specified, the bird after packing shall be chilled to an internal temperature not higher than 36°F. and delivered to the destination at an internal temperature not higher than 38°F. within 4 days after slaughtering.

3.2.2 Type II, frozen not more than 60 days. The product shall be eviscerated warm followed by immediate chilling and rapid freezing in accordance with the Poultry Products Inspection Regulations. Birds shall be solidly frozen in accordance with the Poultry Products Inspection Regulations. Plate freezers shall not be used on style 1. Freezer storage time shall be limited to 60 days. Storage time shall be computed from the date put into the freezer.

3.2.3 Type III, frozen more than 60 days. Birds shall comply with 3.2.2, except for time in storage. Unless otherwise specified in the invitation for bids, freezer storage time shall be limited to 120 days when product is being procured for domestic purposes. This type shall not be procured for overseas shipment.

3.2.4 Type IV frozen (special). Product shall be processed subsequent to date of contract. The ready-to-cook product shall have been eviscerated warm followed by immediate chilling to 40°F. or below. The packaging and placing of the chilled product into the freezer shall be accomplished within 36 hours from the time of slaughter. When the packaging of the product is not accomplished immediately after chilling, the birds shall be maintained at a temperature of 38°F. or lower during the holding period. The time between packaging and placing

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

in the freezer shall not exceed 6 hours. The birds shall be frozen in a manner so as to bring the internal temperature at the center of the package to 0°F. or below within 72 hours from the time of entering the freezer. Grading shall be done prior to packaging and tolerances for undergrade birds shall not apply.

3.3 Classes. Descriptions for class 1 through class 8 shall be those set forth in the Poultry Products Inspection Regulations (9 CFR Part 381).

3.4 Styles.

3.4.1 Style 1. Ready-to-cook, whole birds shall conform to 3.6 and shall be prepared as specified in 3.6.1.

3.4.2 Style 2. Ready-to-cook, halved (split birds) shall conform to 3.6 and shall be halved as specified in 3.6.2.

3.4.3 Style 3. Ready-to-cook, quartered birds shall conform to 3.6 and shall be quartered as specified in 3.6.3.

3.5 Grades. The interpretation of requirements shall be in accordance with standards of quality set forth in Regulations Governing the Grading and Inspection of Poultry and Edible Products Thereof and United States Classes, Standards, and Grades with Respect Thereto (7 CFR Part 70).

3.5.1 Pygostyle (tail) may be removed without affecting grade. In geese and ducks the parts of the wing beyond the second joint may be removed without affecting the grade, if removed at the joint and both wings are so treated.

3.6 Processing. Evisceration of dressed birds that have been previously frozen shall not be permitted. Although removal of the epidermis (or cuticle) is permissible, there shall be no excessive wearing away of the skin by machining in order to achieve feather and pinfeather removal. At no time shall the skin be permitted to become dry to the extent of darkening (in color) prior to delivery. Birds to be chilled in air shall be processed in such a manner as to leave the epidermis (or cuticle) substantially intact. Giblets (liver, heart and gizzard) shall be properly trimmed, washed, chilled and wrapped.

3.6.1 Style 1, ready-to-cook, whole. This style is applicable to all classes. The neck shall be cut off at its junction with the body and placed with the giblets.

3.6.2 Style 2, ready-to-cook, halved, split. This style is applicable to all classes. Immediately following evisceration and chilling the neck shall be cut off at its junction with the body. The carcass shall be prepared by making a full length back and breast split so as to produce approximately equal right and left sides.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

3.6.3 Style 3, ready-to-cook, quartered. This style is applicable to all classes. Immediately following evisceration and chilling the neck shall be cut off at its junction with the body. The carcass shall be split as specified in 3.6.2 and the resulting halves shall be cut crosswise at almost right angles to the backbone so as to produce forequarters of all white meat and hindquarters of all dark meat of approximately equal size.

3.6.4 Unless otherwise specified, type I product, all styles, shall be ice-packed (see 6.1). Types I through IV, styles 2 and 3, shall be prepared from chilled carcasses (with or without the necks) and the parts shall not be placed in ice and water or water.

3.7 Class 8. Squab, when specified may be commercially dressed birds. Styles 1 through 3 shall be processed in a plant operating under the supervision of the Animal and Plant Health Inspection Service, Agricultural Marketing Service, in accordance with the Poultry Products Inspection Regulations or in a plant approved by the Veterinary Corps (Army or Air Force) and inspected and passed for wholesomeness by either of these organizations.

3.8 Holding temperature. All products shall be in excellent condition at time of delivery. Types II, III, and IV products, after being frozen and until time of delivery, shall be held at a uniform temperature not higher than 0°F. The supplier shall provide evidence that the internal temperature of the product at time of shipment does not exceed 0°F.

3.9 All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

3.10 Plant qualification. Except as specified in 3.7 the product shall be prepared in an establishment operating under continuous inspection by the Animal and Plant Health Inspection Service, U.S. Department of Agriculture and shall be inspected, passed and marked in accordance with the Poultry Products Inspection Regulations.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

4.2 Unless otherwise specified (see 6.1) the supplier is required to furnish an official inspection certificate issued by the U.S. Department of Agriculture certifying that the grade of the product supplied is as required by the contract or order.

4.3 Inspection.

4.3.1 Plant qualification conditions. The product furnished under this document shall be unacceptable if not produced and stored in plants which currently meet the qualification conditions of 3.10.

4.3.2 Condition inspection of containers. When inspection of containers for condition is performed by the U.S. Department of Agriculture, the United States Standards for Condition of Food Containers shall apply.

4.3.3 Plant qualification conditions. The product furnished under this document shall be unacceptable if not produced and stored in plants which currently meet the qualification conditions of 3.10 or by other Government agencies officially recognized by the U.S. Department of Agriculture.

4.3.4 Determination of grade. Determination of grade shall be made in accordance with the Regulations Governing the Grading and Inspection of Poultry and Edible Products Thereof and United States Classes, Standards and Grades With Respect Thereto. Nonconformance to the above requirements shall be cause for rejection of the lot.

4.3.5 Sampling for inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except as otherwise indicated herein.

4.3.6 Process examination. Examination shall be performed during processing to determine compliance with requirements of 3.6. Noncompliance with one or more requirements shall be cause for rejection of the involved finished product.

4.3.7 Component and material inspection. In accordance with 4.1 components and material shall be inspected in accordance with all the applicable requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.3.8 Testing of components. Testing of components described in this specification and subsidiary specifications shall be as shown in table II. Test requirements shall be lot average requiremets. Nonconformance to one or more test requirements shall be cause for rejection of the lot. The inspection level for determining sample size shall be S-1.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:02Z
Check the source to verify that this is the currentversion before use.

TABLE II. Testing of components (see 4.3.7)

Component	Characteristics	Reqmt. para	Test para	Sample unit	Lot size expressed in	Results reported to nearest
Wax paper 1/	Basis weight	5.1.1.4.1	4.5.1	3 sq. yards	Number of reams	Pound
Vegetable parachment wet strength Kraft Parchmentized, Kraft wet strength water repellent paper as applicable 1/	Weight of wax per ream, melting point, bursting strength wet or dry, as applicable		4.5.1	3 sq. yards	Number of reams	Pound 1°F. Pound per sq. in. (psi)
	Tearing resistance		4.5.1			Gram.
Plastic Film wrap (except polyethylene)	Thickness	5.1.1.4.3	4.5.2	1 bag of or sheet	Number of bags or sheets	0.0001 or 0.00001 as applicable
Wax fiberboard box 2/	Wax, melting point	5.2.1.3(a)	4.5.1	1 box	Number of boxes	1°F.
Cellophane	Thickness	5.1.1.4.4	4.5.3	1 bag or sheet	Number of bags or sheets	0.0001 inch

1/ All tests shall be made on the same sample unit.

2/ In addition, the fingernail test shall be performed as specified in 5.1.1.4.1 and 5.2.1.3(a). One or more failures shall be cause for rejection of the lot.

4.4 Examination of end item. Examination of finished product shall be in accordance with 4.4.1 through 4.4.5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

4.4.1 Examination for weight range of individual birds, packaging, packing, and marking. The end item shall be examined for weight range of indvidual birds, packaging, packing, and marking in accordance with the classification of defects set forth in tables IV through VI and 4.4.2 through 4.4.4 (see table III below). The sample unit shall be one bird, one package, or one filled and marked shipping container, as applicable. The lot size, inspection level, and acceptable quality levels (AQLs) shall be as shown below. AQLs shall be expressed in defects per hundred units (DHUs). The lot size shall be expressed in the number of individual birds, packages, or shipping containers consisting of only one type and level of pack containing one style of bird.

TABLE III. Sampling plans and AQLs

Table	Inspection level	Lot size expressed in	AQLs	
			Major B	Minor
IV	S-3	One individual bird of one class and weight range		2.5
V	S-3	One bag, carton, or shipping container	1.5	6.5
VI	S-3	Shipping container	1.5	6.5

TABLE IV. Examination for weight of individual birds 1/ 2/

Category	Defects
Minor	Applicable to all styles
201	Individual birds less than specified minimum weight.
202	Individual birds more than specified maximum weight.

1/ Individual birds are to be weighed to the nearest ounce.

2/ Weight determination to be made prior to final packaging or separation into parts.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

TABLE V. Examination of packaging 1/

Category			Defect
Major A	Major B	Minor	Applicable to all styles
101			Material imparts an objectionable odor, color, or flavor to product.
		201	Giblet(s) and, when applicable, neck(s) not wrapped or bagged as specified.
		202	Giblet(s) or neck(s) do not correspond to the number of bird(s) or not placed as specified.
			Style 1, individual bag or carton pack
	151		Bag does not cling tightly to birds(s) (when applicable).
	152		Carton, bag, or wrapper not made of specified material.
		203	Bag or wrapper torn or not closed as specified.
	153		Inside surface(s) of carton not lined or laminated, waxed or coated with polyethylene, or carton not overwrapped, when applicable.
		204	Bird(s) not individually packaged (bag or carton).
		205	Labeling not as specified.
		206	Bulging carton.
			Styles 2 and 3, carton pack
	154		Carton or inner and outer liner(s) not made of specified material.
	155		Inside surface(s) or carton not lined or laminated, waxed or coated with polyethylene, or carton not overwrapped, when applicable.
	156		Not packed as specified.
		207	Labeling not as specified.
		208	Labeled weight more than 15 pounds.
		209	Layers not separated with a sheet of waxed paper.
		210	Bulging carton.
		211	Slack-filled carton.
			Styles 2 and 3, layer packed
	157		Not layer packed.
	158		Layers not separated with sheet of waxed paper.
	159		Material not type specified.
	160		Liner or wax or overwrap not as specified.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the current version before use.

TABLE V. Examination of packaging 1/ (cont'd)

Category			Defect
Major A	Major B	Minor	Styles 2 and 3, layer packed (cont'd)
		212	Cut up part(s) not in proportion to the number of whole birds.

1/ The finding of one or more Major A defects shall be cause for rejection of the lot.

TABLE VI. Examination of packing and marking 1/

Category			Defect
Major A	Major B	Minor	
101			Material imparts an objectionable odor, color, or flavor to product.
	151		More than one class or style of bird packed in container.
		201	Container not completely lined or waxed when applicable.
		202	Evidence of container not in specified position until frozen (applicable to fiberboard box).
		203	Net weight more than 56 lbs. as indicated by marked net weight.
		204	Bulging containers. 2/
		205	Slack fill.
	152		Marking - missing, incomplete, illegible, or incorrect.

1/ The finding of one or more Major A defects shall be cause for rejection of the lot.

2/ The cover shall fit uniformly to 1/2 inch of the bottom of the container.

4.4.2 Examination for chilling, freezing, and storage limitation. Examination shall be made to determine compliance with the temperature and age requirement of 3.2 or 3.2.1 and the storage requirements of 3.2.2 or 3.2.3. Records of temperature and storage limitation shall be maintained. Nonconformance to one or more of the requirements reflected by examination of records shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

4.4.3 Examination of shipping containers. When shipping containers are required to be in accordance with the appendix to PPP-B-585 or PPP-B-636, examination for construction, closure, and strapping shall be in accordance with the applicable specification, except that round wire strapping shall not be used when fiberboard shipping containers are used.

4.4.4 Examination for net weight. The sample unit shall be one filled shipping container. The sample size shall be the number of sample units indicated by inspection level S-3. The lot shall be rejected if by using recognized statistical methods the sample average net weight is determined to be less than the sample average marked net weight.

4.4.5 Sampling procedures and acceptance criteria for testing of polyethylene. Polyethylene shall be tested in accordance with L-P-378.

4.5 Tests. Test procedures and controls which differ from those specified herein may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government inspection activity determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the test procedures set forth herein. In case of dispute as to test results, the test methods specified herein shall govern.

4.5.1 Paper tests. Paper shall be tested in accordance with the following methods of FED-STD-101:

Title	Method
Basis Weight of Paper and Paperboard	5022
Tearing Resistance (Elmendorf)	2036
Bursting Strength of Sheet Materials	2007
Melting Point of Wax	4017
Paraffin in Paper (wax content)	6018

4.5.1.1 Wet strength of paper shall be tested in accordance with Method RC 205 of the Technical Association of the Pulp and Paper Industry. (Wet Strength of Paper) (Mullen Tester).

4.5.2 Thickness tests (plastic films). The gauge used for the measurement of thickness shall be a dead weight equipped with a dial graduated to read directly to 0.0001 inch. The area of the pressure foot and its weight and the weight of the parts therewith shall be such as to apply a pressure of 2.00 $\pm$ 0.05 pounds per square inch to the specimen. The pressure foot and the anvil surface shall be planed to within 0.0001 inch and parallel to each other within 0.0001 inch. Test specimens of film being tested shall measure not less than 3 by 3 inches. It shall be free of wrinkles and creases.

4.5.3 Thickness of cellophane. Cellophane shall be tested for thickness in accordance with L-C-110.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:02Z
Check the source to verify that this is the currentversion before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Types II, III, and IV product, all classes and styles, shall be packaged in accordance with level B or C, as specified (see 6.1). Type I product, all classes and styles, shall be packaged in accordance with level C.

5.1.1 Level B.

5.1.1.1 Style 1, whole bird. The whole bird shall be packaged in accordance with 5.1.1.1.1 or 5.1.1.1.2, as specified (see 6.1).

5.1.1.1.1 Bag. Each bird shall be inserted into a bag made from one of the materials specified in 5.1.1.4.3. The bag shall be heat-sealed, or shall be closed with a twist of wire or malleable metal clip, or with pressure-sensitive tape. The bag shall cling closely to the bird as a result of shrinking or vacuumizing. The giblets and neck of the individual bird shall be wrapped in one of the materials specified in 5.1.1.4.1, 5.1.1.4.2, 5.1.1.4.3, 5.1.1.4.4, or 5.1.1.4.5 and shall be inserted directly into the neck or body cavity before bagging. Alternatively, the necks need not be wrapped prior to insertion into the neck or body cavity with the wrapped giblets.

5.1.1.1.2 Carton. The carton shall contain individual birds, bagged as specified in 5.1.1.1.1, and shall be packaged in individual commercial cartons normally used for the product. Alternatively, each bird, without bagging, but with giblets and neck wrapped or bagged and inserted into the bird as specified in 5.1.1.1.1, shall be packaged in a carton as specified in 5.1.1.2.1.

5.1.1.2 Style 2, halved. The product shall be packaged in accordance with 5.1.1.2.1 or 5.1.1.2.2, as specified (see 6.1).

5.1.1.2.1 Carton. Not more than 15 pounds of halved birds, corresponding to a number of whole birds, shall be packaged in a folding or set-up carton of solid bleached sulfite, solid bleached or semi-bleached sulfate, or solid manila boxboard or of board having inner and outer liners of these materials. All of the inside surfaces shall be completely lined or laminated with one of the materials specified in 5.1.1.4.3. Cartons need not be lined if the interior surface is waxed or coated with polyethylene and the cartons are overwrapped with one of the materials specified in 5.1.1.4.3 or 5.1.1.4.4. Giblets and necks corresponding to the number of whole birds packaged, shall be wrapped or bagged in one of the materials specified in 5.1.1.4.1 through 5.1.1.4.5 and packaged with the birds.

5.1.1.2.2 Layer pack. Not more than 56 pounds of halved birds, corresponding to a number of whole birds, shall be packed directly into lined shipping containers as specified in 5.2.1. The halves shall be packed in layers separated by a sheet of waxed paper specified in 5.1.1.4.1. The giblets and necks corresponding to the whole number of birds packed, shall be wrapped or bagged in one of the materials specified in 5.1.1.4.1 through 5.1.1.4.5 and packed with the halves.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

5.1.1.3 Style 3, quartered. Not more than 15 pounds of quartered birds shall be packaged in cartons in accordance with 5.1.1.2.1, nor more than 60 pounds of quartered birds shall be layer-packed in accordance with 5.1.1.2.2, as specified (see 6.1).

5.1.1.4 Wrapping materials. The wrappers shall be made of the following materials. The wrapper shall be heat-sealed, string-tied, secured with pressure-sensitive tape, or closed with a twist of wire, rubber band or plastic or metal clip. The wrapper may be prefabricated into a bag or pouch.

5.1.1.4.1 Waxed paper. The paper, before waxing, shall be bleached, semi-bleached or unbleached deodorized kraft, sulphite, or vegetable parchment having a minimum basis weight of 26 pounds per ream (24 by 36-500). The paper (or vegetable parchment) shall be wet-waxed on both sides with a total of not less than 9 pounds per ream of a fully refined paraffin having a melting point of not less than 125°F. The quantity of wax on the surface shall be sufficient to show the presence of wax on the fingernail when it has been scraped lightly across the sheet. The waxed sheets shall have a bursting strength of not less than 22 p.s.i. and a tearing resistance of not less than 18 grams (see table II).

5.1.1.4.2 Parachment paper. Vegetable parachment paper shall have a minimum basis weight of 26 pounds per ream (24 by 36-500). The sheet shall have an average bursting strength of 22 p.s.i. and an average tearing resistance of not less than 18 grams in any direction.

5.1.1.4.3 Plastic films. The materials shall be one of the following:

(a) A copolymer of vinylidene chloride and vinylchloride not less than 0.0006 inch thick.

(b) Polyvinyl chloride with food grade plasticizers, not less than 0.002 inch thick.

(c) Heat shrinkable polyethylene 0.001 inch thick.

(d) Polyethylene 0.0015 inch thick:
(NOTE: Polyethylene shall be tested in accordance with L-P-378.)

(e) A shrinkable polyethylene terephthalate film 0.0006 inch nominal thickness.

(f) A special frozen-food grade rubber hydrochloride-base plastic film not less than 0.001 inch thick.

5.1.1.4.4 Cellophane. The cellophane shall be 0.0010 inches thick gauge in accordance with type V, class 2 of L-C-110.

5.1.1.4.5 Materials (for giblets only). In addition to the materials specified in 5.1.1.4.1 through 5.1.1.4.4 either of the materials specified in a. or b. may be used.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the current version before use.

(a) A wrapper made from wet-strength bleached kraft paper which shall have a minimum average dry bursting strength of 12 p.s.i. Bleached kraft paper shall have a minimum basis weight of 27 pounds per ream (24 by 36-500).

(b) A wrapper consisting of a rippled or nonrippled parchmentized kraft paper, made from No. 1 kraft, having a minimum basis weight of 27 pounds per ream (24 by 36-500) and a minimum average dry bursting strength of 12 p.s.i. and a minimum average wet bursting strength of 5 p.s.i.

5.1.2 Level C (all types, classes and styles). Unless otherwise specified in procurement documents, commercial packaging will be acceptable.

5.1.2.1 When specified, product shall be packaged in accordance with 5.1.1, as applicable, except that physical requirements as specified therein for types of packaging and wrapping materials used are not applicable.

5.2 Packing. When specified (see 6.2) only birds of one weight range shall be packed in any one box. Types II, III and IV product, all classes and styles, shall be packed level B or C, as specified (see 6.1). Unless otherwise specified (see 6.1), type I product, all classes and styles shall be packed with ice in commercial containers acceptable to common carriers for safe delivery at destination at the lowest transportation rate for such suppliers. The shipping containers shall be in accordance with the rules or regulations applicable to the mode of transportation. Shipping container shall be neither slack filled or over filled.

5.2.1 Level B. Not more than 56 pounds of one style of product packaged as specified in 5.1.1, shall be packed in a shipping container in accordance with 5.2.1.1 or 5.2.1.2.

5.2.1.1 Fiberboard box. The shipping container shall be constructed, closed and reinforced in accordance with style FTC, W5c or W5s, of PPP-B-636, except that round wire strapping shall not be used and seams need not be taped. The container shall be constructed of materials which impart no odor, flavor, or color to the product. When birds being packed are not packaged in a completely inclosed and sealed bag or carton, all the inside surfaces of the shipping container shall be protected with a coating or liner in accordance with 5.2.1.3. The packed container shall be handled with its top side up until frozen, so that juices from the product will have minimum contact with the cover. In addition, the maximum amount of packed product shall be as specified in 5.1.1.2.2, 5.1.1.3, or 5.2.1. Alternatively, the shipping container shall be constructed in accordance with style RSC, class I, types SWCFI, grade 200 of PPP-B-1163. Closure shall be with hot melt adhesive in accordance with the appendix of PPP-B-636. The wax-impregnated box shall be reinforced with two lengthwise bands and one girthwise band in accordance with the appendix of PPP-B-636. Protection against juices is not required with the wax-impregnated box.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

5.2.1.1.1 Alternatively, when frozen product is packaged in cartons only, the shipping container shall be constructed, closed, and reinforced in accordance with style RSC, V3c, V3s, or V4s except that round wire strapping shall not be used.

5.2.1.1.2 When specified (see 6.1 and 6.3), the shipping container specified in 5.2.1.1 or 5.2.1.1.1 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament reinforced tape in accordance with the appendix of PPP-B-636, except that for W5c, W5s, V3c, V3s, or V4s boxes two reinforcing bands may be used, one lengthwise and one girthwise.

5.2.1.2 Wirebound box. The wirebound shipping container shall be constructed in accordance with style 2, 2A, or 3, class 2 use, for type 2 load, of PPP-B-585, except that no species of wood shall be used that will impart flavor or odor to the product. In addition, when birds are not packaged in a completely enclosed and sealed wrapper, bag, or carton, the shipping container shall be provided with a box liner as specified in c, d, or e, of 5.2.1.3.

5.2.1.3 Box liners and coatings. The interior surfaces of the body and cover of the container shall be protected from the juices by one of the following methods, except that if product is packaged and sealed to prevent leakage, in one of the materials specified in 5.1.1.4.3, as applicable for the type of product, the interior surfaces of the shipping container need not be waxed or lined. Coatings a and b are applicable to fiberboard boxes only.

(a) Hot waxed with a fully refined paraffin wax having a melting point of not less than 125°F., (see table I). The quantity of wax applied to the board shall be sufficient to show the presence of wax on the fingernail when it has been scraped lightly across the board.

(b) Coated with a type of polyethylene permitted in contact with food and having a minimum thickness of 0.0005 inch.

(c) Completely lined inside with two sheets of waxed paper as specified in 5.1.1.4. The paper shall be inserted into the container as follows: One sheet shall be cut and placed so as to cover the bottom, ends, and top with an overlap of 4 inches on top and extending 1 inch along the side panels at each corner. The other sheet shall be cut and placed so as to cover the bottom, sides, and top with an overlap of 4 inches on top and extending 1 inch along the end panels at each corner.

(d) Wet strength, water-repellent kraft or sulphite paper having a minimum basis weight of 26 pounds per ream (24 by 36-500) and a dry bursting strength of not less than 22 pounds per square inch and a wet bursting strength of not less than 6 pounds per square inch.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the currentversion before use.

(e) A prefabricated box liner constructed of materials meeting the requirements of 5.1.1.4.1, 5.1.1.4.2, 5.1.1.4.3, or 5.1.1.4.4.

5.2.2 Level C. Birds, all types, classes, and styles, packaged as specified in 5.1, shall be packed in the weights specified in 5.2.1 and in a shipping container complying with Uniform Freight Classification Rules or National Motor Freight Classification Rules as applicable. Containers for birds which are not packaged in a completely inclosed and sealed bag or carton shall be provided with liners or water-resistant treatment commercially used for the product.

5.3 Labeling and marking.

5.3.1 Individual commercial retail-size cartons. Commercial labeling will be acceptable provided the following information appears on the carton:

Class and style of contents
Net weight

5.3.2 Bags. Labeling of wrappers or bags is not required unless otherwise specified in the contract.

5.3.3 Cartons. Commercial labeling of cartons will be acceptable.

5.3.4 Shipping containers.

5.3.4.1 Civil agencies. In addition to markings required by the contract or order, the shipping containers shall be marked in accordance with FED-STD-123. The date of pack for type I birds shall be the slaughter date designated as month, day, and year.

5.3.4.2 Military activities. Shipping containers shall be marked in accordance with MIL-STD-129. Time date of pack for type I, chilled birds, shall be the slaughter date, desingated as month, day, and year. In addition, wirebound boxes for overseas shipment shall bear a compliance statement in accordance with PPP-B-585, except that the first line of such compliance statement shall read as follows:

FOR MILITARY EXPORT (all letters being not less than 5/8 inch high). Additional marking shall be in accordance with 5.3.4.3.

5.3.4.3 Additional marking.

5.3.4.3.1 Nomenclature. The nomenclature for the product shall consist of the grade, the item, class and styles which may be abbreviated. Grade A, class 2, style 1 duckling would appear as follows:

Gr. A duckling Rstr, RTC, Whl.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

5.3.4.3.2 The following information, as applicable, shall be printed or stenciled on the top of the shipping container near the back side in bold letters between 1 and 1-1/2 inches high, all letters being of the same height:

PERISHABLE - KEEP FROZEN
(0°F. or below)

OR

PERISHABLE - KEEP REFRIGERATED
(32°F. - 38°F.)

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options offered herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Type, class, style, grade required.
(c) When type I birds are not be ice-packed (see 3.6.4).
(d) When squab (class 8) is to be commercially dressed (see 3.7).
(e) When a USDA grading certificate is not required (see 4.1.1).
(f) Applicable levels of packaging and packing required (see 5.1 and 5.2).
(g) Type of level B packaging required for styles 1, 2 and 3 (see 5.1.1.1, 5.1.1.2 and 5.1.1.3).
(h) Level of pack required (see 5.2).
(i) When birds of only one weight range are to be packed in one box (see 5.2).
(j) When packing specified in 5.2.1.1.2 is required.

6.2 Military agencies. Based on conditions known or expected to be encountered during shipment, handling and storage of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15, NAVSUPINST 4030.28, AFR 71-6, MCO 4030.14D, or DSAR 4145.7, as applicable.

6.3 Packing specified in 5.2.1.1.2 is intended for transfer at sea operations or specific overseas operations.

6.4 This specification does not include all the types, grades, classes, styles and weights of ducks, geese, guineas and squabs that are commercially available but is intended to cover the grades, classes, and weights that are normally suitable for Federal Government requirements.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the currentversion before use.

6.5 Destination inspection (civil agencies). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

6.6 Award of contracts for the products specified in this document shall be limited to plants known to maintain the required sanitation conditions of 3.10 (see also 4.3.3).

Custodians:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

GSA - FSS
VA - DMS
HEW - FDA, NIH
AGR - AMS

Project No. 8905-0675

U. S. GOVERNMENT PRINTING OFFICE : 1974 O - 585-642/1303

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 40 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: PP-D-745H

Duck, Goose, Guinea and Squab, Chilled and Frozen (Ready-To-Cook)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:02Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
US ARMY NATICK LABORATORIES
NATICK, MA 01760

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300
STSNLT-EQS

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314



Commander
US Army Natick Laboratories
ATTN: STSNLT-EQS
Natick, MA 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.