PP-M-351f
July 2, 1968
SUPERSEDING
Fed. Spec. PP-M-351e
June 29, 1967

FEDERAL SPECIFICATION

MINCEMEAT, CANNED

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE

1.1 This specification covers canned mincemeat for use by agencies of the Federal Government.

2. APPLICABLE DOCUMENTS

2.1 Specifications and standards. The following specifications and standards, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specifications:

EE-S-631 - Spices; Ground and Whole.
PPP-C-29 - Canned Subsistence Items, Packaging and Packing of.

Federal Standard:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civilian Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards, and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D.C. 20402.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specification:

MIL-L-1497 - Labeling of Metal Cans for Subsistence Items.

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.
MIL-STD-66P - Sanitary Standards for Food Plants.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Governmental:

USDA-CMS-Visual Aid #1, Visual Aids for Inspection of Metal Containers.
Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

(Application for copies should be addressed to the Superintendent of Documents, U. S. Government Printing Office, Washington, D.C., 20402.)

Regulations Governing the Meat Inspection of the United States Department of Agriculture.

U. S. Standards for Grades of Dried Currants.
U. S. Standards for Grades of Processed Raisins.
U. S. Standards for Condition of Food Containers.

(Single copies may be obtained from the Information Division, Consumer and Marketing Service, U. S. Department of Agriculture, Washington, D.C. 20250.)

Nongovernmental:

Official Methods of Analysis of the Association of Official Agricultural Chemists.

(Copies may be obtained from the Association of Official Analytical Chemists, Post Office Box 540, Benjamin Franklin Station, Washington, D.C. 20044.)

Food Chemicals Codex.

(Copies may be obtained from the National Academy of Science, National Research Council, Washington, D.C. 20418.)

3. REQUIREMENTS

3.1 Materials.

3.1.1 Suet. The suet shall be beef kidney fat which has been obtained from establishments operated under the Regulations of the Processed Meat Inspection Division, United States Department of Agriculture. It shall be trimmed of all objectionable parts (glands, bloody material, or heavy connective tissue), and shall have been chopped fine or ground into small pieces. Rendered suet which has been produced in plants operating as above may also be used.

3.1.2 Apples. The apples used in this product shall be clean, sound, wholesome, and mature and shall have been washed, peeled, cored, and trimmed. The apples shall possess a typical flavor and odor and shall not contain more than two seeds or pieces of seeds which exceed two seeds, more than 3/4 square inches of carpel tissue, nor more than 1-1/2 square inches of peel in 16 avoirdupois ounces of prepared fresh apples. Equivalent quantities and quality of prepared, frozen, canned, dried (evaporated), or dehydrated apples may be used. If used, dried (evaporated) apples shall be substituted in the proportion of 1 pound to 5 pounds of fresh apples, and dehydrated apples shall be substituted in the proportion of 1 pound to 6 pounds of fresh apples. If dried (evaporated) or dehydrated apples are used, processing of the mincemeat shall be adjusted so that the apples will rehydrate prior to filling into the cans or jars. The apples shall be cut into pieces of such size as to conform to the general size of the other fruit components. (Note: The following varieties of apples will result in a satisfactory product: Baldwin, Northern Spy, Stayman Winesap, Spitzenberg, Ben Davis, Jonathan, Newton Pippins, Imperials, and Greening.)

3.1.3 Raisins. The raisins shall be U. S. grade B or better, type I, Thompson seedless, unbleached.

3.1.4 Currants. The currants shall be U. S. grade B or better, type I, Zante type, (domestic) seeded.

3.1.5 Candied citron, lemon and orange peel. Candied citron, lemon and orange peel shall possess a uniform color characteristic of the respective type, shall be free from any undesirable odors or flavors, and shall contain not less than 73 percent soluble solids (see 4.3.1). No artificial coloring shall be used. The products shall be cut so that not less than 90 percent of the pieces have dimensions of 1/4 ± 1/8 inch. Fresh, frozen, or brined citron, lemon or orange peel of less than 73 percent soluble solids may be used provided: the peel complies with the requirements of candied peel in all respects other than soluble solids, the sweetening ingredient is increased to compensate for the amount of sweetening ingredient contained in 73 percent soluble solids candied peel, the amount of peel and additional sweetening ingredients are equivalent to the candied peel specified in the formula, and the peel is heated for such time and temperature as not to affect the stability of the finished product.

3.1.6 Sweetening ingredients. Unless otherwise specified, the sweetening ingredients shall be sugar (sucrose) liquid sugar, invert sugar sirup, any combination thereof, or a mixture of one or more of the aforementioned ingredients with dextrose or corn sirup (liquid or dry), or both, in such proportions as will result in a finished product meeting the requirements of 3.5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

3.1.7 Vinegar. Vinegar shall be 50 grains (5 grams of acetic acid per 100 ml. vinegar at 20° C.) cider vinegar made by the alcoholic and subsequent acetous fermentation of the juice of apples. The finished product shall be clear, bright, brownish yellow in color, free from cloudiness, sediment, and floating particles, and shall have a clean, fruity odor. Equivalent quantities of cider vinegar other than 50 grains may be used.

3.1.8 Spices. Spices shall conform to applicable requirements of EE-S-631, type II, ground, except that the test requirements contained therein shall be waived unless there is evidence of adulteration. The spice shall be a mixture composed as follows:

Spice	Percent
Cinnamon	30 to 40
Nutmeg	15 to 25
Ginger	15 to 25
Cloves	10 to 15
Allspice	10 to 15

Equivalent quantities of soluble spices may be substituted.

3.1.9 Salt. Salt shall be white, refined, sodium chloride, with or without an anticaking agent. Iodized salt shall not be used.

3.1.10 Optional ingredients..

3.1.10.1 Thickening ingredients. Thickening ingredients shall be starch in various forms and modifications, pectin, Irish moss extractives, cellulose gums, or a combination of these ingredients, approved by the Federal Food and Drug Administration. Any of the thickening ingredients used shall be of such quality as is normally used in the trade, and shall be used in such proportions as to result in a finished product meeting the requirements of 3.5.

3.1.10.2 Citric acid. Citric acid of a grade comparable to the Food Chemicals Codex may be added in such quantities as to result in a finished product meeting the requirements of 3.5.

3.1.10.3 Caramel coloring. Caramel coloring shall be of food grade (see3.4).

3.2 Formula. The product shall be prepared 1/ in accordance with the following formula:

	Pounds
Apples, fresh, prepared	47.0
Raisins	15.0
Currants	8.0
Sweetening ingredient solids	20.5
Candied citron, lemon or orange peel or combinations thereof	3.0
Suet	3.0
Vinegar, 50 grain strength	2.75
Spices	0.5
Salt	0.25

Optional ingredients:

Caramel coloring
Thickening ingredients
Citric acid, as required to set up pectin
Sufficient water to prepare the formula to comply with 3.5.

1/ Equivalent quantities of frozen, drained, canned, dried (evaporated) or dehydrated apples may be substituted (see 3.1.2).

3.3 Processing. The ingredients, except vinegar, shall be heated to 190° F. The vinegar shall then be added and thoroughly mixed into the batch. The product shall be filled and sealed at temperatures that are adequate to assure preservation but that do not adversely affect the product. The product shall be cooled in such a manner as to avoid stackburn.

3.4 All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

3.5 Finished product. The product shall have a good brown mincemeat color which is free of scorching and grayness. It shall have a good typical mincemeat flavor and odor which takes into consideration a proper balance between fruit ingredients, spices, and vinegar. The fruit product shall not be gummy and the prepared fruit ingredients shall maintain their shape reasonably well and to the extent that the individual fruits can be identified as separate and discrete units in the finished product. The contents of a No. 10 size can, conditioned to a temperature of 70° ± 5° F., shall retain a mound of not less than 2-3/4 inches at the highest point, two minutes after emptying onto a clean, dry, flat surface. Mincemeat in containers other than No. 10 size cans shall be composited and filled at a net weight of 7 pounds, 8 ounces into a No. 10 size can for the mound test. It shall be free from dirt, grit, or other foreign material. The product shall contain not more than 0.7 percent salt and 48.0 percent moisture.

3.6 Workmanship.

3.6.1 For civil agencies. The processing plant, ground, equipment personnel practices, and sanitary practices used in the production shall be such as to minimize the possibility of contamination of the product through microbial growth, dust, pests, rodents, condensate, or other unsanitary sources. The product shall be prepared and processed with a minimum delay between the various stages in production.

3.6.2 For military agencies. The product shall be processed in establishments meeting the requirements of MIL-STD-668. It shall be prepared and processed with a minimum delay between the various stages in production.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling. Samples of finished products covered by this specification and sample of any materials, components, or constituents entering into the preparation of the finished products may be taken at any time by the Government inspector to determine compliance with the requirements.

4.2 Inspection.

4.2.1 General. Inspection shall be made by the procuring agency or a duly authorized representative, at the time and place designated by the procuring agency. It may be made at the site of preparation, both during and after processing, at a suitable point in transit or after delivery to the point of destination.

4.2.2 Factory inspection. The passing as satisfactory of any detail of processing or materials shall not relieve the supplier of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.3 Final inspection. Unless otherwise specified, final inspection shall be made after delivery to the initial point of domestic destination (see 6.5).

4.2.4 Responsibility for inspection. The supplier is responsible for meeting all the provisions of the specification prior to submission of supplies to the Government for acceptance. Unless otherwise specified in the contract or order, the supplier is required to perform the examination and tests prescribed herein, using his own or any other inspection facilities and services acceptable to the Government.

4.2.4.1 Inspection records of the examinations and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2.5 Condition inspection of containers. When inspection of product for quality and condition is performed by the U. S. Department of Agriculture, the United States Standard for Condition of Food Containers shall apply (for applicable criteria governing inspection of containers for the Military, see 4.2.10).

4.2.6 Preacceptance inspection (plant sanitation inspection).

4.2.6.1 For civil agencies. Inspection of plants producing the product will be conducted upon request of the contracting officer to the appropriate Government inspection agency. Award of contracts will be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval recommended by the inspection agency.

4.2.6.2 For military agencies. Product shall be rejected if produced in plants not meeting the requirements of MIL-STD-668.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

4.2.7 Sampling for inspection shall be in accordance with MIL-STD-105, except as otherwise stated herein.

4.2.8 Component and material inspection. In accordance with 4.2.4 and 4.2.4.1, components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase documents.

4.2.8.1 Examination of apples and citrus peel. Examination shall be in accordance with table I. The sample unit shall be 16 ounces of fresh apples or equivalent in frozen, canned, dried, or dehydrated apples and 4 ounces each of the other ingredients, extracted from a container. The sample size shall be the number of sample units indicated by the inspection level S-2. Lot size shall be expressed as containers. The acceptable quality level (AQL) expressed as defects per hundred units shall be 2.5 for major B and 10.0 for total defects.

TABLE I. Examination of apples and citrus peel 1/

Category		Defect
Major B	Minor	
		Apples (prior to inclusion in formula):
151		More than 2 seeds or aggregate pieces of seeds which exceed 2 seeds.
152		More than an aggregate of 3/4 sq. inch of carpel tissue.
153		More than an aggregate of 1-1/2 sq. inches of peel.
	201	Pieces of apple not approximately the same size as pieces of other fruit components.
154		Not a typical apple flavor or odor.
		Orange peel, lemon peel, and citron:
155		Not a color typical of the respective type component.
156		Undesirable flavor or odor.
	202	More than 10 percent by weight of pieces are less than 1/8 or greater than 3/8 inch in any dimension.

1/ Presence of foreign material (e.g., filth, insects, glass, paint, etc.) shall indicate an unacceptable component.

4.2.8.2 Examination of raisins, currants, sweetening ingredient(s), salt, vinegar, suet, preblended spice mix, soluble spices, and optional ingredients. Labels, invoices, and grade certificates shall be examined to determine conformance to identity requirements (kind, strength, grade, additives, etc., as applicable). In addition, each ingredient shall be examined organoleptically, as necessary, to determine the general condition of the ingredient and conformance to specific condition requirements that may be contained in the pertinent ingredient requirement paragraph. The sample unit for examination shall be 8 ounces of ingredient (fluid ounces if liquid) derived from a container. The sample size shall be 5. In the event a lot consists of 5 or less containers, a sample unit shall be extracted from each container in the lot. Evidence of "off conditions" (mold, chemical or physical breakdown, insect infestation, etc.) or nonconformance to any specified condition requirement shall indicate an unacceptable ingredient and use of such shall be cause for rejection of the involved finished product.

4.2.8.3 Testing of orange peel, lemon peel, citron. Test for soluble solids shall be performed in accordance with 4.3. The sample for testing shall be a 4-ounce composite of each ingredient extracted from the number of primary containers indicated by inspection level S-2. Lot size shall be expressed in terms of primary containers. Results shall be reported to the nearest whole percent. The soluble solids results shall be utilized only to determine if changes in product formulation are necessary (i.e., if soluble solids are less than 73 percent, an increase in sweetening ingredient(s) will be necessary to compensate for that quantity of soluble solids less than 73 percent).

4.2.9 Process examination. Process examination shall be performed to determine conformance to 3.1.5, 3.1.8, 3.2, 3.3, and 3.5, as concerns specific procedures, controls, and formulation. Formulation records shall be maintained. Failure to conform to formulation or processing requirements shall be cause for rejection of the involved finished product.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the current version before use.

4.2.10 Examination of end item. Examination of end item shall be in accordance with tables III through V and 4.2.10.1 through 4.2.10.4. Sampling plans and acceptance criteria for the aforementioned tables shall be in accordance with table II. The AQLs shall be expressed as defects per hundred units, except for table IV for which the AQL shall be expressed as percent defectives.

TABLE II. Sampling plans and AQLs

Table	Inspection level	Sample unit	Lot size expressed in	AQLs			
				Major A	Major B	Minor	Total
III	I	1 filled and closed jar	Jars	0.25	1.5	-	4.0
IV	S-3	1 filled primary container	Jars or cans	-	-	2.5	-
V	S-3	Contents of a primary container	Jars or cans	-	2.5	-	6.5

TABLE III. Examination of jars

Category			Defect
Major A	Major B	Minor	
101			Cracked.
102			Leaker.
	151		Chipped or thin spot
	152		Closure insecure. 1/
		201	Not clean.
		202	Pitted rust on closure. 2/
		203	Screwcap closure cross threaded.
	153		Nomenclature missing, incorrect, or illegible.
		204	Other required label information missing, incorrect, or illegible.

1/ To determine tightness of screwcap closure, place the jar on top of filled and closed fiberboard container, grasp the sides of the cap firmly with fingers of one hand, and turn cap counterclockwise with a minimum of downward pressure for one revolution. If cap turns and jar remains stationary, a defect shall be scored.

2/ Rust shall not be considered "pitted" if it can be wiped off with a soft rag.

TABLE IV. Examination of net weight 1/ 2/

Category	Defect
Minor	
201	More than two percent under specified net weight.

1/ Report results to nearest 1/4 ounce for containers required to have one but not more than five pounds, and 1/2 ounce for containers required to have more than five pounds.

2/ Lot shall be rejected if sample data indicate lot average net weight is less than specified net weight.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

TABLE V. Examination of product characteristics 1/

Category		Defect
Major B	Minor	
151		Not a typical brown mincemeat color free of scorching or grayness.
152		Flavor and odor not typical of mincemeat.
153		Fruit pieces gummy.
	201	Individual fruit pieces cannot be identified as separate and discrete pieces.
	202	Prepared fruit ingredients do not maintain their shape reasonably well.

1/ Presence of foreign material (e.g., dirt, filth, grit, insects, glass, paint, etc.) shall be cause for rejection of the lot.

4.2.10.1 Examination of cans. Examination of cans for condition, exterior coating (when required), interior coating, and vacuum shall be in accordance with the applicable quality assurance provisions of PPP-C-29.

4.2.10.2 Examination of packing and shipping containers. Examination of packing and shipping containers for containers with cans shall be in accordance with the applicable quality assurance provisions of PPP-C-29.

4.2.10.3 Examination of marking for containers containing glass jars. Examination shall be performed to determine conformance to 5.3.1.2. Nonconformance shall indicate unacceptable containers.

4.2.10.4 Examination for mounding. Examination for mounding shall be performed in accordance with 3.5. The sample unit for examination shall be the contents of one No. 10 can or 7 lb. 8 ounces of product extracted from smaller size containers and placed in a No. 10 can. The sample size shall be five. One or more sample units not conforming to requirements shall be cause for rejection of the lot.

4.2.11 Testing of finished product. The finished product shall be tested for moisture and salt in accordance with 4.3. The sample unit shall be a one-pound composite of product derived from the number of primary containers indicated by inspection level S-2. Lot size shall be expressed in primary containers. Results shall be reported to the nearest 0.1 percent. A test failure shall be cause for rejection of the lot.

4.2.12 Standby test samples. The Government reserves the right to take standby test samples of components, finished product, or both for inspection purposes (quantity of sample shall be not more than twice the original Government sample size). The sample or unused portion of sample will be returned to the vendor upon request.

4.3 Tests. Test procedures and controls which differ from those specified herein, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government inspection activity determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the test procedures set forth herein. In case of dispute as to test results, the test methods specified herein will govern.

4.3.1 Chemical analyses. Unless otherwise specified, chemical analyses, when required, shall be made in accordance with the following methods from Official Methods of Analysis of the Association of Official Agricultural Chemists.

Test	Chapter	Method
Salt	Plants	Chlorine (Calculated as sodium chloride)
Moisture	Fruits and Fruit Products	Moisture in Dried Fruits
Soluble solids	Fruits and Fruit Products	Soluble Solids 1/(by Refractometer in Fresh and Canned Fruits, Jams, Marmalades, and Preserves

1/ No correction for water insoluble solids.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.1.1 Levels A and C cans. Seven pounds, 8 ounces of the product shall be packaged into a size 603 by 700 can in accordance with PPP-C-29 for the level specified (see 6.1). The filled and sealed cans shall have a vacuum when tested in accordance with PPP-C-29.

5.1.2 Level C, glass containers. When specified (see 6.1), the product shall be packaged in the unit quantity specified in the contract or order, in accordance with good commercial practice for such commodity.

5.2 Packing. The product shall be packed in accordance with level A, B, or C, as specified (see 6.1).

5.2.1 Levels A, B, and C cans. The cans of the product shall be packed in accordance with PPP-C-29 for the level specified (see 6.1).

5.2.2 Level C, glass containers. The product shall be packed in a manner to assure acceptance by common carriers for safe transportation to the point of destination specified in shipping instructions at the lowest transportation rate for such supplies. The container shall be in accordance with the rules or regulations applicable to the mode of transportation.

5.3 Labeling and marking.

5.3.1 Civil agencies.

5.3.1.1 Unit containers. Any commercial labeling that complies with the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder is acceptable.

5.3.1.2 Shipping containers. Shipping containers shall be marked in accordance with the requirements of Fed. Std. No. 123, and such other information as specified by individual agencies.

5.3.2 Military agencies.

5.3.2.1 Cans. Cans shall be labeled in accordance with MIL-L-1497.

5.3.2.2 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Packaging and packing levels (see 5.1 and 5.2).
(c) When product shall be packaged in the unit quantity specified in the contract or order (see 5.1.2).

6.2 If, for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid samples should be definitely stated.

6.3 Supplier's inspection. The supplier shall assure that the product conforms with the specification prior to submission to the Government for final inspection.

6.4 Final inspection. Unless otherwise specified, final inspection shall be made after delivery to the point of destination.

6.5 Destination inspection. When the finished product has been inspected and passed at a point other than destination, the contract shall require that the product be inspected at destination for identity, condition, and quantity only.

MILITARY CUSTODIANS:

Army - GL
Navy - SA
Air Force - 45

Preparing activity:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

Review activities:

Army - MD
Navy - MC, SA
Air Force - 45

CIVIL AGENCIES INTEREST:

AGR
VA
HEW
INT

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 10 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development
Laboratories
ATTN: DRDNA-ES (Mr. D. Juppino)

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 1426 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil – Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.