PP-S-2069A
January 29, 1979
SUPERSEDING
Int. Fed. Spec. PP-S-002069(Army-GL)
December 30, 1977
(See 6.5)

FEDERAL SPECIFICATION

SHRIMP, FROZEN, RAW, BREADED

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for frozen raw breaded shrimp for use by agencies of the Federal Government.

1.2 Classification. The product covered by this specification shall be of the following styles, types, grades, sizes and provisions as specified (see 6.1).

1.2.1 Styles.

I - Regular breaded
II - Lightly breaded

1.2.2 Types.

IA - Fantail butterfly with tail fin and shell
IB - Fantail butterfly with tail fin
IC - Fantail butterfly without tail fin or shell
IIA - Round with tail fin and shell
IIB - Round with tail fin
IIC - Round without tail fin or shell

1.2.3 Grades.

USDC Grade A
USDC Grade B

1.2.4 Sizes. The sizes according to the number of breaded shrimp per pound (0.45 kg) are:

1 - 17 or less
2 - 20 or less
3 - 23 or less
4 - 28 or less

FSC 8905

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

1.2.5 Provisions.

1 - Prepared from fresh-chilled
2 - Prepared from fresh-frozen

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

PPP-B-636 - Boxes, Shipping, Fiberboard
PPP-B-1163 - Box, Corrugated Fiberboard, High Compression Strength, Weather-Resistant, Wax-Resin Impregnated

Federal Standard:

FED-STD-123 - Marking for Shipment (Civil agencies)

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purpose are available without charge from General Services Administration Business Service Centers, in Boston, New York, Philadelphia, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Houston, Denver, San Francisco, Los Angeles and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standard:

MIL-STD-129 - Marking for Shipment and Storage

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

LAWS AND REGULATIONS

US Department of Commerce

US Standards for Grades of Frozen Raw Breaded Shrimp - Subpart B of 50 CFR Part 262, US Standards for Grades of Crustacean Shellfish Products

(Application for copies should be addressed to National Marine Fisheries Service, National Oceanic and Atmospheric Administration, US Department of Commerce, Washington, DC 20235.)

US Department of Health, Education, and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

Current Good Manufacturing Practice Regulations (CGMPR's) for Frozen Raw Breaded Shrimp (21 CFR Part 123)

Standard of Identity for Frozen Raw Breaded Shrimp (21 CFR 161.175)

Standard of Identity for Frozen Raw Lightly Breaded Shrimp (21 CFR 161.176)

(The Code of Federal Regulations (CFR) and the Federal Register (FR) are for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402. When indicated, reprints of certain regulations may be obtained from the Federal agency responsible for issuance thereof.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Traffic Department, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material.

3.1.1 Shrimp. The frozen raw breaded shrimp shall be prepared from whole, clean, wholesome, headless, peeled and deveined shrimp of the regular commercial species. The whole shrimp shall consist of five or more segments.

3.1.2 Provisions concerning pre-processing state.

3.1.2.1 Provision 1. The shrimp shall consist of fresh-chilled headless raw shrimp that has not been peeled.

3.1.2.2 Provision 2. The shrimp shall consist of fresh-frozen headless raw shrimp that has not been peeled. The headless raw shrimp shall comply with the following:

(1) Shall be stored at 0°F (-18°C) or colder.
(2) Shall not be frozen more than 150 days at the time of processing.
(3) Shall be solidly frozen and shall show no evidence of thawing or refreezing prior to processing.
(4) Shipping containers shall identify the processor/supplier and the date when the product was frozen. The frozen shrimp shall originate from a type I Official Establishment under product inspection (contract basis) of the National Marine Fisheries Service, National Oceanic and Atmospheric Administration, US Department of Commerce (USDC).

3.2 Processing.

3.2.1 The product shall be handled and processed in accordance with the US Standards for Grades of Frozen Raw Breaded Shrimp - Subpart B of 50 CFR Part 262, US Standards for Grades of Crustacean Shellfish Products of USDC.

3.2.2 The shrimp shall be placed in a freezer within 30 minutes after being battered and breaded.

3.2.3 Freezing. The battered and breaded shrimp shall be frozen by one of the following methods:

3.2.3.1 Box-frozen process. The breaded shrimp, properly packaged, shall be handled as follows:

(1) Freezing equipment. Blast freezer or equivalent shall be used to provide forced-air circulation while maintaining a freezer temperature of minus 10°F (-23°C) or colder during the freezing process. The freezer temperature may fluctuate, not to exceed 0°F (-18°C), for short periods of time to allow for entering the freezer for restocking, withdrawing, etc.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:02Z
Check the source to verify that this is the currentversion before use.

(2) Arrangement of filled packages in freezer. The boxes of product shall be arranged so that their top and bottom surfaces are not in direct contact with each other until the product contained therein is solidly frozen.

(3) Rate of freezing. The product shall be frozen in accordance with the current Good Manufacturing Practice Regulations (CGMPRs) for Frozen Raw Breaded Shrimp (21 CFR Part 123)

(4) The solidly frozen product may be removed from the freezer for up to 30 minutes for packing.

3.2.3.2 Individual quick freezing process (IQF). The breaded shrimp shall be frozen prior to packaging as follows:

(1) Freezing equipment. Cryogenic freezing equipment (gaseous nitrogen tunnel, rotating drum, plate freezer or other type of "quick freeze" equipment) shall be used to reduce the temperature to 10°F (-12°C) or colder in the thickest part of the product within 1 hour after the product enters the freezer.

(2) Handling of frozen product. Following the freezing process, the product temperature shall be lowered to an internal temperature of 0°F (-18°C) or colder within 24 hours after the start of freezing.

(3) The product shall be returned to a freezer within 30 minutes after packaging and packing.

3.3 Finished product. The finished product shall consist of frozen raw breaded shrimp of the style, type, grade, size and provision specified (see 6.1).

3.4 Frozen storage. The frozen finished product shall be maintained in the frozen state as follows:

(1) The temperature in the approximate center of the packed boxes shall be 0°F (-18°C) or colder during the period of storage and at time of shipment.

(2) The temperature within the freezer shall be maintained at 0°F (-18°C) or colder. The freezer temperature may fluctuate not to exceed 6°F (-14°C) for short periods of time to allow for entering the freezer to restock, withdraw, etc.

(3) The product shall be in excellent condition and the temperature in the approximate center of the packed boxes shall be 0°F (-18°C) or colder at time of acceptance by the Government at destination.

(4) The product shall show no evidence of thawing or refreezing when examined at time of acceptance by the Government.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the currentversion before use.

3.5 All requirements not specifically contained herein shall comply with the regulations of the US Department of Health, Education and Welfare - 21 CFR, Chapter I.

3.6 Plant qualification. The product shall be prepared in a type I Official Establishment under product inspection (contract basis) of the National Marine Fisheries Service, National Oceanic and Atmospheric Administration, US Department of Commerce (USDC).

3.7 All deliveries shall conform in every respect to the provisions of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Certification. Unless otherwise specified (see 6.1), the contractor shall furnish official certificates issued by USDC including inspection certificates, certificates of loading, and certificates of sampling with a description of condition of containers and the condition under which the processed product is stored which show that the product complies with the terms of this specification and applicable procurement documents for which USDC has inspection responsibility.

4.2 Plant qualification. The product shall be unacceptable if not produced in plants which meet the requirements specified in 3.6.

4.3 Quality conformance inspection. Sampling for inspection shall be performed in accordance with the Standard of Identity for Frozen Raw Lightly Breaded Shrimp (21 CFR 161.176).

4.3.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

4.3.1.1 Examination of shrimp component. Examination shall be made to determine compliance with 3.1.1.

4.3.1.2 Examination of provisions concerning pre-processing state. Examination shall be made to determine compliance with 3.1.2. Storage temperature and age requirements shall be ascertained by examination of labels, markings, storage records or other valid means or documentation. Nonconformance to one or more of the requirements, reflected by actual examination or by records as applicable, shall be cause for rejection of the lot.

4.3.2 In-process examination. Examination shall be performed during processing to determine compliance with 3.2.

4.3.3 Inspection of the finished product. Examination of the finished product shall be in accordance with 4.3.3.1 through 4.3.3.3.

4.3.3.1 Examination of end item. Examination of the finished product shall be made to determine compliance with US Standard for Grades of Frozen Raw Breaded Shrimp and 3.3.

4.3.3.2 Examination for frozen storage limits. Examination shall be made to determine compliance with 3.4. Storage temperature shall be ascertained by examination of storage records or other valid means or documentation. Nonconformance to one or more of the requirements, reflected by actual examination or by records as applicable, shall be cause for rejection of the lot.

4.3.3.3 Examination of preservation, marking, and shipping containers. Classification of defects found during examination shall be in accordance with 4.3.3.3.1 through 4.3.3.3.3. The sampling plan shall be as shown in table I.

TABLE I. Sampling plan for preservation, marking and shipping container examination 1/

Lot size	Sample size	Major defects		Minor defects	
		Ac	Re	Ac	Re
500 or less	13	1	2	2	3
501 to 1200	20	2	3	3	4
1201 to 3200	32	3	4	5	6
3201 to 10,000	50	5	6	7	8
10,001 to 35,000	80	7	8	10	11
35,001 to 150,000	125	10	11	14	15

1/ If the sample size equals or exceeds the lot size, do 100 percent.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

4.3.3.3.1 Examination of preservation. Examination shall be made to determine compliance with 5.1. The lot size and sample size shall be expressed as cartons. The defects shall be as listed in table II for level B.

TABLE II. Examination of preservation

Category	Defect
Major	
151	Not layer-packed (box frozen only)
152	Layers not separated as specified (box frozen only)
153	Carton not of material specified
154	Carton not waxed or polyethylene coated
155	Carton not overwrapped or heat sealed
156	Overwrap or separators not of material specified
157	Not a snug fitting overwrap
158	Tear or hole
159	Not clean
160	Marked net weight more than specified
161	Labeling missing or not as specified
162	More than 2 ounces (57 g) less than marked net weight

4.3.3.3.2 Examination of shipping container. Examination shall be made to determine compliance with 5.2. The lot size and sample size shall be expressed as cases. The defects shall be as listed in table III for level B.

TABLE III. Examination of shipping container

Category		Defects
Major	Minor	Closure, Top and bottom flaps glued 1/
151		Less than 50 percent fiber failure of surface covered by glue
	201	Less than 75 percent, but more than 50 percent, fiber failure of the surface area covered by glue
152		Not size, style, or type specified
153		Not reinforced as specified

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

TABLE III. Examination of shipping container (cont'd)

Category		Defects
Major	Minor	Strapping
154		Strap missing
155		Does not contrast with black
	202	Not properly placed or not applied correctly
156		Torn strap
	203	Loose strap
157		Cut strap
158		Weak joint
	204	Tension too great, that is, tears or cuts completely through board facing
		Container
159		Product not packed to produce a snug-fitting container
	205	Type of fiberboard not as specified 2/
160		Tear or hole
161		Unclean
162		Not packed as specified
163		Not closed as specified
164		Not reinforced as specified
165		Net weight exceeds 50 pounds (23 kg) or is less than marked net weight

1/ Inspector shall check for glue failure in the following manner:

Draw samples of sealed cases and tear flaps apart by wedging fingers between flaps in center of cases and pulling upward. If failures occur and glue is still tacky, repeat test following a greater time interval between sealing and testing.

2/ As indicated by box maker's stamp.

4.3.3.3.3 Examination for marking. Examination shall be made to determine compliance with 5.3. The lot size and sample size shall be expressed as cases. The defects shall be as listed in table IV.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the currentversion before use.

TABLE IV. Examination for marking

Category	Defect
Major	
151	National stock number, item description, contract number, or date of pack missing, incorrect, or illegible
152	Other required markings missing, incorrect, or illegible

5. PACKAGING

5.1 Preservation. Preservation shall be level B or C as specified (see 6.1).

5.1.1 Level B.

5.1.1.1 Box frozen shrimp. Not more than 4 pounds (1.8 kg) of box frozen shrimp, arranged in layers, one shrimp thick, shall be unit packed in a paperboard carton. The carton shall be fabricated from bleached, semi-bleached, sulphate, sulphite or solid kraft paperboard, waxed overall or polyethylene coated. Separators fabricated from cellophane, waxed paper, or polyethylene base platic film, normally used in unit packing frozen foods, shall be inserted between layers. The carton shall be provided with a heat-sealed snug-fitting overwrap made from one of the material specified above as separators.

5.1.1.2 Individually frozen shrimp. Not more than 6 pounds (2.7 kg) of individually frozen shrimp shall be unit packed as specified in 5.1.1.1 except that the arrangement in layers and the separators are not required.

5.1.2 Level C. Product shall be unit packed to afford adequate protection against damage and deterioration during shipment from the supply source to the first consuming activity. The supplier may use his standard practice when it meets these requirements.

5.2 Packing. Not more than 50 pounds (23 kg) of the breaded shrimp preserved as specified in 5.1 shall be packed in a snug-fitting shipping container in accordance with 5.2.1 or 5.2.2 as specified (see 6.1 and 6.2).

5.2.1 Level B packing. The shipping container shall be a fiberboard box, constructed, closed and reinforced in accordance with style RSC, V3c, V3s or V4s of PPP-B-636. Alternatively, the shipping container shall be a wax-impregnated fiberboard box constructed in accordance with style RSC, class I,

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

type SWCFI, grade 275 of PPP-B-1163. Closure of the wax-impregnated box shall be with hot-melt adhesive in accordance with the appendix of PPP-B-636. The wax-impregnated container shall be reinforced with two lengthwise bands and one girthwise band in accordance with the appendix of PPP-B-636. All shipping containers shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636. The reinforcing bands shall be uncolored or of a color which will contrast with black.

5.2.1.1 Alternate shipping containers. When specified (see 6.1 and 6.3), the shipping container shall be a fiberboard box, constructed, closed and reinforced in accordance with style RSC, W5c or W5s of PPP-B-636. Alternatively, the shipping container shall be a wax-impregnated fiberboard box constructed in accordance with style RSC, class I, type SWCFI, grade 200 of PPP-B-1163. Closure of the wax-impregnated box shall be with hot melt adhesive in accordance with the appendix of PPP-B-636. The wax-impregnated container shall be reinforced with two lengthwise bands and one girthwise band in accordance with the appendix of PPP-B-636. All shipping containers shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636. The reinforcing bands shall be uncolored or of a color which will contrast with black.

5.2.2 Level C packing. The shipping container shall be in accordance with the Uniform Freight Classification or National Motor Freight Classificaiton, as applicable, except that the closure of fiberboard boxes shall be in accordance with the appendix of PPP-B-636.

5.3 Marking.

5.3.1 Cartons. Any commercial marking as specified (see 6.1) that complies with the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder will be acceptable.

5.3.2 Shipping container. Shipping container shall be marked in accordance with MIL-STD-129 or FED-STD-123, as applicable. The following precautionary marking shall appear on top of the container:

KEEP FROZEN

(0°F (18°C) or colder)

5.3.3 Date of pack. The date of pack marking shall be the date when the product is packaged in cartons. When cartons are to be packed into shipping containers at a later date, both cartons and shipping containers shall be marked with the date of primary packaging.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Style, type, grade, size and provision of product required (see 1.2).
(c) Official certificates that are not required (see 4.1.1).
(d) Level of preservation and packing required (see 5.1 and 5.2).
(e) When packing specified in 5.2.1.1 is required.
(f) When additional marking is required (see 5.3.1).

6.2 Military agencies. Based on conditions known or expected to be encountered during shipment, handling, and storage of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/ AFR 71-6/MCO 4030.14D/DSAR 4145.7.

6.3 Intended use of alternate shipping containers. Packing specified in 5.2.1.1 should be used when experience or knowledge of the destination and mode of shipment would indicate that a lower grade of board be used.

6.4 Metric equivalents. Metric equivalents, indicated in parentheses throughout this document, are based on practices, conversion factors, and symbols specified in ASTM E 380 Standard for Metric Practice, and are for information only. In each instance, the value stated in US customary units shall be controlling.

6.5 Supersession data. This specification includes the requirements of MIL-S-43269D, dated 13 May 1974, except type II; shrimp portions, fabricated.

Custodians:

Army - GL
Navy - SA
Air Force - 50

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

GSA - FSS
VA - DMS
AGR - AMS
HEW - FDA

Project No. 8905-0933

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.