PP-S-311c
September 3, 1965

SUPERSEDING
Int. Fed. Spec. PP-S-00311b (INT-FWS)
August 9, 1963 and
Fed. Spec. PP-S-311a
September 8, 1955

FEDERAL SPECIFICATION

SHRIMP, CANNED

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 **Scope.** This specification covers unrefrigerated canned shrimp for use by Government agencies.

1.2 **Classification.** Canned shrimp shall be of the following types, styles, and sizes, as specified (see 6.1).

1.2.1 *Types.*

I—Wet pack.
II—Dry pack.

1.2.2 *Styles.*

I—Regular.
II—Deveined.

1.2.3 *Sizes.*

Colossal.
Jumbo.
Large.
Medium.
Small.
Tiny.
Broken.

2. APPLICABLE SPECIFICATIONS, STANDARDS, AND OTHER PUBLICATIONS

2.1 **Specifications and standards.** The following specifications and standards, of the issues in effect on date of invitation for bids, form a part of this specification:

Federal Specification:

PPP-C-29—Canned Subsistence Items, Packaging and Packing of.

Federal Standard:

Fed. Std. No. 123—Marking for Domestic Shipment (Civilian Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the index of Federal Specifictaions and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. 20402.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Fransisco, Los Angeles, and Seattle, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specification:

MIL-L-1497—Labeling of Metal Cans for Subsistence Items.

Military Standards:

MIL-STD-105—Sampling Procedures

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

and Tables for Inspection by Attributes.

MIL-STD-129—Marking for Shipment and Storage.

MIL-STD-668—Minimum Sanitary Standards for Food Establishments.

(Copies of Military Specification and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 **Other publications.** The issues of the following publications in effect on the date of invitation for bids form a part of this specification:

Governmental:

Federal Food, Drug, and Cosmetic Act and General Regulations for its Enforcement.

Federal Food and Drug Administration Definitions and Standards of Identity, Fill of Container for Canned Shrimp. Title 21, Chapter 1, Subchapter B, Part 36 Sec. 363.

United States Public Health Service Publication No. 956-1962 Public Health Service Drinking Water Standards.

(Copies of the above three publications may be obtained upon application, accompanied by money order, coupon, or cash to the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., 20402. Prices may be obtained from the Superintendent of Documents.)

Inspection and Certification Part 260 of Fish and Wildlife Service, Regulations Governing Processed Fishery Products.

(Single copies may be obtained from the U. S. Department of Interior, Washington, D. C.)

3. REQUIREMENTS

3.1 Materials.

3.1.1 *Shrimp.* Canned shrimp shall be prepared from fresh, sound, properly chilled shrimp of any species in any combination except the sea-bob (*Xiphopenus kroyeri*).

3.1.2 *Salt.* Salt (sodium chloride) shall be of edible grade with or without anticaking agents. Iodized salt shall not be used.

3.1.3 *Water.* The water, when used, shall conform to the United States Public Health Service Drinking Water Standards.

3.1.4 *Additives.* Additives, if used, shall comply with the requirements cited in 3.4 as permitted for canned shrimp.

3.2 **Processing.** The product shall be processed from the shrimp, salt, water, and additives (optional) specified in 3.1 to produce a product that complies with 3.3. Salt, water, and the optional additives are components of type I (wet pack) product, only. The containers shall be filled, sealed, and heat treated in a manner that produces a vacuum in the container and stabilizes the product for use by Government agencies.

3.3 **Finished product.** The finished product, all types, styles, and sizes shall comply with the physical requirements described in table I.

TABLE I. *Requirements*

Item	Requirements
1	A can shall contain the minimum weight of shrimp shown in table II.
2	Total weight of shrimp that have less than 4 segments, shrimp crushed or fractured more than 1/8 of their thickness, or have not had their sand veins removed from all but the last segment (style II only) shall not exceed the maximum weight per can shown in table II.
3	The count of shrimp that have 4 or more segments shall not exceed the maximum count per can shown in table II.
4	A can shall not contain shrimp that has 4 or more segments which are uncurled.

Source: https://assist.dla.mil -- Downloaded: 20261O-26T12:02Z
Check the source to verify that this is the current version before use.

Item	Requirements
5	The shrimp shall contain no loose or adhering appendages. This does not include swimmerette flesh or neck flesh that remains after shell removal.
6	A can shall contain no shell or struvite greater than 1/2 inch in any dimension. Struvite shall be identified in accordance with 4.4.2.
7	A can shall contain no foreign material, (e.g. insect, insect part, hair, paper, dirt, glass, or metal). This does not include struvite (see item 6).
8	A can shall contain no material having a foreign color, e.g. black (excluding sand vein), purple, or green.
9	A can shall contain no material which has a foreign odor or flavor (e.g. ammonia, amine-like, fuel oil, burned, turpentine, scorched, musty, moldy, rancid, sour, putrid, kerosene, iodoform (except slight iodoform odor is permitted) or stale odor or flavor.

3.4 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act, and General Regulations for its Enforcement.

3.5 Sanitation. The shrimp shall be prepared, handled, and delivered under strictly sanitary conditions as set forth in paragraph 260.97 through 260.103 of Inspection and Certification, Part 260 of Fish and Wildlife Service Regulations Governing Processed Fishery Products. Alternatively, when an establishment is not operating under continuous inspection supervision of the Fish and Wildlife Service, U.S. Department of the Interior, the product shall be processed in establishments meeting the requirements of MIL-STD-668.

4 SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 Sampling. Samples of finished product covered by this specification and sam-

TABLE II. *Weight, count, and broken or improperly deveined shrimp tolerances*

Type	Can size	Minimum weight of shrimp[1]	Maximum number of shrimp for each size designations						Maximum weight of broken or improperly deveined shrimp[2]
			Colossal	Jumbo	Large	Medium	Small	Tiny ... Broken	
		Ounces	*No.*	*No.*	*No.*	*No.*	*No.*	*No.*	*Ounces*
I	301 by 106	2.5	7	10	15	27	50	No	1/4
I	202 by 214	3	9	12	17	32	60	Maxi-	3/8
I	202 by 300	3-1/4	10	13	19	34	64	mum	3/8
I	307 by 113	4-1/2	13	18	25	46	87	number	1/2
I	211 by 300	5	14	20	28	51	96	for	1/2
II	211 by 300	4-3/4	14	20	28	51	96	tiny	1/2
II	211 by 304	5-1/4	15	22	31	56	106	or	1/2
I	307 by 201.25	5-1/2	15	22	31	56	106	broken	1/2
I	307 by 208	6-3/4	19	26	38	68	129		5/8
II	307 by 208	6-1/4	19	26	38	68	129		5/8
I	211 by 400	7	19	27	39	71	133		5/8
II	211 by 400	6-1/2	19	27	39	71	133		5/8
I	307 by 400	11-1/4	32	44	63	115	216		1-1/8
II	307 by 400	10-1/2	32	44	63	115	216		1
I	307 by 409	13	36	50	71	130	244		1-1/4
I	401 by 411	19	52	74	105	191	359		1-7/8
I	502 by 510	38	105	148	210	382	718		3-3/4

[1] The minimum weight of shrimp in ounces shall meet the Standard of Fill of Container for Canned Shrimp of the Food and Drug Administration.

[2] This table does not apply to shrimp classified as broken.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

ples of any materials, components, of constituents entering into the preparation of the finished products may be taken at any time by the Government inspector to determine compliance with the requirements.

4.2 **Inspection.**

4.2.1 *General.* Inspection shall be made by the procuring agency or a duly authorized representative at the time and place designated by the procuring agency. It may be made at the site of manufacture, both during and after processing, at any suitable point in transit, or after delivery to the point of designation.

4.2.2. *Quality assurance provisions.*

4.2.2.1 *Responsibility for inspection.* The supplier is responsible for meeting all the provisions of the specification prior to submission to the Government for acceptance. Unless otherwise specified in the contract or order, the supplier is required to perform the examination and tests prescribed herein, using his own or any other inspection facilities and services acceptable to the Government.

4.2.2.1.1 Inspection records of the examination and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2.2.2 *Preacceptance inspection (plant sanitation inspection).* Award of contracts shall be limited to plants which have received prior sanitary approval by the Military Veterinary Services in accordance with MIL-STD-668 or to plants operating under continuous inspection by the Bureau of Commercial Fisheries, Fish and Wildlife Service of the United States Department of the Interior, as officially listed by that agency.

4.2.2.3 *Sampling for inspection.* Sampling for inspection shall be in accordance with MIL-STD-105 except where otherwise indicated herein.

4.2.2.4 *Component and material inspection.* In accordance with 4.1, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified, or qualified in this specification.

4.2.2.4.1 *Examination of fresh, raw shrimp.* Any shrimp not in excellent condition at time of use or the presence of any sea bob species shall be cause for rejection of the entire lot.

4.2.2.4.2 *Examination of salt.* Salt shall be examined for compliance with 3.1.2. Salt shall be inspected for compliance with 3.1.2 by examining labels, invoices, certificates of compliance and other valid documents, as applicable. Any noncompliance shall be cause for rejection of the entire lot.

4.2.2.4.3 *Testing of components.* When testing of packaging, packing, labeling, and marking components is required by PPP-C-29, testing shall be in accordance with that specification.

4.2.2.5 *Examination of finished product.* Examination of finished product shall be in accordance with 4.2.2.5.1 and 4.2.2.5.2.

4.2.2.5.1 *Examination of preparation for delivery.* When packaging and packing are required to be in accordance with PPP-C-29, inspection of packaging and packing (including labeling and marking) shall be in accordance with that specification.

4.2.2.5.2 *Examination of product.* Classification of defects shall be in accordance with tables III and IV. Inspection criteria shall be as shown below AQLs shall be expressed as defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

Table	Inspection level	Sample unit	Lot size expressed in	AQLs		
				Major A	Major B	Total
III	S-4	One can	cans	—	1.5	4.0
IV	S-4	One can	cans	•	2.5	6.5

• The presence of one or more major A defects will be cause for rejection of the entire lot.

TABLE III. *Examination for drained weight and count*[1]

Category	Defects
Major B	
151	Weight of shrimp less than specified weight (see table II) when tested in accordance with 4.3.1.
Minor	
201	Count (number of shrimp) higher than specified limit (see item of table II).

[1] Lot shall be rejected if sample data indicates a lot average net shrimp weight less than specified minimum shrimp weight.

TABLE IV. *Examination for product characteristics*

Categories	Defects
Major A	
101	Foreign odor or flavor (including but not limited to ammonia, amine-like, fuel oil, burned, scorched, turpentine, kerosene, musty, moldy, rancid, sour, putrid, stale, or iodoform). (*Note*: Slight iodoform odor or flavor will be acceptable.)
102	Foreign color [including but not limited to black (except sand vein, where permissible), purple or green].
103	Foreign material [including but not limited to insect, insect parts, hair, paper (type I only), dirt, glass, or metal]. (Struvite not included. See defect 151.)
Major B	
151	One or more shell or struvite crystal whose greatest dimension is greater than 1/2 inch. (See 4.3.2 for identification of struvite.)
152	Aggregate weight of (1) shrimp containing less than 4 segments, (2) shrimp crushed or fractured more than 1/3 of thickness or (3) type II shrimp without sand vein removed (except last segment) exceeds maximum weight specified in table II.
Minor	
201	One or more shrimp (containing 4 or more segments) which are uncurled, i.e., does not have the shape of a "U" or a "C".
202	One or more shrimp containing loose or adhering appendages other than swimmerette flesh or neck flesh that remains after shell removal.

4.2.3 *Standby test samples.* The Government reserves the right to withdraw and hold standby test samples of components or finished product or both (quantities shall be not more than twice that required by the specification) for inspection purposes. These samples, if not used, shall be returned to the vendor.

4.2.4 *Factory inspection.* The passing as satisfactory of any detail of processing or materials shall not relieve the supplier of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.5 *Final inspection.* Unless otherwise specified, final inspection shall be made after delivery to the point of destination (see 6.1).

4.3 Tests. Test procedures and controls which differ from those specified herein may be used by the contractor if they provide a quality assurance equivalent to that specified. If the Government inspection activity determines that such procedures and controls do not provide, as a minimum, such quality assurance, the contractor will use the test procedures set forth herein. In case of dispute as to test results, the test method specified herein will govern.

4.3.1 *Physical analysis.* Cutout weight shall be determined by the following meth-

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

cds: Keep the unopened canned shrimp container at a temperature of not less than 68°F. for at least 12 hours immediately preceding the determination. After opening, tilt the container so as to distribute the shrimp evenly over the meshes of a U. S. Standard No. 8 Fine Series woven wire sieve. Without shifting the material on the sieve, so incline the sieve as to facilitate drainage. Two minutes from the time drainage begins, weigh the sieve and the drained shrimp. The weight so found, less the weight of the sieve, shall be considered to be the cutout weight of the shrimp. The contents retained on the sieve shall be used for the remaining requirements of table I.

4.3.2 *Test for struvite.* Hard material retained on the No. 8 sieve used for drained weight analysis shall be transferred to a beaker and covered with vinegar of not less than 40 grains (4 grams of acetic acid per 100 cubic centimeters at 20°C.) strength. Material which dissolves in 5 minutes with or without stirring is considered to be struvite.

5. PREPARATION FOR DELIVERY

5.1 Packaging and packing. The product shall be packaged level A or C in the amounts and can sizes specified in table II (see 6.1), and packed level A, B, or C, as specified (see 6.1) in accordance with the requirements of PPP-C-29, except that numbers per case and arrangements shall be as specified in table V for the respective can sizes.

5.2 Labeling and marking.

5.2.1 *Military agencies.*

5.2.1.1 *Unit containers.* Unit containers shall be labeled in accordance with MIL-L-1497.

5.2.1.2 *Shipping containers.* Shipping contaniers shall be marked in accordance with MIL-STD-129. In addition, boxes shall indicate shrimp size on label as follows: colossal, jumbo, large, medium, small, broken, or tiny, as applicable.

TABLE V. *Can size and number per shipping container*

Can size	No. per shipping container (use the usual commercial arrangement)
202 by 300	24, 48, or 96
202 by 214	24, 48, or 96
211 by 300	24 or 48
211 by 304	24 or 48
211 by 400	24 or 48
301 by 106	12 or 24
307 by 113	24 or 48
307 by 201.25	24 or 48
307 by 208	24 or 48
307 by 400	24 or 48
307 by 409	12 or 24
502 by 510	6 or 12

5.2.2 *Civil agencies.*

5.2.2.1 *Unit containers.* Labeling of the unit containers shall comply with the Federal Food, Drug, and Cosmetic Act and General Regulations for Its Enforcement.

5.2.2.2 *Shipping containers.* Shipping containers shall be marked in accordance with the requirements of Fed. Std. No. 123 and such other information as specified by individual agencies.

6. NOTES

6.1 Ordering data. Purchasers should exercise any desired options offered herein and procurement documents should specify the following:

(*a*) Title, number, and date of this specification.

(*b*) The type, style, and size of canned shrimp desired, size of container, and kind of packaging required, as set forth in this specification (see 1.2 and tables II and V).

(*c*) When final inspection is to be made other than after delivery to the point of destination (see 4.2.5).

(*d*) Selection of applicable levels of packaging and packing required (see 5.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

6.2 **Bid samples.** If for any particular purposes, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated.

6.4 This specification does not include all types, styles, classes, and sizes of canned shrimp, but is intended to cover the types, etc. which are suitable for Federal Government requirements.

6.5 **Contractor's inspection.** The contractor should be required to assure that the product conforms with this specification prior to submission to the Government for final inspection.

6.6 **Destination inspection.** When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

6.7 **Transportation description.** Transportation descriptions and minimum weights applicable to this commodity are:

Rail:

Shell fish, preserved, not otherwise indexed by name in metal cans:
Carload minimum weight 36,000 pounds.

Motor:

Shell fish, preserved, not otherwise indexed, in metal cans.
Truckload minimum weight 36,000 pounds, subject to Rule 115, National Motor Freight Classification.

MILITARY CUSTODIANS:

Army—GL

Navy—SA

Air Force—67

Interested activities:

Army—MD

Navy—SA, MC

Air Force—67

Reviewer and user activities information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current Federal Supply Classification Listing of DOD Standardization Documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.