PP-S-316F
December 30, 1975
SUPERSEDING
Int. Fed. Spec. PP-S-00316E(Army-GL)
March 15, 1974 and
Fed. Spec. PP-S-316C
January 24, 1969

FEDERAL SPECIFICATION

SHRIMP: CHILLED AND FROZEN (RAW AND COOKED)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for chilled and frozen raw and cooked shrimp. It is for use by all Federal agencies where refrigeration facilities are available. (The term "shrimp" as used in this specification refers to the tail portion of the shrimp.)

1.2 Classification. The shrimp shall be of the following types, classes, styles, conditions, sizes, and grades as specified (see 6.1).

Type I - Raw:

Class 1 - Chilled
Class 2 - Box -frozen shrimp (see 3.2.3.1).
Class 3 - Individually frozen shrimp (see 3.2.3.2)

Type II - Cooked:

Class 1 - Chilled
Class 2 - Box -frozen shrimp (see 3.2.3.1)
Class 3 - Individually frozen shrimp (see 3.2.3.2)

Styles

Style A - Headless, not peeled
Style B - Peeled deveined

FSC 8905

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

Conditions

Condition (a) - Prepared from fresh (chilled) raw shrimp
Condition (b) - Prepared from frozen headless raw shrimp stored at 0 degrees F. (-18°C) or below for 90 days or less
Condition (c) - Prepared from frozen headless raw shrimp stored at 0 degree F. (-18°C) or below for 150 days or less

	SIZES	
	Count-Number of headless shrimp per pound	
	Not peeled	Peeled, deveined
Type and class of shrimp	No./lb.	No./lb.
Type I, raw, chilled or frozen	15 and less	19 and less
	16-20	20-25
	21-25	26-31
	26-30	32-38
	31-35	39-44
	36-42	45-53
	43-50	54-63
	51-60	64-75
	61 and over	76 and over
Type II, cooked, chilled or frozen	--	30 and less
	--	31-40
	--	41-60
	--	61-90
	--	91-125
	--	126 and over

1.2.1 Grades. When specified (see 6.1), the frozen raw headless shrimp shall be of the following grades, as specified:

Grade A.
Grade B.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

Federal Specifications:

L-P-378	-	Plastic Sheet and Strip, Thin Gauge, Polyolefin
PPP-B-636	-	Boxes, Shipping, Fiberboard
PPP-B-1163	-	Box, Corrugated Fiberboard, High Compression Strength, Weather-Resistant, Wax-Resin Impregnated

Federal Standard:

Fed. Std. No. 123 - Marking for Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	-	Marking for Shipment and Storage
MIL-STD-1483	-	Sanitary Standards for Fish Plants

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting offier.)

LAWS AND REGULATIONS

U.S. Department of Health, Education and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

United States Public Health Service

Drinking Water Standards of the U.S. Public Health Service

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. Department of Commerce

Regulations Governing Processed Fishery Products
U.S. Standards for Grades of Frozen Raw Headless Shrimp

(Application for copies should be addressed to the U.S. Department of Commerce National Oceanic and Atmospheric Administration, National Marine Fishery Service, Office of Inspection, Washington, DC 20240.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

Association of Official Analytical Chemists

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, Post Office Box 540, Benjamin Franklin Station, Washington, DC 20044.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material.

3.1.1 Shrimp. The shrimp used in preparation of the product shall be clean and wholesome and of such quality that the finished product shall comply with the provisions of 3.3. Regular commercial species of shrimp may be used in any combination. The shrimp shall comply with the sizes specified.

3.1.1.1 Frozen shrimp. Frozen, raw, nonpeeled shrimp shall show no evidence of freezer burn, dessication, discoloration, or other deterioration and shall show no evidence of thawing or refreezing. The frozen shrimp shall originate from an establishment that is under the continuous inspection of the National Oceanic and Atmospheric Administration, National Marine Fishery Service, U.S. Department of Commerce or from an establishment that appears in the Directory of Sanitarily Approved Food Establishments for Armed Services Procurement. The shipping container shall bear the name of the approved plant, and date frozen.

3.1.2 Water. Water used in the processing of the shrimp shall conform to the U.S. Public Health Service Drinking Water Standards. In no case shall the water contain more than 50 ppm of chlorine except that the water used for cleaning manufacturing equipment may exceed this limit.

3.2 Processing. Condition (a), (b), or (c) raw shrimp shall be processed in accordance with table I to produce a finished product that complies with the requirements of 3.3.

TABLE I. Processing requirements

Item	Requirement
1	Condition (b) and (c) (frozen) raw shrimp shall be processed and packaged the same day they are thawed.
2	Condition (a) (fresh) raw shrimp shall not exceed 40 degrees F. (4°C), prior to grading.
3	Shrimp shall be refrigerated at a temperature of 32°F. (0°C) to 40°F.(4°C) (or iced) when held for more than one hour at any stage during receiving and processing.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:02Z
Check the source to verify that this is the current version before use.

TABLE I. Processing requirements (cont'd)

Item	Requirement
4	During the processing operation and prior to freezing and packaging, the shrimp shall be drained of free liquid (see 4.3.1.1).
5	Class 1 shrimp shall be placed in a 32 degree F. (0°C) to 40 degrees F. (4°C) cooler within 30 minutes after packaging.
6	Class 2 shrimp shall be frozen after packaging in accordance with 3.2.3.1.
7	Class 3 shrimp shall be frozen prior to packaging in accordance with 3.2.3.2.
8	If polyphosphates are used the treatment shall consist of the application of a solution containing not more than 10 percent polyphosphates to shrimp for a period not to exceed two minutes. The polyphosphates shall be food grade as permitted under the Food and Drug Regulations governing the use of food additives and shall be limited to a single application.

3.2.1 Class 1. Type I (raw) class 1 (chilled) product shall be prepared from fresh shrimp only. Type II (cooked) class 1 product shall be prepared from fresh or frozen, as specified (see 6.1). The fresh shrimp shall be deiced and washed upon arrival at the processing plant. Processing and handling shall be so conducted as to comply with the time and temperature limitations in table I so as to produce a product complying with the finished product requirements in 3.3.

3.2.2 Class 2 and 3. Class 2 and 3 (frozen) product shall be prepared from either fresh (chilled) or frozen raw shrimp (see 6.1). Processing and handling shall be so conducted as to comply with the time and temperature limitations in table I so as to produce a product complying with the finished product requirements in 3.3. Shrimp shall be thawed in continuously flowing potable water which shall not be recirculated. The shrimp shall not remain in the thaw tank any longer than 1/2 hour after being thawed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

3.2.3 Freezing (class 2 and 3).

3.2.3.1 Box-frozen process. The shrimp properly packaged shall be frozen as follows:

(1) Freezing equipment. Blast freezer or equivalent, shall be used to provide forced air circulation while maintaining a freezer temperature of minus 10°F. (-23°C) (or colder) during the freezing process. The freezer temperature may fluctuate (not to exceed 0°F. (-18°C) for short periods of time to allow for entering the freezer for restocking, withdrawing, etc.

(2) Arrangement of filled packages in freezer. The boxes of product shall be arranged so that their top and bottom surfaces are not in direct contact with each other until the product contained therein is solidly frozen.

(3) Temperature of frozen product. The product shall remain in the "quick freezing" process until the product is frozen solid throughout.

3.2.3.2 Individual quick freezing process (IQF). The shrimp shall be frozen prior to packaging as follows:

(1) Freezing equipment. Cryogenic freezing equipment (gaseous nitrogen tunnel, rotating drum, plate freezer or other type of "quick freeze" equipment), shall be used to reduce the temperature to 0°F. (-18°C) or less in the thickest part of the product within one hour after the product enters the freezer.

(2) Handling of frozen product. Following the freezing process, the product shall be maintained at a uniform temperature of 0°F. (-18°C) (or colder) while being packed and prepared for delivery.

(3) The product shall be returned to the freezer within 45 minutes after packing.

3.3 Finished product. All classifications of the finished product shall consist of shrimp meeting the following requirements:

a. There shall be no foreign material extraneous to shrimp such as, but not limited to, glass, dirt, or paint.

b. The shrimp shall comply with the sizes specified, as applicable to the types, classes, and styles. The four smallest shrimp from a sample unit

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the current version before use.

shall weigh not less than the two largest shrimp. (Use six segment shrimp with glaze removed for the size uniformity determination).

c. When cooked (see 4.3.2), the shrimp shall possess a good shrimp flavor, odor, and a firm texture characteristic of the product. There shall be no foreign or off odors or flavors. Slight iodoform odor is permitted.

d. The shrimp shall be free from black spots greater than 1/4 inch (6.4 mm) in diameter. A tolerance of 5 percent by number of shrimp containing black spots greater than 1/8 inch (3.2 mm) but not more than 1/4 inch (6.4 mm) in diameter is acceptable (see 6.8.1 for definition).

e. Not more than 6.25 percent by weight shall be permitted for damaged shrimp and shrimp pieces (see 6.8.2 and 6.8.3).

f. Style A shrimp shall have a tolerance of not more than 5 percent by count for heads, thorax parts, walking legs and antennas. Style B shrimp shall be free of heads, thorax parts, walking legs and antennas. In addition, not more than 5 percent by count of style B shrimp shall contain pieces of loose or adhering shell or swimmerets.

g. Style B shrimp shall have a tolerance of not more than 10 percent by weight of shrimp which are improperly deveined in an individual sample unit. In addition, the shrimp shall have a tolerance of not more than 6.25 percent by weight of shrimp which are improperly deveined on a lot average basis (see 6.8.4).

h. Class 2 and 3 (frozen) shrimp. The shrimp shall show no evidence of more than slight dehydration (see 6.8.5). Class 2 shrimp shall be glazed or overwrapped (see 5.1.1). When class 2 shrimp are glazed the glaze shall cover a minimum of 75 percent of the top (exposed) surface of the intact package contents. For class 3, each shrimp shall be completely glazed prior to packaging.

i. Class 1 (chilled) shrimp. Internal temperature of shrimp during storage, shipment, and receipt shall be between 30 degrees (-1°C) and 40 degrees F. (4°C).

j. Class 2 and 3 (frozen) shrimp. Internal temperature of shrimp during storage, shipment, and receipt shall not exceed 0 degree F. (-18°C).

k. The shrimp shall comply with the sizes specified (see 1.2 and 6.1).

3.4 Description of grades. When so specified, the interpretation of requirements (descriptive terms) contained in 1.2.1 shall be in accordance with the United States Standards for Grades of Frozen Raw Headless Shrimp.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

3.5 Plant qualification. The product shall be prepared in an establishment determined by the Military Veterinary Services as meeting the requirements of MIL-STD-1483. Such an establishment shall be officially listed in the Directory of Sanitary Approved Establishments for Armed Forces Procurement published by the U.S. Army Health Services Command. Alternatively, it may be produced in an establishment operating under the continuous inspection supervision of the National Oceanic and Atmospheric Administration, so marked in accordance with Part 260 of the regulations of that agency, and the establishment shall be so listed by that agency.

3.6 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. The supplier is responsible for meeting all the provisions of the specification prior to submission to the Government for acceptance. Unless otherwise specified in the contract or purchase order, the supplier is required to perform the tests and examinations prescribed herein, using his own or any other inspection facilities or services acceptable to the Government. When so specified in the contract or order, the supplier is required to furnish an official inspection certificate for frozen, raw, headless shrimp, issued by the National Oceanic and Atmospheric Administration, National Marine Fishery Service, U.S. Department of Commerce, certifying the grade of product supplied is as required by the contract or order.

4.2 Acceptance inspection.

4.2.1 Plant qualification conditions. The product furnished under this document shall be unacceptable if not produced and stored in plants which currently meet the qualification conditions of 3.5.

4.2.2 Sampling for inspection. Sampling for inspection shall be in accordance with MIL-STD-105, except where otherwise indicated herein.

4.2.3 Component and material inspection. In accordance with 4.2.2 components and materials shall be inspected in accordance with all the requirements and referenced specifications, drawings and standards unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.2.3.1 Examination of shrimp (types I and II, class 1). The shrimp shall be examined to determine compliance with requirements of 3.1. Nonconformance to one or more of the referenced requirements shall be cause for rejection of the entire lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

4.2.3.2 Examination of shrimp (types I and II, class 2 and 3). The shrimp shall be examined to determine compliance with 3.1. Nonconformance to one or more of the referenced requirements above shall be cause for rejection of the lot. In addition, containers shall bear the name of the approved plant and the date(s) when the shrimp were placed in frozen storage. Nonconformance to the above specified requirements shall be basis for rejection of the component material or the involved lot of finished product made therefrom.

4.2.3.3 Testing of components. Testing of components described in this document shall be as shown in table II. Results shall be applicable to the lot average. Nonconformance to one or more test requirements shall be cause for rejection of the lot.

TABLE II. Testing of components

Component	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results reported to nearest	Test ref. & reqmt para.
Polyethylene film	One yard (.91 m) or one sheet	Yards or sheets	S-1	Thickness	0.001 inch (0.025 mm)	5.1.1
				Heat seal strength	Whole percent	5.1.1

4.2.4 Process inspection. For Military procurement, examination shall be made during processing to determine compliance with requirements of 3.2, 3.2.1, 3.2.2 and 3.2.3 as concerns condition, time, temperature (storage and thawing) and procedure. Records of time and temperature shall be maintained by the supplier. In addition, examination shall be made of the water used in processing to determine compliance with requirements in 3.1.2. Nonconformance to one or more of the above requirements reflected either by actual examination or by examination of records shall be cause for rejection of the involved quantity of product or the finished product made therefrom.

4.2.5 Examination of finished product. Classification of defects found during examination shall be in accordance with tables IV through VIII and 4.2.5.1 through 4.2.7, as applicable. The AQLs shall be expressed as defects per hundred units for tables IV, V, VI and VII and as percent defective for table VIII. The sampling and inspection criteria shall be as shown in table III.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

TABLE III. Examination criteria for end item

Table	Sample unit	Lot size expressed in	Inspection level	(AQL'S) Major A	Major B	Minor
IV	Primary container	Primary containers	S-4	0.25	4.0	-
V	Primary container	Primary containers	S-3	-	-	6.5
VI	One pound (0.45 kg) from a primary container	Primary containers	S-3	1/	10.0	-
VII	Primary container	Primary containers	S-3	-	2.5	-
VIII	2 to 4 oz. (57 g to 113 g)	Primary containers	S-2	1/	-	-

1/ The finding of any Major A defect shall be cause for rejection of the lot.

TABLE IV. Examination of packaging

Category		Defect
Major A	Major B	
101		Tear or hole in primary container.
	151	Carton not as specified.
	152	Overwrap missing or not as specified. 1/
	153	Polyethylene bag, not as specified.
	154	Label or marking missing or not as specified.
	155	Not completely heat sealed.
	156	Not clean.
	157	Tear or hole in overwrap.

1/ Glazed product need not be overwrapped.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

TABLE V. Examination for net weight

Category	Defect
Minor	
201	Net weight as indicated by marked net weight not as specified.
202	Net weight after draining is 2 ounces (57 g) less than marked net weight (see 4.3.1 or 4.3.1.1, as applicable). 1/ 2/

1/ Lot shall be rejected if sample data indicates the lot average net weight is less than the marked net weight.

2/ Weigh to the nearest 1/2 ounce or nearest gram.

TABLE VI. Examination for product characteristics 1/

Category		Defect
Major A	Major B	
101		Presence of foreign material e.g., dirt, glass or paint.
102		Evidence of decomposition or off odor.
	151	Presence of heads, thorax parts, walking legs or antenna (see 3.3 f) 3/
	152	More than 5 percent by count of style B shrimp contain piece(s) of loose or adhering shell or swimmerets. 3/
	153	More than 6.25 percent by weight consists of damaged shrimp or pieces of shrimp. 2/ 4/
	154	Black spots exceeding 1/4 inch (6.4 mm). 6/
	155	More than 5 percent by count contain black spots exceeding 1/8 inch (3 mm) but not more than 1/4 inch (6.4 mm). 2/ 6/
	156	More than 5 percent by count contain dehydrated areas. 3/
	157	Not size specified.
	158	The four smallest shrimp weigh less than the two largest shrimp (see 3.3 b).
	159	More than 10 percent by weight are not properly deveined (see 6.8.4). 2/ 4/ 5/

1/ Examination will be performed in the chilled or thawed condition.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

2/ Report to the nearest 0.25 percent.

3/ Report to the nearest whole percent.

4/ Weigh to nearest 1/4 ounce or nearest gram.

5/ Lot shall be rejected if sample data indicate the lot average exceeds 6.25 percent by weight.

6/ Measure to the nearest 1/16 inch (1.6 mm).

TABLE VII. Examination for temperature and glaze

Category	Defect
Major B	
151	Not specified temperature (see 3.3).
152	Not glazed as specified (see 3.3). 1/

1/ For class 2 shrimp the examination shall be made on the entire contents of the container prior to defrosting. For class 3 shrimp the examination shall be made prior "to defrosting".

TABLE VIII. Examination for cooked product characteristics 1/ 2/

Category	Defect
Major A	
101	Foreign or objectionable flavor or odor (slight iodoform permitted).

1/ When cooked and examined in accordance with 4.3.2.

2/ Style A shall be peeled and deveined before cooking.

4.2.5.1 Examination of shipping container. Examination of the filled and closed container for level B pack shall be in accordance with the examination criteria of PPP-B-636 or PPP-B-1163, as applicable. In addition, the following

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the current version before use.

defects shall be included in the table of examination: Major: marking missing, incorrect, or illegible. Minor - (1) net weight exceeds 18 (8.2 kg), 48 (21.8 kg) or 50 pounds (22.7 kg) (as applicable) as indicated by marked weight, (2) not packed as specified (see 5.2). For level C pack, examination shall be in accordance with the aforementioned specifications except that only the defects for marking, marked net weight, and packing not as specified, shall be applicable.

4.2.6 Examination of temperature during storage and at time of shipment and receipt. Examination shall be made to determine compliance with requirements of 3.3 as concerns storage temperatures prior to shipment. Records shall be maintained by the supplier. Nonconformance to the above requirement shall be basis for rejection of the lot. In addition, examination shall be made at time of shipment and receipt. The sample unit shall be one shipping container. Lot size shall be expressed in terms of the sample unit. The sample size for examination shall be the number of sample units indicated by inspection level S-2. Finding of any temperature exceeding 40°F. (4°C) for class 1 product or 0°F. (-18°C) for class 2 or class 3 product shall be basis for rejection of the lot.

4.3 Tests. Test procedures and controls which differ from those specified herein, may be used by the supplier, if they provide a quality assurance equivalent to that specified. If the Government contracting officer determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the test procedures set forth herein. In case of dispute as to test results, the test methods specified herein will govern.

4.3.1 Net weight determination. The net weight of class 2 frozen shrimp, which have been glazed, shall be determined by the following procedures. Alternatively, the Official Methods of Analysis of the Association of Official Analytical Chemists for Glazed Seafood may be used.

a. Equipment needed:

(1) Four-gallon (15 L) or larger container.
(2) Source of 75 degrees (24°C) - 87 degrees F. (31°C) water with hose of sufficient length to reach the bottom of the container.
(3) U.S. Standard wire sieve, ASTM, No. 8, 12-inch (30.5 cm) diameter.
(4) Balance.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:02Z
Check the source to verify that this is the current version before use.

b. Procedure. Place the frozen shrimp in the container into which fresh water (75 degrees (24°C) - 87 degrees F. (31°C) is introduced from the bottom of the container at a flow of approximately 6 gallons (22.7 L) per minute. After the glaze has been removed and the shrimp separated easily, empty the container contents onto the tared sieve, spreading the shrimp out evenly. Tilt the sieve at approximately 45 degrees to facilitate drainage; drain the shrimp for 2 minutes; then weigh the sieve and contents. The net weight is the weight of the sieve and contents minus the weight of the sieve.

4.3.1.1 Net weight determination for other than glazed shrimp shall be determined in a chilled or thawed state (as applicable). Empty the container contents onto a tared U.S. Standard wire sieve, ASTM No. 8, 12-inch (30.5 cm) diameter, making sure the shrimp have been separated and are evenly spread out. Tilt the sieve at approximately 45 degrees to facilitate drainage. Drain the shrimp for 2 minutes, then weigh the sieve and contents. The net weight is the weight of the sieve and contents minus the weight of the sieve.

4.3.2 Cooking test-product evaluation. Type II product shall be evaluated as a finished product. Type I product sample shall be peeled and deveined and uncooked prior to testing. Evaluate the product samples as follows (see 3.3.c for required cooked product characteristics): Place 2 (60 ml) to 4 ounces (120 ml) of peeled deveined and rinsed shrimp in a boilable plastic bag with 1/2 cup (.12 L) of salt solution (1 teaspoon (5 mm) salt dissolved in 1 pint (.5 L) or 2 cups of water). Add a 2-ounce (57 g) stainless steel weight or snap a large clip on bottom of bag. Suspend the bag in a kettle of boiling water and return the water to a boil as rapidly as possible. (More than one sample may be cooked at a time, as long as the water will return to a boil within 2 minutes). After the water is boiling, cook according to the following timetable:

Count of shrimp Number per pound	Cooking time (Minutes)
Up to 15	10
16 to 35	5
Over 35	3

Remove from bag, drain, and cool to approximately room temperature (do not refrigerate) for evaluation of flavor and odor. Evaluate the cooked shrimp for desired flavor, odor, and firmness characteristics of the product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Class 1 product shall be packaged in accordance with level C. Class 2 and 3 product shall be packaged in accordance with level B or level C, as specified (see 6.1).

5.1.1 Level B. Five pounds (2.27 kg) of class 2, style A product, or 6 pounds (2.72 kg) of class 2, style B product, as specified (see 6.1) shall be packaged in a commercial waxed or polyethylene coated carton. The carton shall be overwrapped and completely heat sealed with a material commercially used in packaging frozen foods. Glazed product need not be overwrapped. Three pounds (1.36 kg) of class 3, style B product shall be enclosed in a bag made from not less than 0.003 inch (.08 mm) thick polyethylene film. The bag shall be closed by heat-sealing. The thickness and heat seal seam strength shall comply with the requirements of L-P-378.

5.1.2 Level C. Not less than 1 pound (0.45 kg) nor more than 6 pounds (2.72 kg) of the product shall be packaged to provide adequate protection against deterioration and damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets these requirements.

5.2 Packing. Not more than 50 pounds (22.7 kg) of class 1 product shall be packed in accordance with level C. Not more than 50 pounds (22.7 kg) of class 2 or class 3 product shall be packed in a snug-fitting shipping container in accordance with level B or C, as specified (see 6.1).

5.2.1 Level B. The shipping container shall be a fiberboard box, constructed, closed, and reinforced in accordance with style RSC, W5c or W5s of PPP-B-636. Alternatively, a wax impregnated corrugated box, constructed, closed, and reinforced in accordance with style RSC, class I, type SWCFI, grade 200 of PPP-B-1163 shall be used. The wax impregnated box shall be closed with hot melt adhesive in accordance with the appendix of PPP-B-636 and shall be reinforced with two lengthwise bands and one girthwise band in accordance with the appendix of PPP-B-636.

5.2.1.1 When specified (see 6.1 and 6.3), the shipping container specified in 5.2.1 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament-reinforced tape in accordance with the appendix of PPP-B-636 except that for W5c or W5s boxes one lengthwise band and one girthwise band shall be applied.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:02Z
Check the source to verify that this is the currentversion before use.

5.2.2 Level C. The container shall be in accordance with Uniform Freight Classification or National Motor Freight Classification, as applicable.

5.3 Labeling and marking.

5.3.1 Cartons. Any commercial labeling, or additional labeling as specified, that complies with the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder is acceptable.

5.3.2 Shipping container. Shipping containers shall be marked in accordance with MIL-STD-129 for Military procurement and FED-STD-123 for Civil agencies. In addition, the following applicable precautionary marking should appear on the top, in letters between 1 (2.5 cm) and 1-1/2 inches (3.8 cm) high, all letters being of the same height:

KEEP FROZEN (0 degree F. (-18°C) or below)

or

KEEP REFRIGERATED (between 32 degrees F. (0°C) and 40 degrees F. (4°C)

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Type, condition, class, style, size (count per pound) and when required, grade of product (see 1.2 and 1.2.1).
(c) Number of pounds (kg) to be packaged per primary container (see 5.1.1).
(d) When cooked, chilled product shall be prepared from either fresh or frozen shrimp (see 3.2.1 or 3.2.2 as applicable).
(e) Level of packaging and packing required for class 2 product (see 5.1 and 5.2).
(f) When packing specified in 5.2.1.1 is required (see 6.3).

6.2 Military agencies. Based on conditions known or expected to be encountered during shipment, storage and handling of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15, NAVSUPINST 4030.28/ AFR 71-6, MCO 4030.14D/ or DSAR 4145.7/ as applicable.

6.3 Packing specified in 5.2.1.1 is intended for transfer at sea operations or specific overseas operations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

6.4 Bid samples. If for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated.

6.5 Supplier's inspection. The supplier shall be required to assure that the product conforms with the specification prior to submission to the Government for final inspection.

6.6 Destination inspection (for Civil agencies only). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

6.7 Award of contract for the product specified in this document will be limited to plants known to maintain the required sanitation conditions of 3.5 (also see 4.2.1).

6.8 Definitions.

6.8.1 Black spot. A black spot shall be considered any black area that is readily apparent on the flesh of the shrimp and penetrates into the flesh. If light scraping of the flesh surface will remove the spot, it is not considered to be penetrating.

6.8.2 Damaged shrimp. A damaged shrimp shall be considered as a shrimp that has been crushed or mutilated to the extent that it has lost its normal shape and bears marks of mutilation or crushing, or is a shrimp that has a cut or break greater than 1/3 the thickness of the shrimp.

6.8.3 Shrimp piece. A shrimp piece shall be a shrimp which contains less than four segments.

6.8.4 Improperly deveined. An improperly deveined shrimp shall mean any black or dark sand vein that has not been removed except for the sand vein located in the segment adjacent to the tail fin.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:02Z
Check the source to verify that this is the current version before use.

6.8.5 Slight dehydration. Slight dehydration means that up to 5 percent by count of the thawed shrimp have a whitish area on the exposed ends of the shrimp or a slight desiccated appearance of the meat.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Preparing activity:

Army - GL

Project No. 8905-0772

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 45 cents each.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:02Z
Check the source to verify that this is the current version before use.