MILITARY SPECIFICATION

INPUT DISPLAY MATRIX: 10526190

This amendment forms a part of Military Specification MIL-I-60173(MU), dated 8 March 1965.

Paragraph 2.1, under STANDARDS - Military add:

"MIL-STD-461 Electromagnetic Interference Characteristics Requirements for Equipment
MIL-STD-462 Electromagnetic Interference Characteristics, Measurement of
MIL-STD-810 Environmental Test Methods"

Paragraph 3.2.4: Delete "34087" and substitute "X24087".

* Paragraph 3.2.8.4.2: Change "2.0 ± 1.0 pounds" to "2.0 $^{+2.0}_{-1.0}$ pounds"

Paragraph 3.2.10, delete and substitute:

"3.2.10 Interference control.- The matrix shall meet the requirements of MIL-STD-461 for class IC equipment."

Add paragraph 3.4.8.

"3.4.8 Rain.- The matrix, simulated in its normal computer mounting position, shall show no evidence of damage or water penetration and shall meet the requirements of 3.2.5.4, 3.2.8.2, 3.2.8.3 and 3.2.9.1.2, after exposure to simulated rainfall accompanied by winds gusting to 35 knots, at the following rates: 1, 7 and 24 inches per hour."

Following paragraph 4.1.1: Add paragraphs 4.1.2, 4.1.2.1 and 4.1.2.2:

"4.1.2 First article (initial production) approval.- The requirement for first article approval and the responsibility (Government or contractor) for first article testing shall be as specified in the contract. The sample for first article approval tests shall consist of three (3) matrices manufactured in the same manner using the same materials, equipment, processes, and procedures as used in regular production. All parts and materials, including packaging and packing, shall be obtained from the same source of supply as used in regular production.

4.1.2.1 Government testing.- When the Government is responsible for conducting first article approval tests, the contractor, prior to submitting the sample to the Government, shall inspect the sample to insure

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:14Z
Check the source to verify that this is the current version before use.

that it conforms to all the requirements of the contract and submit a record of this inspection with the sample, including certificates of conformance for materials.

4.1.2.2 Contractor testing.- When the contractor is responsible for conducting first article approval tests, the sample shall be inspected by the contractor for all the requirements of the contract. The sample and a record of this inspection, including certificates of conformance for materials, shall be submitted to the Government for approval. The Government reserves the right to witness the contractor's inspection."

Paragraph 4.2.3: Add the following sentence: "No lots shall be accepted until control samples have been satisfactorily tested."

Paragraph 4.3.3: Delete first sentence and substitute:

"The units shall be selected at random by a Government representative as control samples from each three (3) months production or portion thereof as follows:

3 units per first 100 produced
5 units per 200
7 units per 300
9 units per 400
10 units per 500
12 units per 700
15 units per 1000
and 2 units for each 100 items produced in excess of 1000."

Paragraph 4.5.1.4, lines 2 and 4: Delete "3.4.7" and substitute "3.4.6".

Add paragraph 4.5.1.8:

"4.5.1.8 Rain.- The matrix shall be subjected to the rain test specified in MIL-STD-810, Method 506, Procedure I, at the conditions specified in 3.4.8. Subsequent to the above test, the matrix shall be visually inspected for physical damage, then tested for the requirements specified in 3.4.8."

Paragraph 4.5.3.4: Delete in its entirety and substitute:

"4.5.3.4 Interference control.- The interference control tests shall be performed as specified in MIL-STD-462 for class IC equipment for compliance with 3.2.10."

*The outside margins have been marked to indicate where additions to the previous amendment have been made. This has been done as a convenience

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:14Z
Check the source to verify that this is the current version before use.

only and the Government assumes no liability whatsoever for any inaccuracies in this notation. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content as written irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:

Army - MU

Preparing activity:

Army - MU

Project No. 1220-A165

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:14Z
Check the source to verify that this is the current version before use.