
MILITARY SPECIFICATION SHEET

CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES A)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the connectors described herein shall consist of this specification and the latest revision of MIL-C-29600.



NOTES:

1. Dimensions are in inches unless otherwise specified.
2. Metric equivalents are based upon 1 inch = 25.4 mm.
3. Dimensions apply after plating.

AMSC N/A FSC 5935

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T00:38Z
Check the source to verify that this is the current version before use.

Shell Size	A Ø Max.	B ±.010	C Thread Ref	D Ø ± .010
9	.847	1.231	.500-28	.795
11	.990	1.231	.625-28	.920
13	1.149	1.231	.750-28	1.075
15	1.245	1.231	.875-28	1.170
17	1.420	1.231	1.000-28	1.362
19	1.627	1.231	1.125-28	1.557
21	1.754	1.231	1.250-28	1.682
23	1.881	1.231	1.375-28	1.807
25	1.945	1.231	1.500-28	1.870

Inches	mm
.795	20.193
.847	21.514
.920	23.368
.990	25.146
1.075	27.305
1.149	29.185
1.170	29 718
1.231	31.267
1.245	31.623
1.362	34.595

Inches	mm
1.420	36.068
1.557	39.548
1.627	41.326
1.682	42.723
1.754	44.552
1.807	45.898
1 870	47 498
1.881	47 777
1.945	49.403

REQUIREMENTS:

Requirements shall conform to MIL-C-29600.

Mating receptacle: MIL-C-29600/10 and MIL-C-29600/11.

Example of part number:

M29600/12	R	B	19	P	1
Specification sheet number	Class	Shell size (see Table VII MIL-C-29600)	Insert arrangement	Contact style	Polarization

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T00:38Z
Check the source to verify that this is the current version before use.

Custodians.
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - AV
Navy - EC
Air Force - 15
DLA - ES
NASA - NA

User activities:
Army - MI
Navy - SH, MC
Air Force - 15

Preparing activity:
Navy - AS
(Project No. 5935-3701-06)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T00:38Z
Check the source to verify that this is the current version before use.