INCH-POUND

A-A-52312
6 July 1994

COMMERCIAL ITEM DESCRIPTION

PLATE, LITHOGRAPHIC PRINTING, METAL SENSITIZED, WITH PROCESSING CHEMICALS

The General Services Administration has authorized the use of this commercial item description in preference to MIL-P-13692D.

The description covers an aqueous type sensitized lithographic plate and processing chemicals, for lithographic offset printing, including line work and up to and including a 300 line screened image.

Salient Characteristics.

Design.

Description. The sensitized plates shall consist of aluminum sheets with a light sensitive coating which shall form a positive lithographic image when exposed to light through a negative and developed with the processing chemicals furnished.

Classification. The lithographic plates shall be of the following type and lengths as specified:

Type	-	Aluminum
Size A	-	27 inches by 30 inches
Size B	-	27-1/4 inches by 32-1/2 inches

Type. The alloy and temper for the aluminum sheet shall be those normally used by the contractor. The thickness of the sheet shall be 0.008. Variations in thickness within a given sheet shall not exceed 0.001 inch.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and other data which may improve this document should be sent to: CMDR, US ARMY BELVOIR RDE CTR, ATTN SATBE TSE, 10101 GRIDLEY RD, STE 304, FT BELVOIR VA 22060-5818.

AMSC N/A FSC 3610

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:08Z
Check the source to verify that this is the current version before use.

Material. The sensitized coating shall be uniform and free from coating streaks, pinholes, dirt, abrasion marks, spots, and mottling which will affect the printing quality of the plates. The plates shall be sensitized on both sides. The processing of the plates shall be accomplished with no more than two chemical solutions. The chemical solutions and quantities to be furnished are 3 quarts (2.84L) of sensitizer and 3 pints (1.42L) of image developer per 25 plates.

Material safety data sheets. Chemicals to be delivered must be accompanied by material safety data sheets prepared in accordance with FED-STD-313 or OSHA Form 20.

Regulatory requirements. In accordance with Federal Acquisition Regulation, section 23.403, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing the supplier’s employees to undue hazards from the recovered materials.

Certification of commercial item. The contractor shall certify that the product offered to the Government meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product as the manufacturer's current product offered by the contractor in the commercial marketplace for at least one year preceding the solicitation. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Metric Products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this commercial item description are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option or accepting of rejecting the product.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:08Z
Check the source to verify that this is the current version before use.

Presentation, packing, labeling and marking. Preservation, packing, labeling, and marking shall be specified in the contractor or order.

CID based part identification number. The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor.

Part of identifying number (PIN) . The PIN to be used for lithographic plates acquired to this commercial item description are to be created as follows:



Notes. The procuring agency should specify the preferred options permitted herein and include the following information in procurement documents:

1. Title, number, and date of this item description.
2. Classification (type) required.
3. FED-STD-313 and FED-STD-376 are available from the STDZN DCMNT ORDER DESK, BLDG 4D, 700 ROBBINS AVE, PHILADELPHIA PA 19111-5094.
4. OSHA Form 30 is available from: SUPT OF DCMNTS, GVT PRINTG OFC, WASHINGTON DC 20402

The preparing activity for this item description is: US ARMY BELVOIR RDE CTR, ATTN SATBE TSE, 10101 (GRIDLEY RD, STE 104, FT BELVOIR VA 22060-5818.

MILITARY INTERESTS:

custodians
Army - ME
Air Force - 99

Review activities
Army - GL
Navy - MC
Air Force - 84
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PROJECT 3610-0372

PREPARING ACTIVITY- ME

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.