INCH-POUND

A-A-52400
July 17, 1992

COMMERCIAL ITEM DESCRIPTION

HEADLAMP, SEALED BEAM, 12 VOLT (Trade No. 6015)

The General Services Administration has authorized the use of this commercial item description as a replacement for MS18009 which is canceled.

1. Abstract. This commercial item description covers one type and size of headlamp. It is a heavy duty, round, sealed beam, 12 volt headlamp. The lighting device provides upper and lower beam light used to illuminate the road and its environment ahead of the vehicle.

2. Salient characteristics.

2.1 Headlamp. Unless otherwise specified herein, the salient characteristics and markings for the sealed beam headlamp shall conform to SAE J1383.

2.2 Materials. The use of recovered material made in compliance with regulatory requirements is acceptable providing that all requirements of this CID are met (see 5.5).

2.3 Characteristics. The physical and electrical characteristics of the headlamp are as follows:

Headlamp - Commercial trade number 6015
Outside diameter - 7 inch/178 mm (PAR 56)
Lens color - White (achromatic)
Maximum Amps - 5.02 Upper beam, 4.02 Lower beam
Rated Volts - DC 12
Watts - 60 Upper beam, 50 Lower beam
Terminal type - 3 lugs
Filament type - C6/C6
Rated average laboratory life - 200 upper beam/320 lower beam Hours


Beneficial comments, recommendations, additions, deletions clarifications, etc. and any other data which may improve this document should be sent by letter to: U.S. Army Tank-Automotive Command, ATTN: AMSTA-GDS, Warren, MI 48397-5000.

AMSC N/A FSC 6240

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:08Z
Check the source to verify that this is the current version before use.

2.3 Dimensions. The dimensions specified in figure 1 are the subject of International Standardization Agreements (see 6).



PIN No.	Former MS part no.
A 52400-6015	MS18009-6015

FIGURE 1. Dimensions covered by International Agreement.

2.4 Workmanship. Workmanship shall be in accordance with the manufacture of a high quality headlamp. This shall be evidenced by the absence of defects which are detrimental to the appearance, serviceability or durability of the headlamp such as: surface deterioration, fractures, color bleeding, deterioration of bonding material, exterior or internal corrosion.

3. Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. Items with known defects shall not be submitted for Government acceptance. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract or order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

4. Preservation, packaging, packing, labeling, and marking. Preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order (see 5.2).

5. Notes.

5.1 Address for obtaining copies of reference document. SAE J1383, is available from Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096.

5.2 Acquisition requirements. Acquisition documents must specify the following.

a. Title, number and date of the Commercial Item Description.
b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 5.1).
c. Part or identification number [PIN (see 5.3)].
d. Selection of applicable level and packaging requirements (see 4).

5.3 Part or identifying number (PIN). The PIN number to be used for headlamps acquired to this CID is A 52400-6015 (see 5.2).

5.4 Cross-reference data. Headlamps conforming to this document are interchangeable/substitutable with headlamps conforming to MS18009D (National Stock Number (NSN) 6240-00-752-2424) (see figure 1).

5.5 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

5.6 Metric product. Headlamps that are to metric dimensions will be considered on the following basis:

a. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this CID are met.
b. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.
c. The contracting officer has the option of accepting or rejecting this product.

6. International interest. Certain provisions of this CID (see figure 1) are the subject of international standardization agreements (ABCA QSTAG-208 and NATO STANAG 4005). When amendment, revision, or cancellation of this commercial item description is proposed that will modify the international agreement concerned, the preparing activity will take appropriate action through international standardization channels, including departmental standardization offices, to change the agreement or make other appropriate accommodations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.