O-I-573B
September 26, 1969
SUPERSEDING
Int. Fed. Spec. O-I-00573A(GSA-FSS)
November 27, 1968 and
Fed. Spec. O-I-573
July 22, 1954

FEDERAL SPECIFICATION

INSECTICIDE, NICOTINE SULFATE (SOLUTION)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. Nicotine sulfate solution covered by this specification, shall be of but one type and grade, and suitable for use as contact spray for control of aphids, thrips, scale insects (crawling stage), and similar pests.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of the specification to the extent specified herein.

Federal Specifications:

PPP-B-636 - Box, Fiberboard.
PPP-C-96 - Cans, Metal, 28 Gage and Lighter.
PPP-D-729 - Drums: Metal, 55-Gallon (For Shipment of Noncorrosive Material).
PPP-P-704 - Pails, Metal: (Shipping, Steel, 1 through 12 Gallon).

Federal Standard:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civilian Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specification, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. 20402.

(Single copies of this specification and other Federal Specifications required by activites outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Washington.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:15Z
Check the source to verify that this is the current version before use.

Laws and Regulations:

Federal Insecticide, Fungicide and Rodenticide Act.

(The Code of Federal Regulations (CFR) and the Federal Register (FR) are for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. 20402. When indicated, reprints of certain regulations may be obtained from the Federal agencies responsible for issuance thereof.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

Nongovernmental:

Official Methods of Analysis of the Association of Official Analytical Chemists.

(Application for copies should be addressed to the Association of Official Analytical Chemists, P.O. Box 540, Benjamin Franklin Station, Washington, D. C. 20044.)

National Classification Board:

National Motor Freight Classification.

(Application for copies should be addressed to the National Classification Board, 1616 P Street, N.W., Washington, D. C. 20036.)

Uniform Classification Committee:

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, 202 Union Station, 516 West Jackson Boulevard, Chicago, Illinois 60606.)

3. REQUIREMENTS

3.1 Composition. Nicotine sulfate solution shall consist of an aqueous solution of nicotine sulfate that contains not less than 40 percent by weight of nicotine when tested as described in 4.4.1.

3.2 Workmanship. The finished product shall be clean, free from undissolved material, and free from any defects which may impair its utility.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling.

4.2.1 Sampling for testing. Samples shall be taken in accordance with MIL-STD-105 Special Inspection Level S-1.

4.3 Examination of preparation for delivery. An examination shall be made to determine that packaging, packing, labeling and marking comply with the requirements of section 5. Defects shall be scored as specified in table I. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 with an AQL of 4.0 defects, expressed in terms of defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:15Z
Check the source to verify that this is the current version before use.

TABLE I. Examination of preparation for delivery

Examine	Defect
Marking and Labeling	Omitted, incorrect; illegible, improper size, location, sequence or method of application.
Materials	Component missing or damaged.
Workmanship	Bulging or distortion of containers. Cushioning inadequate, improper or missing.
Contents	More or less than required.
Containers	Not as specified.

4.4 Tests.

4.4.1 Nicotine determination. The nicotine content of the nicotine sulfate solution shall be determine according to the method for determination of nicotine in tobacco and tobacco products, Official Methods of Analysis of the Association of Official Analytical Chemists.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall bel level A, B, or C, as specified (see 6.1).

5.1.1 Level A.

5.1.1.1 One-pound, two-pound, 5-pound or 10-pound quantities(see 6.1 and 6.2) shall be furnished in metal cans conforming to PPP-C-96, type V, class 4 or 5, exterior coating, plan B.

5.1.1.2 Fifty pound quantity (see 6.1) shall be furnished in a metal pail conforming to PPP-P-704, type I, class 3.

5.1.1.3 Five-hundred pound quantity (see 6.1) shall be furnished in a metal drum conforming to PPP-D-729, type II.

5.1.2 Level B.

5.1.2.1 One-pound or 2-pound quantities(see 6.1) shall be furnished in glass or high density polyethylene bottles of the type normally used for the product.

5.1.2.2 Five-pound or 10-pound quantities (see 6.1) shall be furnished in metal cans conforming to PPP-C-96, type V, class 4 or 5, exterior coating, plan A.

5.1.2.3 Fifty-pound and five-hundred pound quantities (see 6.1) shall be furnished in containers specified in 5.1.1.2 and 5.1.1.3, respectively, above.

5.1.3 Level C. Insecticide shall be packaged to afford adequate protection against damage during shipment from the supply source to the first receiving activity.

5.2 Packing. Packing shall be level A, B, or C, as specified (see 6.1).

5.2.1 Level A.

5.2.1.1 Glass or plastic bottles shall be packed in a snug-fitting box conforming to PPP-B-636 type CF, class weather-resistant.

5.2.1.2 Metal cans shall be packed in accordance with the level A requirements of PPP-C-96.

5.2.1.3 Metal pails and drums do not require over packing.

5.2.2 Level B.

5.2.2.1 Glass or plastic bottles shall be packed in a snug-fitting box conforming to PPP-B-636 type CF, class domestic.

5.2.2.2 Metal cans shall be packed in accordance with the level B requirements of PPP-C-96.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:15Z
Check the source to verify that this is the current version before use.

5.2.2.3 Metal pails and drums do not require overpacking.

5.2.3 Level C. Insecticide in quantities as specified (see 6.2), packaged as specified in 5.1 shall be packed in containers to assure carrier acceptance and safe arrival at destination in compliance with Uniform Freight Classification Rules or National Motor Freight Classification Rules.

5.3 Marking.

5.3.1 Civil agencies. In addition to the markings specified in 5.4.3 and any special markings required by the contract or order, interior packages and shipping containers shall be marked in accordance with Fed. Std. No. 123.

5.3.2 Military agencies. In addition to the markings specified in 5.4.3 and any special markings required by the contract or order, interior packages and shipping containers shall be marked in accordance with MIL-STD-129.

5.3.3 Special markings.

5.3.3.1 Unit containers. The product shall be registered, with the U.S. Department of Agriculture and labeled to comply with the Federal Insecticide, Fungicide and Rodenticide Act of 1947. Application to the Pesticides Regulation Division, U. S. Department of Agriculture, Washington, D. C. 20250, must be made for registration of the label prior to shipment of the finished insecticide in interstate commerce. The label data shall be lithographed or stenciled on container body with a weather-resistant and noncorrosive ink. Where plain olive drab drums are employed, a combination consisting of a stenciled label and a paper label may be used. The paper label shall be printed on a label made of strong paper affixed to the drum body with a water insoluble, noncorrosive adhesive and coated overall with a weather-resistant lacquer or enamel. The name of the product shall be stenciled on container body when paper labels are used.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Level of packaging and packing required (see 5.1 and 5.2).
(c) Quantity to container (see 5.1.1.1, 5.1.1.2, 5.1.1.3, 5.1.2.1, 5.1.2.2, 5.1.2.3, 5.2.3 and 6.2).
(d) Required marking (see 5.3).

6.2 Insecticide, nicotine sulfate solution should be purchased by weight. One gallon weighs ten pounds.

DOD coordination has been waived.

Preparing activity:

GSA-FSS

CIVILIAN INTERESTS:

GSA-FSS
VA
AGR
DC GOV

☆U. S. GOVERNMENT PRINTING OFFICE : 1969 O - 395-526 (4259)

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 10 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:15Z
Check the source to verify that this is the current version before use.

GENERAL SERVICES ADMINISTRATION - FEDERAL SUPPLY SERVICE

SPECIFICATION COMMENT SHEET

BUDGET BUREAU NO. 29-R0175

INSTRUCTIONS

This form provides a way for users of this specification to inform the originator of problems encountered in its use. It is not to be used to request changes to accommodate proprietary features. All comments will be considered and appreciated, but please do not expect a reply. To comment: detach, complete, fold, staple, and mail.

NOTE: Comments on this form do not constitute or imply authorization to waive any part of the document or serve to amend contractual requirements.

1. SPECIFICATION

O-I-573B Insecticide, Nicotine Sulfate (Solution)

2. CONTRACT NO. *(If any)*	3. QUANTITY ON CONTRACT *(Optional)*	4. DOLLAR VALUE *(Optional)*

5. GENERAL NATURE OF PROBLEM *(e.g., inspection difficulties, manufacturers unable to meet tolerances, containers collapse under normal warehousing conditions, etc.)*

6. SPECIFIC REQUIREMENTS AFFECTED *(Include paragraph number and lines of wording)*

7. SPECIFIC PROBLEMS *(e.g. tests in 4.2.2 will not assure that the battery will last required time; temperature ranges in table 2 do not conform to commercially available items.)*

8. RECOMMENDATIONS

9. NAME OF MANUFACTURER, ASSOCIATION, GOVT., AGENCY, ETC.	10. ADDRESS *(Number, Street, City, State and Zip Code)*

11. NAME AND TITLE OF SUBMITTER	12. DATE

GSA DC 69-9761

FORM GSA FEB 69 2200

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:15Z
Check the source to verify that this is the current version before use.

FOLD

GENERAL SERVICES ADMINISTRATION

Washington, D. C. 20406

OFFICIAL BUSINESS
FMSC

POSTAGE & FEES PAID
GENERAL SERVICES ADMINISTRATION

General Services Administration
Federal Supply Service (FMSC)
Washington, D. C. 20406

FOLD

GSA FORM FEB 69 2200

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:15Z
Check the source to verify that this is the current version before use.