[INCH-POUND]
A-A-3068/3
February 14, 1997
SUPERSEDING
SS-S-736/3
June 1, 1989

COMMERCIAL ITEM DESCRIPTION SHEET

STONES, SHARPENING
TYPE II - UNMOUNTED STONES
CLASS A-2 - ARTIFICIAL (SILICON CARBIDE)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration for the use of all Federal agencies.

The complete requirements for procuring the sharpening stones herein shall consist of this document and the latest issue of A-A-3068/GEN.




Figure 1

TABLE I
Style 1 - Rectangular

DASH NUMBER	GRIT[1]	DIMENSIONS/Inches(cm)		
		LENGTH, A	WIDTH, B	THICKNESS, C
-1	F	1.75 (4.44cm)	0.75 (1.90cm)	0.25 (0.635cm)
-2	F	3.00 (7.62cm)	0.87 (2.22cm)	0.25 (0.635cm)
-3	F	3 00 (7.62cm)	0.87 (2.22cm)	0.37 (0.95cm)
-4	M	3.50 (8.89cm)	0.75 (1.90cm)	0.50 (1.27cm)
-5	F	4.00 (10.16cm)	1.00 (2.54cm)	0.25 (0.635cm)
-6	M	4.00 (10.16cm)	1.00 (2.54cm)	0.25 (0.635cm)
-7	F/C	4.00 (10.16cm)	1.50 (3.81cm)	0.50 (1.27cm)

[1]F indicates fine, M indicates medium, F/C indicates a combination fine/coarse stone.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Branch (7FXEE), 819 Taylor St., Fort Worth, TX 76102

FSC 5345

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:29Z
Check the source to verify that this is the current version before use.

TABLE I (continued page 1)
Style 1 - Rectangular

DASH NUMBER	GRIT[1]	DIMENSIONS/Inches(cm)		
		LENGTH, A	WIDTH, B	THICKNESS, C
-8	F	4.00 (10.16cm)	1.75 (4.44cm)	0.50 (1.27cm)
-9	M	4.00 (10.16cm)	1.75 (4.44cm)	0.50 (1.27cm)
-10	F/C	4.00 (10.16cm)	1.75 (4.44cm)	0.62 (1.58cm)
-11	F	6.00 (15.24cm)	2.00 (5.08cm)	1.00 (2.54cm)
-12	M	6.00 (15.24cm)	2.00 (5.08cm)	1.00 (2.54cm)
-13	C	6.00 (15.24cm)	2.00 (5.08cm)	1.00 (2.54cm)
-14	F/C	6.00 (15.24cm)	2.00 (5.08cm)	1.00 (2.54cm)
-15	F/C	8.00 (20.32cm)	2.00 (5.08cm)	1.00 (2.54cm)
-16	F	8.00 (20.32cm)	2.00 (5.08cm)	1.000 (2.54cm)
-17	M	8.00 (20.32cm)	2.00 (5.08cm)	1.00 (2.54cm)
-18	C	8.00 (20.32cm)	2.00 (5.08cm)	1.00 (2.54cm)
-19	F/C	8.00 (20.32cm)	2.00 (5.08cm)	1.00 (2.54cm)

[1]F indicates fine, M indicates medium, F/C indicates a combination fine/coarse stone.




Figure 2

TABLE II
Style 2 - Half-round

DASH NUMBER	GRIT[1]	DIMENSIONS/Inches(cm)		
		LENGTH, A	WIDTH, B	THICKNESS, C
-20	M	6.00 (15.24cm)	0.62 (1.58cm)	0.31 (0.79cm)

[1]M indicates medium.




Figure 3

TABLE III
Style 4 - Square

DASH NUMBER	GRIT[1]	DIMENSIONS/Inches(cm)		
		LENGTH, A	WIDTH, B	THICKNESS, C
-21	F	4.00 (10.16cm)	0.50 (1.27cm)	0.50 (1.27cm)

[1]F indicates fine.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:29Z
Check the source to verify that this is the current version before use.




Figure 4

TABLE IV
Style 5 - Triangular

DASH NUMBER	GRIT[1]	DIMENSIONS/Inches(cm)			
		LENGTH, A		WIDTH, B	
-22	M	4.00	(10.16cm)	0.37	(0.95cm)

[1]M indicates medium.




Figure 5

TABLE V
Style 6 - Knife blade stones

DASH NUMBER	GRIT[1]	DIMENSIONS/Inches(cm)					
		LENGTH, A		WIDTH, B		THICKNESS, C	
-23	F	4.00	(10.16cm)	1.00	(2.54cm)	0.125	(0.31cm)

[1]M indicates medium.




Figure 6

TABLE VI
Style 14 - Round edge slip stones

DASH NUMBER	GRIT[1]	DIMENSIONS/Inches(cm)			
				THICKNESS	
		LENGTH, A	WIDTH,B	THICK EDGE,C	THIN EDGE,D
-24	F	4.50 11.43cm)	2.12 (5.40cm)	0.62(1.58cm)	0.31 (0.79cm)
-25	M	4.50 (11.43cm)	2.12 (5.40cm)	0.62 (1.58cm)	0.31 (0.79cm)
-26	C	4.50 (11.43cm)	2.12 (5.40cm)	0.62 (1.58cm)	0.31 (0.79cm)
-27	F	6.00 (15.24cm)	2.25 (5.71cm)	0.75 (1.90cm)	0.37 (0.95cm)
-28	M	6.00 (15.24cm)	2.25 (5.71cm)	0.75 (1.90cm)	0.37 (0.95cm)

[1]F indicates fine, M indicates medium, C indicates coarse.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:29Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Review activities:

Air Force - 84
Army - AV

User activity:

Navy - YD

PREPARING ACTIVITY:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:29Z
Check the source to verify that this is the current version before use.