[INCH-POUND]
A-A-1081A
February 13, 1991
SUPERSEDING
A-A-1081
January 23, 1981

COMMERCIAL ITEM DESCRIPTION

STIRRING STICK, BEVERAGE (WOOD)

The General Services Administration has authorized the use of this commercial item description in lieu of Federal Specification LLL-S-720.

1. SCOPE

1.1 Scope. This commercial item description covers one size of wooden beverage stirrer.

2. APPLICABLE DOCUMENTS

2.1 The documents referenced in this commercial item description shall be the issues in effect on the date of the invitation for bids or request for proposal unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Federal Standard:

FED-STD-376 - Preferred Metric Units For General Use By The Federal Government.

Copies of Federal standards are available from the General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA.

Military Standard:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

Copies of military standards may be obtained from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 7340

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

ASTM Standard:

E 29 - Standard Practice For Using Digits In Test Data To Determine Conformance With Specifications.

Application for copies of ASTM standards should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.

3. SALIENT CHARACTERISTICS

3.1 Design and construction. The stirring stick shall be made from either gumwood, white birch, or rock maple at the manufacturer's option. The dimensions shall be as shown:

Length - 5.5 inches, ± 0.125 inches
Width - 0.25 inch, ± 0.031 inch
Thickness - 0.063 inch, + 0.030 inch, - 0.020 inch

The stirring stick shall be made with the grain of the wood running in the same direction as the long axis and shall have a smooth natural finish. The ends of stirrer shall be rounded. The stirrer shall have no objectionable odor or taste.

3.2 Workmanship. The finished stirring sticks shall be clean, free from surface checks, rough edges, splinters and any other defects which may affect appearance or serviceability.

3.3 Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable. The term "recovered materials" means materials which have been collected or recovered from solid waste and reprocessed to become a source of raw materials as opposed to virgin raw materials. None of the above shall be interpreted to mean that the use of used or rebuilt products are allowed under this commercial item description unless otherwise specified.

3.4 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch/pound units, provided they fall within the tolerances specified using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this commercial item description are met.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

3.5 Commercial item. The use of the term "commercial item description" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Sampling. The levels of inspection and acceptable quality levels (AQLs) shall be in accordance with MIL-STD-105.

4.3 Lot formation. All stirring sticks from the same manufacturer offered for delivery at one time shall be considered a lot for purposes of inspection.

4.4 Sampling for visual and dimensional examination. A random sample of stirring sticks shall be selected from each lot in accordance with inspection level S-3, AQL 4.0 expressed in terms of defects per hundred units. The sample unit shall be one stirring stick. The sample stirring stick shall be visually and dimensionally examined to verify compliance with table I and the remainder of this description. Tolerance limits specified are absolute limits as defined in ASTM E 29.

Table I - Visual defects

Material not as specified
Dimensions not as specified
Grain of wood not running in direction of long axis
Not clean
Finish not smooth
Rough edges (splintered)
Defects or damage affecting serviceability

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

4.5 Examination for preparation for delivery. A random sample of shipping containers shall be selected from each lot for examination of the unit, intermediate and shipping containers (as applicable) for conformance with the preservation, packaging, packing, labeling, and marking required in the contract or order. Samples shall be selected in accordance with MIL-STD-105, inspection level S-2, acceptable quality level (AQL) 6.5, expressed in terms of defects per hundred units.

5. PREPARATION FOR DELIVERY

5.1 Preservation, packaging, packing, labeling, and marking. The preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. The preservation, packaging, packing, labeling, and marking desired.

6.2 National Stock Number (NSN). The NSN assigned to the stirring stick covered by this commercial item description is 7340-00-753-5565.

MILITARY INTERESTS:

Military Coordinating Activity:

Army - GL

Custodians:

Army - GL
Navy - SA
Air Force - 99

Civil Agencies Coordinating Activities:

VA - OSS

Review Activities:

Army - MD, TS
Air Force - 84, 50

Preparing Activity:

GSA - FSS

(DoD Project 7340-0093)

User Activities:

Navy - MC

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.