[METRIC]
A-A-2623A
December 14, 1990
SUPERSEDING
A-A-2623
MAY 1, 1989

COMMERCIAL ITEM DESCRIPTION

PLATE, ELECTROSTATIC

The General Services Administration has authorized the use of this commercial item description.

This description covers offset printing plates receptive to image transfer through electrophotography and shall be available in rolls in the following sizes (widths), as specified.

Size 1 - 23.0 centimeters (cm)
Size 2 - 25.5 cm
Size 3 - 28.0 cm
Size 4 - 28.5 cm
Size 5 - 30.5 cm

Salient characteristics.

The electrostatic plate shall consist of a photo-conductive receptive zinc oxide coating with an electro-conductive sub-strate.

The sensitized coating shall be uniform and free from coating streaks, pinholes, dirt, abrasion marks, spots and mottling which will affect the printing quality of the plates.

The expiration date shall be not less than 24 months from the date of manufacture.

Length of roll shall be a minimum of 130 meters.

Rolls shall have a 9.5 cm minimum core.

A tolerance of $\pm$ 0.2 cm. is applicable on the widths.

The plates shall have a dimensional stability of 0.5% or less.

The plates shall be capable of 100 lines of prescreened half-tones.

For use on Itek 175, 275, 165, 612, 615E; A.B. Dick 155, 157, Multigraphics 875, 885; Nuco 375; 3M 1170 cameras.

Plates shall have a warranty run length of 10,000 impressions.

Coated side out.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 3610

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:24Z
Check the source to verify that this is the current version before use.

Workmanship. The sensitized rolls shall be free from kinks and waves. The edges shall be straight and all rough edges removed.

QUALITY ASSURANCE PROVISIONS.

Responsibility for inspection and testing. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein.

Sampling. Sampling for visual inspection and print quality testing shall be in accordance with MIL-STD-105. Unless otherwise specified, Level II with AQL 2.5 percent defective for visual inspection, and S-2, AQL 1.5 percent defective for testing shall apply.

Inspection. Samples selected in accordance with the requirements herein shall be visually inspected to verify conformance to dimensional and workmanship requirements of the CID. Any departure from specified requirements may be grounds for rejection.

Print quality test. The paper shall be placed in an offset press and not less than the number specified shall be printed. The plate shall have 100 line halftone images. A comparison of the first and last sheets shall show no deterioration. Failure of this test may be cause for rejection.

These plates shall meet the stated requirements when used with an appropriate toner, and without adjustments to the manufacturer's operating specifications of the machines specified in this CID. Failure may be cause for rejection.

Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing supplier's employees to undue hazards from the recovered materials.

Preservation, packaging, packing, labeling and marking. The preservation, packaging, packing, labeling and marking shall be as specified in the contract or purchase order.

Copies of MIL-STD-105 can be obtained from the Naval Publications and Forms Center, 5801 Tabor Avenue, Philadelphia, PA 19120.

Note. Purchaser shall specify Size and NSN.

Size 1	NSN 3610-01-298-6671
Size 2	NSN 3610-01-298-4887
Size 3	NSN 3610-01-298-4888
Size 4	NSN 3610-01-298-5587
Size 5	NSN 3610-01-298-4889

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:24Z
Check the source to verify that this is the current version before use.

(MAS 36 II, SIN 2013)

MILITARY INTERESTS:

NONE

PREPARING ACTIVITY:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:24Z
Check the source to verify that this is the current version before use.