NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
7530

LIMITATION STANDARD

DESCRIPTION	SPECIFICATION
CARD, BORROWER'S LIBRARY: white; 3 inches wide by 5 inches long.	None

MS PART NO.	FIIN
MS16910-1	285-5492

DESCRIPTION	SPECIFICATION
CARD, GUIDE, FILE: w/o lower projection; self-tab; substance based on 1000 sheets, 24 inches by 36 inches basic size.	

MS PART NO.	FIIN	LENGTH (IN.) VERT.	LENGTH (IN.) HOR.	TAB DATA POSITION	TAB DATA CUT	SUB-STANCE	
MS16910-2	233-6178	3	5	1st	1/5	400	UU-C-76
MS16910-3	233-6179	3	5	2nd	1/5	400	UU-C-76
MS16910-4	233-6176	3	5	3rd	1/5	400	UU-C-76
*MS16910-5	274-5495	3	5	- -	full	715	None
**MS16910-6	205-0789 with plastic tabs.	3-1/4	7-3/8	1st	1/2	250	None
**MS16910-7	205-0790 with plastic tabs.	3-1/4	7-3/8	2nd	1/2	250	None
***MS16910-8	269-8132	3-1/4	7-3/8	1st	1/3	110	None
**MS16910-9	634-0004	3-1/4	7-3/8	1st	1/5	200	None
MS16910-10	233-6172	5	8	1st	1/5	400	UU-C-76
MS16910-11	233-6173	5	8	2nd	1/5	400	UU-C-76
MS16910-12	233-6180	5	8	3rd	1/5	400	UU-C-76
***MS16910-13	205-2141	5-1/2	8	2nd	1/3	110	UU-C-76, except for size and substance
***MS16910-14	205-2122	5-1/2	8	3rd	1/3	110	UU-C-76, except for size and substance

NOTE:
*Substance based on 500 sheets, 25 in. by 40 in. basic size.
**Substance based on 500 sheets, 24 in. by 36 in. basic size.
***Substance based on 500 sheets, 25-1/2 in. 30-1/2 in. basic size.

Color:
Blue - MS16910-2, MS16910-3, MS16910-4, MS16910-10, MS16910-11 & MS16910-12
White - MS16910-5
Brown - MS16910-6 & MS16910-7
Buff - MS16910-8, MS16910-13 & MS16910-14
Manila - MS16910-9

NOTE: Referenced documents shall be the issue in effect on date of invitations for bid. This standard takes precedence over documents referenced herein.

APPROVED 20 April 1959 REVISED

P.A.	TITLE	MILITARY STANDARD
NAVY-S&A Other Cust ARMY-QMC USAF	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 1 OF 18

DD FORM 1 SEP 57 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS 7530

DESCRIPTION — SPECIFICATION

CARD, GUIDE, FILE:
gray; pressboard; self-tab; w/o lower projection; substance 480 - based on 500 sheets, 24 inches by 36 inches basic size.

SPECIFICATION: UU-C-96 Type II

MS PART NO.	FIIN	LENGTH (IN.) VERT.	LENGTH (IN.) HOR.	TAB DATA POSITION	TAB DATA CUT
MS16910-15	282-6928	9-1/2	11-3/4	1st	1/5
MS16910-16	634-1712	9-1/2	11-3/4	1st	1/3
MS16910-17	264-3729	9-1/2	14-3/4	1st	1/5
MS16910-18	634-1703	9-1/2	14-3/4	1st	1/3

DESCRIPTION — SPECIFICATION

CARD, GUIDE, FILE:
gray; pressboard; self-tab; w/lower projection; substance 385 - based on 500 sheets, 24 inches by 36 inches basic size.

SPECIFICATION: UU-C-96 Type II

MS PART NO.	FIIN	LENGTH (IN.) VERT.	LENGTH (IN.) HOR.	TAB DATA POSITION	TAB DATA CUT
MS16910-19	233-6166	9-1/2	11-3/4	1st	1/5
MS16910-20	233-6167	9-1/2	11-3/4	2nd	1/5
MS16910-21	233-6168	9-1/2	11-3/4	3rd	1/5
MS16910-22	233-6169	9-1/2	14-3/4	1st	1/5
MS16910-23	233-6170	9-1/2	14-3/4	2nd	1/5
MS16910-24	233-6171	9-1/2	14-3/4	3rd	1/5

DESCRIPTION — SPECIFICATION

CARD, INDEX:
chemical wood; 3 inches vertical length by 5 inches horizontal length; substance 220 - based on 1000 sheets, 25-1/2 inches by 30-1/2 inches basic size.
Unit quantity - 100 cards paper wrapped.
Unit of issue - 100 cards.

SPECIFICATION: UU-C-128 Grade D

MS PART NO.	FIIN	RULING	COLOR
MS16910-25	247-0318	ruled 1 side	white
MS16910-26	247-0325	unruled	white
MS16910-27	247-0306	ruled 1 side	blue

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 2 OF 18

DD FORM 1 SEP 87 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

MS PART NO.	FIIN	RULING	COLOR
MS16910-28	238-4316	unruled	blue
MS16910-29	247-0310	ruled 1 side	buff
MS16910-30	244-7460	unruled	buff
MS16910-31	281-1315	ruled 1 side	green
MS16910-32	244-7453	unruled	green
MS16910-33	247-0314	ruled 1 side	salmon
MS16910-34	244-7456	unruled	salmon

DESCRIPTION	SPECIFICATION
CARD, INDEX: chemical wood; 5 inches vertical length by 8 inches horizontal length; substance 220 - based on 1000 sheets, 25-1/2 inches by 30-1/2 inches basic size. Unit quantity - 100 cards paper wrapped. Unit of issue - 100 cards.	UU-C-128 Grade D

MS PART NO.	FIIN	RULING	COLOR
MS16910-35	243-9437	ruled 1 side	white
MS16910-36	243-9436	unruled	white
MS16910-37	247-0307	ruled 1 side	blue
MS16910-38	238-4319	unruled	blue
MS16910-39	247-0311	ruled 1 side	buff
MS16910-40	244-7452	unruled	buff
MS16910-41	244-7447	ruled 1 side	green
MS16910-42	244-7455	unruled	green
MS16910-43	247-0315	ruled 1 side	salmon
MS16910-44	238-4331	unruled	salmon

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
7530

DESCRIPTION	SPECIFICATION
CARD, INDEX: white; chemical wood; unruled; 5 inches vertical length by 3 inches horizontal length; substance 110 - based on 500 sheets, 25-1/2 inches by 30-1/2 inches basic size; printed "Important, Do Not Remove This Card From Pocket." Unit quantity - 500 cards per box. Unit of issue - box. MS PART NO. FIIN MS16910-45 264-3728	None

DESCRIPTION	SPECIFICATION
CARD, INDEX: white; 100% rag; unruled; 7.5 centimeters vertical length by 12.5 centimeters horizontal length (3 inches by 5 inches); punched for guide rod; substance 280 - based on 1000 sheets, 25-1/2 inches by 30-1/2 inches basic size. Unit quantity - 100 cards per box. Unit of issue - box. MS PART NO. FIIN MS16910-46 491-2270	UU-C-128 Grade A

DESCRIPTION	SPECIFICATION
CARD, INDEX: buff; chemical wood; unruled; substance 125 - based on 500 sheets, 22-1/2 inches by 35 inches basic size; for address plate mounting frame.	None

MS PART NO.	FIIN	LENGTH (IN.) VERT.	LENGTH (IN.) HOR.	UNIT QUANTITY	UNIT OF ISSUE
MS16910-47	223-8063	1-1/16	3-1/2	1000 per package	package
MS16910-48	285-9712	22	3-1/2	50 per package	package

DESCRIPTION	SPECIFICATION
CARD, KEY SORT: buff; 25% rag; 10 inches by 8 inches; upper right hand corner cut; double row holes, 4 to inch; substance 140 - based on 500 sheets, 25-1/2 inches by 30-1/2 inches basic size; NSA Form No. AFBA-T-1. MS PART NO. FIIN MS16910-49 505-7122	None

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 4 OF 18

DD FORM 1 SEP 67 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS 7530

DESCRIPTION — SPECIFICATION

CARD, TABULATING, ELECTRIC ACCOUNTING MACHINE: — G-C-116 Type I

MS PART NO.	FIIN	DESIGN DATA	CORNER CUT	COLOR	PACKAGED FOR ISSUE
MS16910-50	272-6929	Accounting - USAF	LH	manila	2000/box
MS16910-51	634-6605	USAF Aircraft Accident Record Card. Office of Inspector General; USAF	RH	manila w/green stripe	10000/carton
MS16910-52	634-6606	USAF Aircraft Accident Record Card. Office of Inspector General; USAF	RH	manila w/yellow stripe	10000/carton
MS16910-53	634-6607	USAF Aircraft Accident Record Card. Office of Inspector General; USAF	RH	manila w/salmon stripe	10000/carton
MS16910-54	634-6608	USAF Aircraft Accident Record Card. Office of Inspector General; USAF	RH	manila w/rose stripe	10000/carton
MS16910-55	634-6623	USAF Aircraft Accident Record Card. Office of Inspector General; USAF	RH	manila w/manila stripe	10000/carton
MS16910-56	205-2207	General purpose use	LH	manila	- - - - - -
MS16910-57	272-6924	General purpose use	RH	manila	2000/box
MS16910-58	205-2206	General purpose use	LH	manila w/red stripe	- - - - - -
MS16910-59	272-6925	General purpose use	RH	red	2000/box
MS16910-60	205-2197	General purpose use	RH	green	- - - - - -
MS16910-61	272-6928	General purpose use	LH	blue	2000/box
MS16910-62	205-2196	General purpose use	LH	yellow	- - - - - -
MS16910-63	272-6927	General purpose use	LH	yellow	2000/box
MS16910-64	205-2195	General purpose use	LH	salmon	- - - - - -
MS16910-65	272-6926	General purpose use	RH	salmon	2000/box

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 5 OF 18

DD FORM 1 SEP 67 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS 7530

MS PART NO.	FIIN	DESIGN DATA	CORNER CUT	COLOR	PACKAGED FOR ISSUE
MS16910-66	663-9120	IBM Service Bureau Card	RH	manila	- - - - - -
MS16910-67	205-2204	IBM Service Bureau Card	LH	manila	- - - - - -
MS16910-68	205-2202	IBM Service Bureau Card	LH	manila w/violet stripe 1/4 inch	- - - - - -
MS16910-69	663-9121	IBM Service Bureau Card	RH	manila w/brown stripe	- - - - - -
MS16910-70	663-9119	IBM Service Bureau Card	RH	rose	- - - - - -
MS16910-71	205-2201	IBM Service Bureau Card	LH	red	- - - - - -
MS16910-72	205-2200	IBM Service Bureau Card	RH	green	- - - - - -
MS16910-73	205-2205	IBM Service Bureau Card	LH	blue	- - - - - -
MS16910-74	205-2198	IBM Service Bureau Card	RH	yellow	- - - - - -
MS16910-75	205-2203	IBM Service Bureau Card	LH	brown	- - - - - -
MS16910-76	205-2199	IBM Service Bureau Card	RH	salmon	- - - - - -

DESCRIPTION — SPECIFICATION

CARD, TABULATING, ELECTRIC ACCOUNTING MACHINE: designed for general purpose use. — None

MS PART NO.	FIIN	CORNER CUT	COLOR	PACKAGED FOR ISSUE
MS16910-77	274-5499	RH	manila w/black stripe	2000/box
MS16910-78	274-5500	RH	red w/black stripe	2000/box
MS16910-79	274-5498	RH	green w/black stripe	2000/box
MS16910-80	634-0936	LH	green w/black stripe	2000/box
MS16910-81	274-5502	RH	yellow w/black stripe	2000/box
MS16910-82	274-5505	RH	yellow	- - - -
MS16910-83	274-5501	RH	salmon w/black stripe	2000/box

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 6 OF 18

DD FORM 1 SEP 57 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
CARD, TABULATING, ELECTRIC ACCOUNTING MACHINE: designed for tabulating. Unit quantity - 2000 cards per box. Unit of issue - box.	None

MS PART NO.	FIIN	CORNER CUT	COLOR
MS16910-84	270-6178	LH	manila
MS16910-85	270-6179	RH	manila
MS16910-86	270-6180	LH	manila w/green stripe
MS16910-87	270-6181	RH	manila w/green stripe
MS16910-88	270-6182	LH	manila w/salmon stripe
MS16910-89	270-6183	RH	manila w/salmon stripe
MS16910-90	270-6184	LH	manila w/yellow stripe
MS16910-91	270-6185	RH	manila w/yellow stripe
MS16910-92	281-1122	LH	manila w/red stripe
MS16910-93	281-1123	RH	manila w/red stripe

DESCRIPTION	SPECIFICATION
CARD, TABULATING, ELECTRIC ACCOUNTING MACHINE: Unit quantity - 1000 per box. Unit of issue - box.	None

MS PART NO.	FIIN	DESIGN DATA	CORNER CUT	COLOR
MS16910-94	205-2979	Stock Replenishment Requirements Card - NSA	RH	manila w/rose stripe
MS16910-95	205-2980	Stock Balance Card - NSA	RH	manila w/yellow stripe
MS16910-96	205-2981	Machine Job Card - NSA	LH	manila
MS16910-97	205-2982	Receipt Card - NSA	RH	manila w/green stripe
MS16910-98	205-2983	Detail Transaction - NSA	LH	manila
MS16910-99	205-2986	Back Order Release Card - NSA	RH	salmon w/green stripe
MS16910-100	205-2988	Receipt Card - NSA	LH	manila w/salmon stripe

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

MS PART NO.	FIIN	DESIGN DATA	CORNER CUT	COLOR
*MS16910-101	559-3247	EDPM Program Card - USAF	LH	manila
MS16910-102	633-8908	Trouble Card (Square cut - scored; stub located on LH side.)		manila

*Unit quantity - 2000 per box.

DESCRIPTION	SPECIFICATION
CARD, TABULATING MACHINE, CONTINUOUS FLAT FOLD: buff; 9 inches wide over-all; 10 inches depth of fold; 5 inches depth of horizontal perforations; 8 inches between vertical perforations. Unit quantity - 3200 per carton. Unit of issue - carton.	None

MS PART NO.	FIIN
MS16910-103	205-2472

DESCRIPTION	SPECIFICATION
CARD, VISIBLE FILE: 8 inches by 5 inches; printed in green one side, right hand half tab; substance 110 - based on 500 sheets, 25-1/2 inches by 30-1/2 inches basic size.	None

MS PART NO.	FIIN
MS16910-104	026-4642

DESCRIPTION	SPECIFICATION
CARD, VISIBLE FILE: buff; 8 inches by 5 inches; blank; with metal eyelets; substance 110 - based on 500 sheets, 25-1/2 inches by 30-1/2 inches basic size; index.bristol.	None

MS PART NO.	FIIN
MS16910-105	092-8147

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

...is military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
7530

DESCRIPTION	SPECIFICATION
CARD, WET STENCIL: 7-3/8 inches long by 3-1/4 inches wide; with panel for use with IBM Machine Type Nos. 079, 081, 037, 078 Special Equipment.	None

MS PART NO.	FIIN
MS16910-106	030-8162

DESCRIPTION	SPECIFICATION
CARD SET, GUIDE, FILE: 3 inches vertical length, exclusive of tab and lower projection, by 5 inches horizontal length; self-tab; 1/5 cut, 5 positions; substance 400 - based on 1000 sheets, 24 inches by 36 inches basic size.	UU-C-76

MS PART NO.	FIIN	COLOR	NUMBER OF CARDS	PRINTING
MS16910-107	261-3803	blue	100	blank
MS16910-108	261-3804	buff	100	blank
MS16910-109	261-3805	salmon	100	blank
MS16910-110	264-5491	blue	25	alphabetically A through Z
MS16910-111	249-5969	buff	25	alphabetically A through Z
MS16910-112	249-5972	salmon	25	alphabetically A through Z
MS16910-113	261-3802	salmon	12	January through December
MS16910-114	285-1694	blue	31	1 through 31

DESCRIPTION	SPECIFICATION
CARD SET, GUIDE, FILE: buff; 7.5 centimeters vertical length, ex- clusive of tab and lower projection, by 12.5 centimeters horizontal length (approximately 3 inches by 5 inches); plastic tab; 1/5 cut, 5 positions; 25 cards; with round hole punched; substance 159 - based on 500 sheets, 20-1/2 inches by 27-1/2 inches basic size; printed alphabetically A through Z.	None

MS PART NO.	FIIN
MS16910-115	286-7783

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 9 OF 18

DD FORM 1 SEP 67 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
7530

DESCRIPTION	SPECIFICATION
CARD SET, GUIDE, FILE: 3 inches vertical length, exclusive of tab and lower projection, by 5 inches horizontal length; self-tab; 1/3 cut, 3 positions; blank; substance 400 - based on 1000 sheets, 24 inches by 36 inches basic size.	UU-C-76

MS PART NO.	FIIN	COLOR	NUMBER OF CARDS
MS16910-116	281-2690	blue	100
MS16910-117	261-3801	buff	100
MS16910-118	264-5492	salmon	100

DESCRIPTION	SPECIFICATION
CARD SET, GUIDE, FILE: white; 3 inches vertical length, exclusive of tab and lower projection, by 5 inches horizontal length; self-tab; 100 cards 1/2 cut - 50 cards 1st position, 50 cards 2nd position; 10 cards center cut; substance 400 - based on 1000 sheets, 24 inches by 36 inches basic size; printing - "Dewey Decimal Classification."	None

MS PART NO.	FIIN	NUMBER OF CARDS
MS16910-119	270-6690	110

DESCRIPTION	SPECIFICATION
CARD SET, GUIDE, FILE: 3-3/16 inches vertical length, exclusive of tab and lower projection, by 7-3/8 inches horizontal length; self-tab; 1/3 cut, left to right, 3 positions; substance 400 - based on 1000 sheets, 24 inches by 36 inches basic size; blank; 3 cards per set.	UU-C-76 except for size.

MS PART NO.	FIIN	COLOR
MS16910-120	269-9014	blue
MS16910-121	269-9015	buff
MS16910-122	269-9016	green
MS16910-123	269-9019	white

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 10 OF 18

DD FORM 1 SEP 57 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS 7530

DESCRIPTION — SPECIFICATION

CARD SET, GUIDE, FILE:
5 inches vertical length, exclusive of tab and lower projection, by 8 inches horizontal length; self-tab; 1/5 cut, 5 positions; substance 400 - based on 1000 sheets, 24 inches by 36 inches basic size.

SPECIFICATION: UU-C-76

MS PART NO.	FIIN	COLOR	NUMBER OF CARDS	PRINTING
MS16910-124	261-3816	blue	100	blank
MS16910-125	261-3819	buff	100	blank
MS16910-126	261-3820	salmon	100	blank
MS16910-127	261-3812	blue	25	alphabetically A through Z
MS16910-128	261-3813	buff	25	alphabetically A through Z
MS16910-129	261-3814	salmon	25	alphabetically A through Z
MS16910-130	261-3815	blue	31	1 through 31

DESCRIPTION — SPECIFICATION

CARD SET, GUIDE, FILE:
5 inches vertical length, exclusive of tab and lower projection, by 8 inches horizontal length; self-tab; 1/3 cut, 3 positions; substance 400 - based on 1000 sheets, 24 inches by 36 inches basic size; blank.

SPECIFICATION: UU-C-76

MS PART NO.	FIIN	COLOR	NUMBER OF CARDS
MS16910-131	261-3817	blue	100
MS16910-132	261-3818	buff	100
MS16910-133	285-1701	salmon	100

DESCRIPTION — SPECIFICATION

CARD SET, GUIDE, FILE:
pressboard, 100 cards per set; self-tab; 1/5 cut, 5 positions; blank; substance 480 - based on 500 sheets, 24 inches by 36 inches basic size.

SPECIFICATION: UU-C-96 Type II

MS PART NO.	FIIN	LENGTH (IN.) VERT.	LENGTH (IN.) HOR.	COLOR
MS16910-134	559-4612	8-9/16	11-1/2	gray
MS16910-135	559-4609	3-13/16	8-1/2	buff

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 11 OF 18

DD FORM 1 SEP 57 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
CARD SET, GUIDE, FILE: gray; pressboard; blank; letter size, 9-1/2 inches by 11-3/4 inches; substance based on 500 sheets, 24 inches by 36 inches basic size.	UU-C-96 Type II

MS PART NO.	FIIN	TAB DATA	CARDS PER SET	LOWER PROJECTION	SUBSTANCE
MS16910-136	269-8764	1/5 cut - metal tab	100	with	290
MS16910-137	285-3102	1/3 cut - metal tab	3	with	480
MS16910-138	270-6694	1/3 cut - self-tab	3	without	480

DESCRIPTION	SPECIFICATION
CARD SET, GUIDE, FILE: gray; pressboard; legal size, 9-1/2 inches by 14-3/4 inches; blank; substance 480 - based on 500 sheets, 24 inches by 36 inches basic size.	UU-C-96 Type II

MS PART NO.	FIIN	TAB DATA	CARDS PER SET	LOWER PROJECTION
MS16910-139	205-2221	1/5 cut - metal tab	100	without
MS16910-140	285-3101	1/5 cut - metal tab	50	with
MS16910-141	264-5490	1/3 cut - self-tab	3	without
MS16910-142	285-3099	1/3 cut - metal tab	50	with

DESCRIPTION	SPECIFICATION
CHART: plastic; over-all dimensions, 3-1/2 inches long by 2-1/4 inches wide; channel chart; specific application data - charts recording except recording instrument type.	BUSHIPS Rev. 1952. Radio-Marine Corp. of America Dwg. KS-1969, Rev. 3

MS PART NO.	FIIN
MS16910-143	141-5885

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 12 OF 18

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory for use by all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
7530

DESCRIPTION	SPECIFICATION
CHART: for electronic applications. MS PART NO. FIIN MS16910-144 603-8128	None

DESCRIPTION	SPECIFICATION
CHART, CALIBRATION: to show crystal frequency for transmitters required to obtain various output frequencies; 10-7/8 inches long by 3/8 inch wide by 0.010 inch thick; 24 lined columns across; 12 columns up and down. MS PART NO. FIIN MS16910-145 407-7134	None

DESCRIPTION	SPECIFICATION
CHART, GRAPHIC KIT: components: one opaque plastic planning and chart board with nonphotographic blue grid lines at 1/4 inch intervals, size 10-3/4 inches by 17 inches by .020 inch; 1 four ounce bottle of plastic cleaner; 1 tape knife; 1 plastic chisel; 1 china marking pencil; 3 rolls straight line and arrow tape; 11 rolls printed statistical tape; 6 rolls solid color tape for bar charts; 8 rolls curve line tape; 1 vinyl envelope size 11 inches by 18-1/2 inches; 20 sheets correction paper size 4 inches by 6 inches. MS PART NO. FIIN MS16910-146 320-1943	None

DESCRIPTION	SPECIFICATION
CHART, RECORDER: for electronic applications. MS PART NO. FIIN MS16910-147 390-9775	None

APPROVED REVISED

P.A. Other Cust	TITLE CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MILITARY STANDARD MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 13 OF 18

DD FORM 1 SEP 67 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory for use by all new engineering and design applications and for repetitive activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
7530

DESCRIPTION	SPECIFICATION
CHART, RECORDING: paper; 6 inches wide by 103 feet long; with background color; with driving perforations.	None

MS PART NO.	FIIN	TITLE
MS16910-148	205-2954	Range Printing Chart
MS16910-149	205-2955	Ground Speed Printing Chart
MS16910-150	205-2957	Height Recording Chart
MS16910-151	205-2958	Azimuth Printing Chart

DESCRIPTION	SPECIFICATION
CHART, RECORDING: paper; white background color.	None

MS PART NO.	FIIN	DESIGNED FOR	OVER-ALL DIMENSIONS
MS16910-152	248-4493	TAG 10 in. Pressure Recording Gage	10 in. dia.
MS16910-153	248-4494	TAG 12 in. Pressure Recording Gage	12 in. dia.
MS16910-154	291-0690	RD-3/FMQ-1 Navy Radio Sonde Recorder (ASO S. N. R18C800-5 printed on title block, or chart container.)	10-27/32 in. w. by 20-25 yds. lg.
MS16910-155	291-0267	AN/GMD-1 and AN/GMD-1A Recorder (On fiber core, 5/8 in. O.D. by 3/8 in. I.D. with warning signal at end of roll.)	4-1/2 in. w. by 65 ft. lg.
MS16910-156	216-3285	BL-22 Double Channel Electrical Stylus Recorder	2-3/8 in. w. by 100 ft. lg.
MS16910-157	526-1757	type UG487A-1 Strip Chart Recorder (W/driving perforations.)	12 in. w. by 120 ft. lg.
MS16910-158	205-3329	ML-346/TM Baroswitch Evacuator (Plastic material.)	14 in. w. by 18-13/16 in. lg.
MS16910-159	698-3819	AWT-R-Twin Pressure Recorder (W/driving perforations; 0 to 5000 chart range; 10 large, 50 small divisions in 4-1/2 in. ruled w.)	6 in. w. by 103 ft. lg.
MS16910-160	698-4118	AWT-R-Twin Pressure Recorder (W/driving perforations; 0 to 800 chart range; 8 large, 40 small divisions in 4-1/2 in. ruled w.)	6 in. w. by 103 ft. lg.

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification: See above	SUPERSEDES:	SHEET 14 OF 18

DD FORM 1 SEP 67 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

DESCRIPTION	SPECIFICATION
CHART, RECORDING: paper; white background.	None

MS PART NO.	FIIN	DESIGNED FOR	OVER-ALL DIMENSIONS
MS16910-161	291-0265	Hygro-Thermograph Blank Form N-AER-448Q (Two holes punched in margin for filing.)	5-1/16 in. w. by 13-7/16 in. lg.
MS16910-162	559-5145	Special Unmarked Blank Chart for AC Ammeters or AC Utility Voltmeters (W/driving perforations.)	6 in. w. by 103 ft. lg.
MS16910-163	507-1372	Chart paper 8 Channel (Grayish-white background.)	12 in. w. by 500 ft. lg.
MS16910-164	527-1509	Time Scale (Plastic material - clear background.)	6 in. w. by 9-1/2 in. lg.
MS16910-165	634-3076	Adiabotic Plotting Chart (Designed for type ML425/UM and ML426/UM Weather Charts.) (Brown printing w/light green overlay; printed in vertical bands.)	15-1/2 in. w. by 16 in. lg.

DESCRIPTION	SPECIFICATION
CHART, RECORDING: for aerological applications.	None

MS PART NO.	FIIN
MS16910-166	523-8730

DESCRIPTION	SPECIFICATION
FORM, PRINTED:	None

MS PART NO.	FIIN	TITLE	FORM NO.	OVER-ALL DIMENSIONS (IN.) LENGTH	WIDTH
MS16910-167	205-1826	Latitude Computation	CO-gs 33	10-1/2	15
MS16910-168	205-1828	Longitude Record	CO-gs 34A	11 (50/pad)	8-1/2
MS16910-169	205-1829	Observing List for Latitude	CO-gs 485	10-1/2 (50/pad)	8
MS16910-170	205-1830	Summary of Latitude Results	CO-gs 663	10-1/2	8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS 7530

MS PART NO.	FIIN	TITLE	FORM NO.	OVER-ALL DIMENSIONS (IN.) LENGTH	WIDTH
MS16910-171	205-1827	Reduction, Mean to Apparent Declination, w/Bessel's Star Numbers	CO-gs 772	10-1/2	13
MS16910-172	633-9341	Correction of Mecurial Barometer for Temperature	Sig. Corps No. 80	29-1/4	13-3/4
MS16910-173	292-3256	Comparative Barometer Readings (3 holes 1/4 in. dia. spaced 4-1/4 in. C. to C. punched on top of form.)	Sig. Corps SC-436	10-1/2	8
MS16910-174	292-3258	Manual Iono-Superic Record	SC-440	10-1/2	8
MS16910-175	292-3253	Monthly Rawinsonde Performance Summary	SC-442	10-1/2 (pkg: 25 sheets wrapped)	8
MS16910-176	633-9340	Surface Weather Observations	SC-444	17 (75/pad)	11
MS16910-177	281-5224	M3 Identification of Computations	ESCO-500	6 (100/pad)	5-1/4
MS16910-178	281-5225	Grid Traverse Azimuth Sheet	ESCO-501	10 (100/pad)	8
MS16910-179	281-5227	Substitute Green Ruled Sheet	ESCO-502	10 (100/pad)	8
MS16910-180	281-5228	Grid Traverse Sheet	ESCO-503	10-1/2 (100/pad)	8
MS16910-181	281-5222	Grid Traverse Sheet, Logarithmic	ESCO-504	10-1/2 (100/pad)	8
MS16910-182	281-5223	Area Computation (D.M.D.)	ESCO-505	10-1/2 (100/pad)	8
MS16910-183	281-5226	Rating of Watch and Observations Astro Fix	ESCO-552	10-1/2 (50 sheets in book form)	8
MS16910-184	634-0105	- - - - - - (interleaved w/carbon paper, 4 parts)	CSGAS-1084B	5	3

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 16 OF 18

DD FORM 1 SEP 57 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

MS PART NO.	FIIN	TITLE	FORM NO.	OVER-ALL DIMENSIONS (IN.) LENGTH	WIDTH
MS16910-185	634-0104	- - - - - (Interleaved w/carbon paper, 4 parts - printed "Top Secret.")	CSGAS-1084D	5	3
MS16910-186	249-6005	Office Memorandum United States	64	8 (100/pad)	5-1/4
MS16910-187	249-6006	Office Memorandum United States	64	8 (1000 sheets wrapped)	10-1/2
MS16910-188	527-3040	Record Card for Lot ____ Case ____	Sandia Corp. 420233-00	5	2
MS16910-189	663-3098	Lot Record Card	Sandia Corp. 420239-01	8	5

DESCRIPTION	SPECIFICATION
FORM, PRINTED: memo form; National Security Agency; over-all dimensions, 10-7/8 inches long by 5-1/2 inches wide; interleaved with carbon paper; 1 part; top sheet white, ruled and w/printed headings "Date," "Subject," and "To"; second sheet yellow and unruled; perforated at top and bottom; manila wrapper type cover. Unit quantity - 100 sets. Unit of issue - pad.	None

MS PART NO.	FIIN
MS16910-190	634-0106

DESCRIPTION	SPECIFICATION
PRINTED FORM SET, ADMINISTRATIVE: government document containing list of components: USMC Stock List, General Supply (table of allowances descriptive list.)	None

MS PART NO.	FIIN	LIST NO.
MS16910-191	285-3160	69
MS16910-192	285-3161	59
MS16910-193	285-3162	64

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 17 OF 18

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
7530

DESCRIPTION	SPECIFICATION
PRINTED FORM SET, DISBURSING: government document containing list of components: USMC Stock List, General Supply (table of allowances descriptive lists), List No. 74.	None

MS PART NO.	FIIN
MS16910-194	285-3159

DESCRIPTION	SPECIFICATION
PRINTED FORM SET, SUPPLY: government document containing list of components: USMC Stock List, General Supply (table of allowances descriptive list.)	None

MS PART NO.	FIIN	LIST NO.
MS16910-195	285-3157	79
MS16910-196	285-3158	84

NOTICE—When Gov. ...ent drawings, specifications, or o... data are used for any purpose other than in connecti... ...h a definitely r... ...d Govern... ment procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military ...andard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

REVISED

APPROVED

P.A.	TITLE	MILITARY STANDARD
Other Cust	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS	MS 16910
Procurement Specification See above	SUPERSEDES:	SHEET 18 OF 18

DD FORM 1 SEP 57 672 COORDINATED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:04Z
Check the source to verify that this is the current version before use.