

FED. SUP CLASS
5975



(A) INACTIVE FOR NEW DESIGN AFTER 23 MARCH 1967
USE MIL-J-24142/5
THIS REVISION APPLIES TO
ALL PAGES OF THIS STANDARD



(Project 5975-N243SH)

APPROVED 18 JAN 1967 REVISED (A) 23 March 1967


P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234(SHIPS)
Procurement Specification NONE	SUPERSEDES: DWG. 9000-S6[illegible]-74014	SHEET 1 OF 15


NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard where suitable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5975





APPROVED 18 JUN 1962 REVISED


NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.


This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard where suitable.

P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
Procurement Specification	SUPERSEDES: DWG 9000-S6202-74014	SHEET 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5975





APPROVED 18 JUN 1962 REVISED


NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.


This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard where suitable.

P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
Procurement Specification	SUPERSEDES: DWG 9000-S6202-74014	SHEET 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5975





APPROVED 18 JUN 1967 REVISED

P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS 17234 (SHIPS)
Procurement Specification	SUPERSEDES: DWG 9000-S6202-74014	SHEET 4

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.


This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard when suitable.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS, Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard where suitable.

FED. SUP CLASS
5975





SECTION A-A

APPROVED 18 JUN 1962 REVISED


P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
Procurement Specification	SUPERSEDES: DWG 9000-S6202-74014	SHEET 5


Source: https://assist.dla.mil -- Downloaded: 202610-26T05:05Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS, Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard where suitable.

FED. SUP CLASS
5975





APPROVED 18 JUN 1962 REVISED


P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
Procurement Specification	SUPERSEDES: DWG 9000-S6202-74014	SHEET 6

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard when suitable.

FED. SUP CLASS
5975



APPROVED 18 JUN 1962 REVISED

P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
Procurement Specification	SUPERSEDES: DWG 9000-S6202-74014	SHEET 7


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard when suitable.

FED. SUP CLASS
5975

(2)
(68) SEE REQUIREMENT 4



APPROVED 18 JUN 1962 REVISED


P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
Procurement Specification	SUPERSEDES: BU OF SHIPS DWG 9000-S6202-74014	SHEET 8


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.


NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard where suitable.

FED. SUP CLASS
5975









APPROVED 18 JUN 1962 REVISED


P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
Procurement Specification	SUPERSEDES: DWG 9000-S6202-74014	SHEET 9

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5975







NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.


This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by the activity. All other military activities are required to apply this standard when suitable.

APPROVED 18 JUN 1962, REVISED


P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
Procurement Specification	SUPERSEDES: DWG 9000-S6202-74014	SHEET 10


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5975



SECTION B-B





APPROVED 18 JUN 1967 REVISED


NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS, Department of the NAVY and is mandatory for use by the activity. All other military activities are required to employ this standard where suitable.

P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)	
Procurement Specification	SUPERSEDES DWG 9000-S6202-74014	SHEET 1	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5975



APPROVED 18 JUNE 1962 REVISED

NOTICE - When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

a standard has been approved by the BUREAU OF SHIPS, Department of the NAVY and is mandatory for use by the activity. All other military activities are required to comply this standard where suitable.

P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234(SHIPS)
PROCUREMENT SPECIFICATION	SUPERSEDES: DWG 9000-S6202-74014	SHEET 12

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

FED SUP CLASS 5975

(BRASS BOX)

LIST OF MATERIAL - QUANTITIES FOR ONE UNIT

PC. NO.	NAME	QTY FOR ASSY 17	18	19	20	QTY.	MATERIAL	MATL. SPEC. OR STD. DWG. NO.
1	BOX	1		1	1		BRASS	
2	PLATE-MOUNTING			1	1		BRASS	
3	COVER		1				BRASS	
4	FLANGE	1					BRASS	
5	PLATE-BASE		1				BRASS	
6	STUD	3					BRASS	
7	WELD PAD	4					BRASS	
8	RIVET - R H 3/16 DIA X 3/8 LG	1					BRASS	
9	FOOT-MOUNTING	3					BRASS	
10	GASKET - "O" RING, SIZE TO SUIT		1				RUBBER BUNA N 70 DUROMETER	
11	WELD PAD			2	2			MS 16616
12	#10-24 RHMS - 1/2 LG		4				BRASS	
13	#10-24 HEX NUT		3				BRASS	
14	FLANGE - THREADED				1		CAST BRONZE OR BRASS	
15	WASHER-SHAKEPROOF-FOR #10 SCR		3				PHOSPHOR BRONZE	INTER LOCK
16	GASKET - 1/4 SQ X 5-3/4 ID X 6-1/4 OD						RUBBER	
17	BOX ASSEMBLY-SBH	1						
18	BOX ASSEMBLY-SBH		1					
19	BOX ASSEMBLY-SBH			1				
20	BOX ASSEMBLY-SBH				1			
						**		

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

APPROVED 18 JUN 1962 REVISED

P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES		MILITARY STANDARD MS17234 (SHIPS)
PROCUREMENT SPECIFICATION	SUPERSEDES DWG 9000-S6202-74014		SHEET 13

Source: https://assist.dla.mil -- Downloaded: 202610-26T05:05Z
Check the source to verify that this is the current version before use.

FED SUP CLASS 5975

(ALUMINUM BOX)

LIST OF MATERIAL - QUANTITIES FOR ONE UNIT

PC. NO.		QUANTITY FOR ASSEMBLY 62	63	64	65	66	67	MATERIAL	MATL. SPEC. OR STD. DWG. NO.
60	BOX-DEEP		1	1	1	1		AL 5052-H32	
61	BOX-SHALLOW	1							
62	BOX ASSEMBLY	1							
63	BOX ASSEMBLY		1						
64	BOX ASSEMBLY-SBH			1					
65	BOX ASSEMBLY-SBH				1				
66	BOX ASSEMBLY-SBH					1			
67	BOX ASSEMBLY-SBH						1		
68	PLATE-MOUNTING		1	1	1			AL 5052-H32	SEE REQUIREMENT 4
69	FOOT-MOUNTING					3		AL 5052-H32	
70	FLANGE-THREADED			1					
71	FLANGE					1		AL 5052-H32	
72	WELD PAD					4		AL 2024-T4	
73	STUD					3		AL 2024-T4	
74	PLATE-BASE						1	AL 5052-H32	
75	RIVET 3/16 DIA X 3/8 LG-RH					1		AL 5052-H32	
76	COVER						1	AL 5052-H32	
77	RIVET PAD		2	2	2			AL 2017-T4	
78	RIVET BLOCK	4	4					AL 2017-T4	
79	IDENTIFICATION PLATE							AL 5052-H32	SEE REQUIREMENT 3
80	#10-24 RHMS - 1/2 LG						4	CRES STEEL	
81	#10-24 HEX NUT						3	CRES STEEL	
82	SPLIT TYPE LK WASHER FOR #10 SCR						3	CRES STEEL	
10	GASKET - "O" RING						1	RUBBER BUNA N 70 DUROMETER	
16	GASKET - 1/4 SQ X 5-3/4 ID X 6-1/4 OD							RUBBER	
83	BOX							DIE CAST ALUMINUM	

APPROVED 18 JUN 1962. REVISED

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to apply this standard where suitable.

P.A. SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
PROCUREMENT SPECIFICATION	SUPERSEDES DWG 9000-S6202-74014	SHEET 14

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5975

REQUIREMENTS

1. THE FOLLOWING NOTES FROM MILITARY STANDARD MS16662 SHALL APPLY: 2, 9, 16(a), 18, 20, 23, 24, 25, 37, 38, 40, 41, 44, 45, 53, 54, 62, 63, 66 & 67.

2. PIECE NUMBERS AND ASSEMBLY NUMBERS SHALL BE STAMPED WHERE INDICATED ON THE DETAILS IN 1/8 INCH HIGH LETTERS. THE ASSEMBLY NUMBER SHALL APPEAR ON THE INSIDE BOTTOM OF THE BOX AS SHOWN. THE NAME, INITIALS OR TRADEMARK OF THE BOX MANUFACTURER SHALL ALSO APPEAR. THE TRADEMARK, IF USED, MUST BE REGISTERED AT THE U.S. PATENT OFFICE.

3. LETTERING ON IDENTIFICATION PLATE MAY BE EMBOSSED BY ELECTRO-TYPING.

4. ATTACHING OF ALUMINUM COMPONENTS MAY BE ACCOMPLISHED BY RESISTANCE WELDING, COMBINED WITH A LOW TEMPERATURE BRAZE IN LIEU OF HELIARC WELDING.

5. COMMERCIALLY AVAILABLE FOUR SIDED BOX OF COMPARABLE DIMENSIONS WILL BE ACCEPTABLE PROVIDED MOUNTING DIMENSIONS SHOWN HEREIN ARE ATTAINED AND SUITABILITY OF THE INTENDED APPLICATION OF THE ENCLOSURE IS ADEQUATE.

NOTES

1. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

2. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS.

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS, Department of the NAVY and is mandatory for use by the Department of the Navy. All other military activities are required to apply this standard where suitable.

APPROVED 18 JUN 1962 REVISED

(Project designation)

P A SHIPS Other Cust	TITLE ENCLOSURE, 4 INCH FOR ELEC FITTINGS AND LIGHTING FIXTURES	MILITARY STANDARD MS17234 (SHIPS)
PROCUREMENT SPECIFICATION	SUPERSEDES DWG 9000-S6202-74014	SHEET 15

1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T05:05Z
Check the source to verify that this is the current version before use.