I INCH-POUND I

MIL-F-15733/49G
AMENDMENT 2
10 August 1990
SUPERSEDING
AMENDMENT 1
31 May 1989


MILITARY SPECIFICATION SHEET

FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL93


This amendment forms a part of MIL-F-15733/49G, dated 2 November 1988, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* FIGURE 1, delete the figures for dash number "0007" and dash numbers "0002 through 0006, 0008, and 0010" and substitute:



DASH NUMBERS 0002 THROUGH 0006,0008,AND 0010



DASH NUMBER 0007

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:23Z
Check the source to verify that this is the current version before use.

* FIGURE 1, delete and substitute:

Dash no.	A		B		C	D	E		F	G		H	J	K	L
	Min	Max *	Min	Max *	Min	Max	Min *	Max *	Typ	Min	Max	Slot or hole ±.010	Mounting thread	Max *	Max *
0001	.257 (6.53)	.319 (8.10)	---	.416 (10.57)	.177 (4.50)	.197 (5.00)	.281 (7.14)	.343 (8.71)	---	---	.040 (1.02)	.190 (4.83)	.210 (5.33)	---	.250-28 UNF-2A	---	---
0002 2/	.560 (14.22)	----	---	.385 (9.78)	.177 (4.50)	.197 (5.00)	.100 (2.54)	---	.140 (3.56)	---	.105 (2.67)	.190 (4.83)	.210 (5.33)	Slot .050 (1.27)	"	.387 (9.83)	.740 (18.80)
0003 2/	.160 (4.06)	---	---	.385 (9.78)	.177 (4.50)	.197 (5.00)	.140 (3.56)	---	.100 (2.54)	---	.105 (2.67)	.190 (4.83)	.210 (5.33)	.060 dia. 1/ (1.52) both ends	"	.357 (9.07)	.370 (9.40)
0004 2/	.160 (4.06)	---	---	.385 (9.78)	.177 (4.50)	.197 (5.00)	.140 (3.56)	---	.100 (2.54)	---	.105 (2.67)	.190 (4.83)	.210 (5.33)	.060 dia. 1/ (1.52) both ends	"	.357 (9.07)	.370 (9.40)
0005 2/	.210 (5.33)	---	---	.385 (9.78)	.302 (7.67)	.322 (8.18)	.140 (3.56)	---	.100 (2.54)	---	.105 (2.67)	.190 (4.83)	.210 (5.33)	.050 x .070 (1.27) x (1.78) or .070 (1.78) dia	"	.482 (12.24)	.420 (10.67)
0006	.160 (4.06)	---	.365 (9.27)	.385 (9.78)	.177 (4.50)	.197 (5.00)	.140 (3.56)	---	.100 (2.54)	---	.105 (2.67)	.190 (4.83)	.210 (5.33)	.050 x .070 (1.27) x (1.78) or .070 (1.78) dia	"	.357 (9.07)	.370 (9.40)
0007	.160 (4.06)	---	.365 (9.27)	.385 (9.78)	.177 (4.50)	.197 (5.00)	.250 (6.35)	---	.040 (1.02)	.190 (4.83)	.210 (5.33)	---	"	.467 (11.86)	.450 (11.43)
0008	.406 (10.31)	---	---	.400 (10.16)	.180 (4.57)	.200 (5.08)	.140 (3.56)	---	.140 (3.56)	---	---	.190 (4.83)	.210 (5.33)	.050 x .070 (1.27) x (1.78) or .070 (1.78) dia	"	.360 (9.14)	.576 (14.63)
0010	.500 (12.70)	---	---	.400 (10.16)	.180 (4.57)	.200 (5.08)	.140 (3.56)	---	.140 (3.56)	---	---	.190 (4.83)	.210 (5.33)	.050 x .070 (1.27) x (1.78) or .070 (1.78) dia	"	.360 (9.14)	.680 (17.27)

1/ Slot optional.
2/ Inactive for new design.

FIGURE 1. Case dimensions and circuit diagrams - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:23Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

CONCLUDING MATERIAL

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - MI
Navy - SH
Air Force - 99
DLA - ES

User activities:
Army - AT, AV, ME
Navy - AS, MC, OS
Air Force - 19

Preparing activity:
Navy - EC

Agent:
DLA - ES

(Project 59GP-0093)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T07:23Z
Check the source to verify that this is the current version before use.