INCH-POUND

A-A-52296
February 4, 1992

COMMERCIAL ITEM DESCRIPTION

STENCIL SET:

STENCIL BOARD; NONADJUSTABLE

The General Services Administration has authorized the use of this commercial item description in preference to Military specification MIL-S-52804A(ME).

This description covers stencil sets of letters and numerals in 2-inch, 3-inch, 4-inch, 5-inch, and 6-inch sizes.

Salient characteristics:

Design: The sets of letters and numerals shall be as shown in figures 1 through 9.

Classification: The sets and numerals shall be of the following sizes, as specified:

2-inch - with dimensions as specified in table I.
3-inch - with dimensions as specified in table II.
4-inch - with dimensions as specified in table III.
5-inch - with dimensions as specified in table IV.
6-inch - with dimensions as specified in table V.

Printing: The sets of letters and numerals shall be printed on the white side of signboard suitable for making temporary signs for outdoor use. The letters and numerals shall be solid black, shall appear in consecutive order on the signboard sheets, and shall be separated by not less than the applicable stroke width. The signboard sheets shall be 17-inches by 17-inches. Each size of letters and numerals shall begin on a new signboard sheet. Groups of letters or numerals, quantity dictated by appropriate sizes and spacing, shall be centered on each sheet.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and other data which may improve this document should be sent by letter to: Commander, US Army Belvoir Research, Development and Engineering Center, ATTN: STRBE-TSE, Fort Belvoir, VA 22060-5606.

AMSC N/A FSC 7520

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

Identification markings: Each sheet shall be identified with the contractor's name or trademark. The sizes of the letters and numerals shall be printed in the lower right corner of the stencil sheets.

Workmanship: The printing shall be clean and uniform, free of blotches, ragged edges, or any other defect which might impair the quality of the stencils.

Certification of commercial item. The contractor shall certify that the product offered to the Government meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product as the manufacturer's current product offered by the contractor in the commercial marketplace for at least one year preceding the solicitation. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this Commercial Item Description are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Regulatory requirements. In accordance with Federal Acquisition Regulation, section 23.403, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing the contractor's employees to undue hazards from the recovered materials.

Preservation, packaging, packing, labeling and marking. Preservation, packaging, packing, labeling and marking shall be as specified in the contract or order.


Quality assurance. The stencil set shall be examined for the following defects. Presence of one or defects shall be cause for rejection.

1. Design not as specified.
2. Size not as specified.
3. Printing not as specified.
4. Identification marking not as specified.
5. Workmanship not as specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

CID based part identification number. The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor.

Part or identifying number (PIN). The PIN to be used for stencil sets acquired to this commercial item description is created as follows:



Notes. The procuring agency should specify the preferred options permitted herein and include the following information in procurement documents:

1. Title, number, and date of this item description.
2. When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.
3. Figures and tables: The figures and tables show the general details of letters and numerals for stencil sets which have been found acceptable; however, the figures and tables are for illustration only and are not intended to preclude the furnishing of other designs which conform to the salient characteristics.
4. The ordering activity shall specify the sizes of letters and numbers for stencil sets required.

FED-STD-376 is available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

The following are suggested sources of supply for this item description (Competition is not limited to these sources):

1. Dick Blick, P. O. Box 1267, Galesburg, IL 61401, 1-800-373-7575.
2. McMaster Carr Supply Co., P. O. Box 4355, Chicago IL 60680-4355, (708) 834-9600.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

The preparing activity for this item description is the US Army Belvoir Research, Development, and Engineering Center, ATTN: STRBE-TSE, Fort Belvoir, VA 22060-5606.

MILITARY INTERESTS:

Custodian:
Army - ME

Review activity:
Army - GL

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:
Army - ME

Project 7520-0190

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.




FIGURE 1. Alphabet.

X-2676

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.




FIGURE 2. Alphabet.

X-2677

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.




FIGURE 3. Alphabet.

X-2678

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.




FIGURE 4. Alphabet.

X-2679

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.




FIGURE 5. Alphabet.

X-2680

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.




FIGURE 6 Alphabet.

X-2681

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.




FIGURE 7. Alphabet and numerals.

X-2682

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:08Z
Check the source to verify that this is the currentversion before use.




FIGURE 8. Numerals.

X-2683

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.




FIGURE 9. Numerals.

X-2684

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions for 2-inch letters and numerals.

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	0.33	1.78											
B	0.33	1.48	0.51	0.51	0.82	0.64							
C	0.33	1.42	0.67	0.63	0.74	3.30							
D	0.33	1.50	0.79	0.40	0.36	0.79	3.30						
E	0.33	1.32	0.41	0.57	0.49								
F	0.33	1.32	0.41	0.49									
G	0.33	1.58	0.67	0.63	0.08	0.16	0.74	3.30					
H	0.33	1.48	0.74	0.90	0.82								
I	0.33												
J	0.33	1.39	0.74	0.63	0.69								
K	0.33	1.48	1.15	0.49									
L	0.33	1.32											
M	0.33	1.65	0.49										
N	0.33	1.48											
O	0.33	1.41	0.74	0.69	0.59	3.30							
P	0.33	1.42	0.49	0.59	0.59								
Q	0.33	1.65	0.76	0.89	0.59	0.69	0.74	3.30					
R	0.33	1.48	0.56	0.59									
S	0.33	1.52	1.42	0.57	0.20	0.87	0.59	0.41	0.56	0.11	0.28	0.23	0.66
T	0.33	1.32											
U	0.33	1.48	0.74	0.69									
V	0.33	1.65	0.24										
W	0.33	1.98	0.29	0.24	0.16								
X	0.33	1.48											
Y	0.33	1.65	0.66	0.82									
Z	0.33	1.32											
Numerals													
1	0.33	0.43	0.10	0.16	0.20	0.26							
2	0.33	1.35	0.67	0.59	0.08	0.26	0.82						
3	0.33	1.48	0.38	0.61	0.11	0.63	0.34	1.14	0.10	0.21			
4	0.33	1.48	0.23	0.59	0.66	0.13							
5	0.33	1.52	0.16	0.66	0.79	0.20							
6	0.33	1.46	0.56	0.59	0.26	0.43	0.23	1.15					
7	0.33	1.32	0.13	0.16									
8	0.33	1.48	0.59	0.89	0.49	0.57	0.63	0.16	0.23	0.03			
9	0.33	1.46	1.15	0.26	0.43	0.23	0.59	0.56					
0	0.33	1.52	0.69	0.59	0.74	3.30							

NOTE:

1/ All dimensions are in inches.

X-3612

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

TABLE II. Dimensions for 3-inch letters and numerals

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	0.5	2.70											
B	0.5	2.25	0.78	0.78	1.25	0.97							
C	0.5	2.15	1.02	0.95	1.12	5.00							
D	0.5	2.27	1.20	0.60	0.55	1.20	5.00						
E	0.5	2.00	0.62	0.87	0.75								
F	0.5	2.00	0.62	0.75									
G	0.5	2.40	1.02	0.95	0.12	0.25	1.12	5.00					
H	0.5	2.25	1.12	1.37	1.25								
I	0.5												
J	0.5	2.10	1.12	0.95	1.05								
K	0.5	2.25	1.75	0.75									
L	0.5	2.00											
M	0.5	2.50	0.75										
N	0.5	2.25											
O	0.5	2.13	1.12	1.05	0.90	5.00							
P	0.5	2.15	0.75	0.90	0.90								
Q	0.5	2.50	1.15	1.35	0.90	1.05	1.12	5.00					
R	0.5	2.25	0.85	0.90									
S	0.5	2.30	2.15	0.87	0.30	1.32	0.90	0.62	0.85	0.17	0.42	0.35	0.10
T	0.5	2.00											
U	0.5	2.25	1.12	1.05									
V	0.5	2.50	0.37										
W	0.5	3.00	0.44	0.37	0.25								
X	0.5	2.25											
Y	0.5	2.50	1.00	1.25									
Z	0.5	2.00											
Numerals													
1	0.5	0.65	0.15	0.25	0.30	0.40							
2	0.5	2.05	1.02	0.90	0.12	0.40	0.85	1.25					
3	0.5	2.25	0.57	0.92	0.17	0.95	0.52	1.72	0.15	0.32			
4	0.5	2.25	0.35	0.90	1.00	0.20							
5	0.5	2.30	0.25	1.00	1.20	0.30							
6	0.5	2.22	0.85	0.90	0.40	0.65	0.35	1.75					
7	0.5	2.00	0.20	0.25									
8	0.5	2.25	0.90	1.35	0.75	0.87	0.95	0.25	0.35	0.05			
9	0.5	2.22	1.75	0.40	0.65	0.35	0.90	0.85					
0	0.5	2.30	1.05	0.90	1.12	5.00							

1/ All dimensions are in inches.

X-3613

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

TABLE III. Dimensions for 4-inch letters and numerals.

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	0.66	3.59											
B	0.66	2.99	1.04	1.04	1.66	1.29							
C	0.66	2.85	1.36	1.26	1.49	6.65							
D	0.66	3.02	1.60	0.80	0.73	1.60	6.65						
E	0.66	2.66	0.82	1.16	1.00								
F	0.66	2.66	0.82	1.00									
G	0.66	3.19	1.36	1.26	0.17	0.33	1.49	6.65					
H	0.66	2.99	1.49	1.82	1.66								
I	0.66												
J	0.66	2.79	1.49	1.26	1.40								
K	0.66	2.99	2.33	1.00									
L	0.66	2.66											
M	0.66	3.32	1.00										
N	0.66	2.99											
O	0.66	2.83	1.49	1.40	1.20	6.65							
P	0.66	2.86	1.00	1.20	1.20								
Q	0.66	3.32	1.53	1.80	1.20	1.40	1.49	6.65					
R	0.66	2.99	1.13	1.20									
S	0.66	3.06	2.86	1.16	0.40	1.76	1.20	0.82	1.13	0.23	0.56	0.47	0.13
T	0.66	2.66											
U	0.66	2.99	1.49	1.40									
V	0.66	3.32	0.49										
W	0.66	3.99	0.59	0.49	0.33								
X	0.66	2.99											
Y	0.66	3.32	1.35	1.66									
Z	0.66	2.66											
Numerals													
1	0.66	0.86	0.20	0.33	0.40	0.53							
2	0.66	2.73	1.36	1.20	0.16	0.53	1.13	1.66					
3	0.66	2.99	0.76	1.22	0.23	1.26	0.69	2.29	0.27	0.43			
4	0.66	2.99	0.47	1.20	1.33	0.27							
5	0.66	3.06	0.33	1.33	1.60	0.40							
6	0.66	2.95	1.13	1.20	0.53	0.86	0.46	2.33					
7	0.66	2.66	0.27	0.33									
8	0.66	2.99	1.20	1.80	1.00	1.16	1.26	0.33	0.47	0.07			
9	0.66	2.95	2.33	0.53	0.86	0.47	1.20	1.13					
0	0.66	3.06	1.40	1.20	1.49	6.65							

1/ All dimensions are in inches.

X-3614

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

TABLE IV. Dimensions for 5-inch letters and numerals.

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	0.83	4.48											
B	0.83	3.73	1.29	1.29	2.07	1.61							
C	0.83	3.57	1.69	1.58	1.86	8.30							
D	0.83	3.77	1.99	1.00	0.91	1.99	8.30						
E	0.83	3.32	1.03	1.44	1.24								
F	0.83	3.32	1.03	1.24									
G	0.83	3.98	1.70	1.58	0.21	0.41	1.86	8.30					
H	0.83	3.73	1.86	2.27	2.07								
I	0.83												
J	0.83	3.49	1.86	1.58	1.74								
K	0.83	3.73	2.90	1.24									
L	0.83	3.32											
M	0.83	4.15	1.24										
N	0.83	3.73											
O	0.83	3.54	1.86	1.74	1.49	8.30							
P	0.83	3.57	1.24	1.49	1.49								
Q	0.83	4.15	1.91	2.24	1.49	1.74	1.86	8.30					
R	0.83	3.73	1.41	1.49									
S	0.83	3.82	3.57	1.44	0.50	2.19	1.49	1.03	1.41	0.28	0.70	0.38	0.17
T	0.83	3.32											
U	0.83	3.73	1.86	1.74									
V	0.83	4.15	0.61										
W	0.83	4.98	0.73	0.61	0.41								
X	0.83	3.73											
Y	0.83	4.15	1.66	2.07									
Z	0.83	3.32											
Numerals													
1	0.83	1.08	0.25	0.41	0.50	0.66							
2	0.83	3.40	1.70	1.49	0.20	0.66	1.41	2.07					
3	0.83	3.73	0.95	1.53	0.28	1.58	0.86	2.77	0.25	0.58			
4	0.83	3.73	0.58	1.49	1.66	0.33							
5	0.83	3.82	0.41	1.66	1.99	0.50							
6	0.83	3.68	1.41	1.49	0.66	1.08	0.58	2.90					
7	0.83	3.32	0.33	0.41									
8	0.83	3.73	1.49	2.24	1.24	1.44	1.58	0.41	0.58	0.08			
9	0.83	3.68	2.90	0.66	1.08	0.58	1.49	1.41					
0	0.83	3.82	1.74	1.49	1.86	8.30							

1/ All dimensions are in inches.

X-3615

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.

TABLE V. Dimensions for 6-inch letters and numerals.

Letters	Dimensions 1/												
	a	b	c	d	e	f	g	h	i	j	k	l	m
A	1.0	5.40											
B	1.0	4.50	1.56	1.56	2.50	1.94							
C	1.0	4.30	2.04	1.90	2.24	10.00							
D	1.0	4.54	2.40	1.20	1.10	2.40	10.00						
E	1.0	4.00	1.24	1.74	1.50								
F	1.0	4.00	1.24	1.50									
G	1.0	4.80	2.04	1.90	0.25	0.50	2.24	10.00					
H	1.0	4.50	2.24	2.74	2.50								
I	1.0												
J	1.0	4.20	2.24	1.90	2.10								
K	1.0	4.50	3.50	1.50									
L	1.0	4.00											
M	1.0	5.00	1.50										
N	1.0	4.50											
O	1.0	4.26	2.24	2.10	1.80	10.00							
P	1.0	4.30	1.50	1.80	1.80								
Q	1.0	5.00	2.30	2.70	1.80	2.10	2.24	10.00					
R	1.0	4.50	1.70	1.80									
S	1.0	4.60	4.30	1.74	0.60	2.64	1.80	1.24	1.70	0.34	0.84	0.70	0.20
T	1.0	4.00											
U	1.0	4.50	2.24	2.10									
V	1.0	5.00	0.74										
W	1.0	6.00	0.88	0.74	0.50								
X	1.0	4.50											
Y	1.0	5.00	2.00	2.50									
Z	1.0	4.00											
Numerals													
1	1.0	1.30	0.30	0.50	0.60	0.80							
2	1.0	4.10	2.04	1.80	0.24	0.80	1.70	2.50					
3	1.0	4.50	1.14	1.84	0.34	1.90	1.04	3.45	0.30	0.64			
4	1.0	4.50	0.70	1.80	2.00	0.40							
5	1.0	4.60	0.50	2.00	2.40	0.60							
6	1.0	4.44	1.70	1.80	0.80	1.30	0.70	3.50					
7	1.0	4.00	0.40	0.50									
8	1.0	4.50	1.80	2.70	1.50	1.74	1.90	0.50	0.70	0.10			
9	1.0	4.44	3.50	0.80	1.30	0.70	1.80	1.70					
0	1.0	4.60	2.10	1.80	2.24	10.00							

1/ All dimensions are in inches.

X-3616

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:08Z
Check the source to verify that this is the current version before use.