MILITARY SPECIFICATION SHEET

SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL, AND INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED (TERMINAL **BOARD CONNECTED), TYPE X**

This specification sheet is approved for use by the Naval-Sea Systems , Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the switchboard described herein shall consist of this document and the latest issue of MIL-S-17000.

REQUIREMENTS:

Switchboard section arrangement: Each switchboard section shall be arranged as shown on Drawing 802-5727190. The front section shall provide space for panel-mounted assemblies mounted on a door hinged on one side and latched on the other. The back section shall contain eight modules.

Size: Size of the switchboard section shall be as shown on Drawing 802-5727190.

Mounting: Switchboard enclosure shall be provided with mounting bolt clearance holes as shown on Drawing 802-5727190.

Modules: Back section modules shall be arranged and mounted as shown on Drawing 802-5727190. Top module (module A) shall contain 12 connector receptacles in accordance with MIL-C-28748/9 (part number M28748/09FONOlA) for connection of intersection wiring between sections. The seven lower modules (modules B through H) shall contain 18 terminal boards (type 7TB12) conforming to MIL-T-55164/13 and three connectors (part number M28748/09FoNOlA) conforming to MIL-C-28748/9. Only wiring for active circuits from the back of the terminal boards to the module connector receptacles shall be installed. The front of the type 7TB12 terminal boards shall be reserved for ship wiring. Intersection wiring between modules in different sections shall be connected between the backs of the type 7TB12 terminal boards on the lower modules and the connector receptacles on the top (A) module. The plugs of the lower module connectors shall connect to the switchboard section's flexible wiring harness. These modules shall be spaced l-inch minimum apart. The horizontal edges of these modules shall be covered with insulation to prevent chafing of ship wiring.

Source: https://assist.dla.mil -- Downloaded: 2026t0-18T09:41Z
Check the source to verify that this is the currentversion before use.

Connector receptacles: Connector. receptacles on the-seven lower modules (modules B through H) shall be mounted at an angle of 15 degrees to minimize possible interference with wiring harness on the back of the door.

Module, connector receptacles? and terminal board designation: Modules shall be identified by their respective section numbers and shall be numbered as shown on Drawing 802-5727190.

Panel-mounted assemblies: Switchboard shall use standard panel-mounted assemblies as specified in MIL-STD-1657.

Arrangement: Arrangement and types of switches, fuses,-circuit breakers and lights shall be as specified in the acquisition technical data packages

Preparing activity:
Navy - SH
(Project 1290-N386)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:41Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commander
Naval Sea Systems Command (SEA 55z3)
DOD Standardization Program and Documents Division
Department of the Navy
Washington, DC 20362

Source: https://assist.dla.mil -- Downloaded: 202610-18T09:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil – Downloaded: 2026-10-18T09:41Z
Check the source to verify that this is the current version before use.