
MIL-M-16034/4A
6 November 1964
SUPERSEDING
MIL-M-16034/4
2 January 1953

MILITARY SPECIFICATION SHEET

AMMETERS, A. C., SWITCHBOARD, 4-1/2 INCH, 250-DEGREE SCALE

This specification sheet forms a part of the latest issue of Military Specification MIL-M-16034.



*THIS DIMENSION HAS BEEN CHOSEN TO ALLOW THE MOUNTING OF ACCESSORIES ON INSTRUMENT PROPER

ALL DIMENSIONS IN INCHES

REQUIREMENTS:

	MILLIAMPERES, A. C.1/	AMPERES, A. C.1/	KILOAMPERES A. C.1/
FULL-SCALE RANGES 2/	100 200 500	5 30 80 200 500 10 50 100 300 600 20 75* 150 400 800 *Not approved for 400-cycle meters.	1 2 1.2 3 1.5 4

1/ Alternating current (60, 400, or 800 cycles per second).
2/ All kiloammeters, 400- and 800-cycle ammeters, and 60-cycle ammeters above 50 amperes are calibrated for use with external transformers. Current through meter at full-scale deflection is 5 amperes.

FSC 6625

Source: https://assist.dla.mil -- Downloaded: 202610-18T08:12Z
Check the source to verify that this is the current version before use.

REQUIREMENTS (cont'd)

ITEM	REQUIREMENT
Scale length	6.5 inches min.
Position influence (balance)	1 percent of scale length, max. change.
Initial accuracy	1 percent max. error. (1-1/2 percent max. error for high-impact-shock-resistant meters.)
Damping factor	3 min.
Response time	2.5 seconds max.
Power consumption	5 va. max.
Frequency influence	.5 percent max. change for 60-cycle meters. 2 percent max. change for 400- and 800-cycle meters.
External-field influence	3 percent max change in 5-oersted field.
Heat effect at 65° C	2 percent max. change at 65° C. .5 percent max. permanent change.
Temperature influence	.5 percent max. change.
Low-temperature exposure	1.25 percent max. change at 0° C. .5 percent max. permanent change.
Momentary overload	1 percent max. change.
Sustained overload	1 percent of scale length, max. temporary zero shift. .5 percent of scale length, max. permanent zero shift. .33 percent max. permanent change in indication.
Vibration	1 percent max. change.
Friction effect	2 percent max. change.
Humidity resistance	2 percent max. change.
Shock(high-impact)	5 percent max. change.

NOTES:
1. Percentages are based on full-scale value unless otherwise indicated herein.

Custodians:
Army - EL
Navy - SH
Air Force - 11

Reviewers:
Army - EL, MU
Navy - SH
Air Force - 11

Users:
Army - MO, GL
Navy - MC, WP
Air Force - 85

Preparing activity:
Navy - SH
(Project 6625-0265)

Source: https://assist.dla.mil -- Downloaded: 20261O-18T08:12Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 202610-18T08:12Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Naval Ship Engineering Center (Code 6124)
Center Building
Prince George's Center
Hyattsville, MD 20782

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:12Z
Check the source to verify that this is the current version before use.