[INCH-POUND]
A-A-51172A
26 January 2000
SUPERSEDING
A-A-51172
18 September 1987

COMMERCIAL ITEM DESCRIPTION

FORMING MACHINE, SHEET METAL, ROTARY, MANUALLY OPERATED, BENCH MOUNTED COMBINATION TYPE

The General Services Administration has authorized the use of this commercial item description as a replacement for A-A-51172 for all federal agencies.

1. SCOPE. This commercial item description (CID) establishes the government acquisition requirements for rotary, manually operated, bench-mounted combination sheet metal forming machines to be used for turning, burring, wiring, edging, flattening, or flanging operations.

2. CLASSIFICATION. The sheet metal forming machines shall be classified and identified by the styles and sizes specified in 2.1. The selected style and size of machine to be supplied shall be specified in the acquisition order (see 7.5 (b)).

2.1 Styles and sizes.

Style A - Regular throat
Size 18 - 18 gauge (0.0478 inch) capacity
Size 22 - 22 gauge (0.0299 inch) capacity
Size 24 - 24 gauge (0.0239 inch) capacity

Style B - Deep throat
Size 22 - 22 gauge (0.0299 inch) capacity
Size 24 - 24 gauge (0.0239 inch) capacity

3. SALIENT CHARACTERISTICS. The sheet metal forming machine shall be produced in accordance with the manufacturer's standard design and shall be supplied in new condition. The performance capabilities and dimensions of the machine shall meet the requirements specified in table I for each listed style and size.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data which may improve this document should be sent to: Defense Supply Center Richmond (DSCR), ATTN: DSCR-VBD, 8000 Jefferson Davis Highway, Richmond, VA 23297-5610.

AMSC N/A FSC 3441

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.

TABLE I. Performance and dimensional requirements.

Style	Size	Maximum Mild Steel Thickness (Inches)	Maximum Wire Diameter (Inches)	Distance Between Shaft Centers (Inches)	Throat Depth (Inches)	Gear Ratio
A	18	0.0478	5/16	2-3/4	-	2:1
	22	0.0299	5/16	2	-	1:1
	24	0.0239	3/16	2	-	1:1
B	22	0.0299	1/4	1	6-1/4	1:1
	24	0.0239	3/16	1-7/8	6-1/4	1:1

3.1 Frame. The machine frame shall be an iron or steel casting which shall suffer no permanent distortion from the forces created by normal operation at maximum capacity.

3.2 Stand. Unless otherwise specified (see 7.5 (c)), the machine shall be provided with a clamp-on offset stand for bench mounting. The stand shall be mounted and shaped so its offset will bring the machine forward for ease of operation.

3.3 Gears. All gears shall be totally enclosed or guarded to protect the operator.

3.4 Rolls. The machine shall be furnished with an adjustable rolling press which will flatten sheet metal up to the maximum thickness specified in table I. The thickness capacity of the rolls shall be adjustable through a quick-acting crankscrew. The hardness of the rolls shall be from 52 to 62 on the Rockwell "C" scale when tested in accordance with the American Society for Testing and Materials (ASTM) standard E18, "Standard Test Methods for Rockwell Hardness and Rockwell Superficial Hardness of Metallic Materials". When specified in the acquisition order (see 7.5 (d)), spare replacement rolls shall be furnished.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror or contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The machines provided shall meet the salient characteristics of this commercial item description; conform to the producer’s own drawings, specifications, standards, and quality assurance practices; and be the same product which the supplier offers for sale on the commercial market. The government reserves the right to require proof of such conformance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.

5.2 Market acceptability. The product offered must have been previously sold either to the government or on the commercial market.

6. PACKAGING

6.1 Preservation, packing, and marking. For acquisition purposes, the machines supplied shall be preserved, packed, and marked as specified in the acquisition order (see 7.5 (e)).

7. NOTES

7.1 Part identification number (PIN). The following part identification numbering system is for government purposes and does not constitute a requirement for the contractor.



7.2 Sources of documents.

7.2.1 ASTM standards. Copies of ASTM standards may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.

7.2.2 FAR. The FAR may be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.

7.3 National stock number (NSN). The NSNs listed below are assigned for the listed machine styles and sizes (see 2.1). Other NSNs may also correspond with this document.

Style	Size	Assigned NSN
A	24	3441-01-280-1154
B	24	3441-00-165-4193

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.

7.4 Sources of supply. The manufacturers and/or suppliers listed below are known to supply manually operated, rotary sheet-metal forming products which meet the salient characteristics requirements of this document. Competition is not limited to the listed firms.

Pioneer Valve and Fitting Company, Inc.
93 Seigel Street
Brooklyn, NY 11206-3299
Phone: (718) 387-4724

McGraw James, Inc.
2900 Deepwater Terminal Road
Richmond, VA 23285-5620
Phone: (804) 233-3071

7.5 Ordering data. Acquisition documents must specify the following information:

a. Title, number, and date of this document
b. Style and size (see 2.1)
c. Stand, if different (see 3.2)
d. Spare rolls, if necessary (see 3.4)
e. Packaging requirements (see 6.1)

MILITARY INTERESTS:

Custodians:
Army - AL
Air Force - 99

Reviewer:
Air Force - 84

CIVIL AGENCY
COORDINATING ACTIVITY:

GSA - 6FET

Preparing activity:
DLA - GS

(Project 3441-0186)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.