INCH-POUND

MIL-DTL-32555/1
1 August 2016

DETAIL SPECIFICATION SHEET

TOOL, INSTALLATION, FOR ADJUSTABLE TIE-DOWN STRAPS

This specification is approved for use by all
Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-32555.




FIGURE 1. Tool dimensions and configuration.

AMSC N/A FSC 5120

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:03Z
Check the source to verify that this is the current version before use.




FIGURE 2. Replaceable tip.




FIGURE 3. Replaceable blade.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:03Z
Check the source to verify that this is the current version before use.

NOTES:

1. Dimensions are in inches.

REQUIREMENTS:

1. The outline configuration is optional within the maximum dimensions shown for a fully open handle position. See figures 1, 2, and 3.
2. The tie-down strap tool assembly shall include a replaceable tip and blade. Unless otherwise stated tolerances are 0.XX ±.01, 0.XXX ±.002, 0.XXXX ±.0010, and angles ±1/2°.
3. Part or Identifying Number (PIN) example:

Example:




TABLE I. Part numbers.

Part number	Description
M32555/1-01	Tie-down strap tool assembly
M32555/1-02	Replaceable tip
M32555/1-03	Replaceable blade

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:03Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - CR
Navy - AS
Air Force - 85

Preparing activity:
Navy – AS

Project 5120-2016-010

Review activities:
Army - AV, MI
Navy - EC, OS, SH
Air Force - 11, 20
DLA – GS

Industry association:
SAE AE-8C2

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T07:03Z
Check the source to verify that this is the current version before use.