[INCH-POUND]
A-A-277A
May 14, 1993
SUPERSEDING
A-A-277
May 16, 1980

COMMERCIAL ITEM DESCRIPTION

SCRAPER, BAKER'S
(Plate and Bowl)

The General Services Administration has authorized the use of this commercial item description as a replacement for Federal Specification ZZ-S-70 which has been canceled.

1. SCOPE

1.1 Scope. This commercial item description covers a rubber-bladed baker's scraper.

2. APPLICABLE DOCUMENTS

2.1 The documents referenced in this commercial item description shall be the issues in effect on the date of the invitation for bids or request for proposal unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Federal Standard:

FED-STD-376 - Preferred Metric Units For General Use By The Federal Government.

Copies of Federal standards are available from the General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor Street, Fort Worth, TX 76102.

DISTRIBUTION STATEMENT A : Approved for public release. Distribution is unlimited.

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.

Military Standard:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

Copies of military standards may be obtained from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

Code of Federal Regulations:

Title 21 - Food and Drug Administration, Department of Health and Human Services.

Application for copies of the CFR should be addressed to the Superintendent of Documents, US Government Printing Office, Washington, DC 20402.

ASTM Standard:

E 29 - Standard Practice For Using Significant Digits In Test Data To Determine Conformance With Specifications.

Application for copies of ASTM standards should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.

3. SALIENT CHARACTERISTICS

3.1 Material. The blade shall be molded from natural rubber, synthetic rubber, or a combination thereof. The blade shall have a shore durometer hardness of 65 to 70. The handle shall be manufactured from a suitable plastic. The raw materials and finished scrapers shall conform to the applicable requirements of the Federal Food, Drug, and Cosmetic Act as Amended: Title 21, CFR Subchapter B, Parts 170 to 198.

3.2 Construction. The overall length of the scraper shall be 13-5/8 inches ± 1/2 inch (34.6 cm ± 1.3 cm). The length of the blade shall be 4-5/8 inches ± 1/4 inch (11.75 cm ± 0.6 cm). The width of the blade shall be 3 inches ± 1/4 inch (7.6 cm ± 0.6 cm). The blade thickness shall be 0.360 to 0.550 inch (9.1 mm - 14.0 mm) at the thickest section gradually tapering to a minimum thickness of 0.095 inch (2.4 mm). The four blade corners shall be rounded. The front bottom corner shall have a radius of 1-1/4 inches ± 1/8 inch (3.2 cm ± 0.3 cm). The handle shall be molded to the blade. The handle edges shall be rounded. The handle shall have a smooth finish. The color of the scraper shall be white.

3.3 Marking. The scrapers shall be marked with the manufacturer's name, trade name, or trademark of such known character that the source of the scraper may be readily determined.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.

3.4 Workmanship. The scrapers shall be clean and free from any defects which might affect serviceability, durability, or appearance.

3.5 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580, as amended, to the maximum extent practicable.

3.6 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The values stated in parentheses are for informational purposes only.

3.7 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the specification preparing activity for changes to this document.

3.8 Commercial item. The use of the term "commercial item description" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor certification. The contractor shall certify that the scraper meets the salient characteristics and the requirements of this commercial item description, and, except for any government unique requirements specified, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace, or is the same product that has successfully been delivered to the government on a previous contract or purchase order. The government reserves the right to require proof of conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4.2 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the use of the contractor's own or any other facilities suitable for the performance of the inspection requirements specified herein shall be permitted, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.3 Sampling. The levels of inspection and acceptable quality levels (AQL's) shall be in accordance with MIL-STD-105.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.

4.4 Lot formation. All baker's scrapers from the same manufacturer offered for delivery at one time shall be considered a lot for purposes of inspection.

4.5 Sampling for visual and dimensional examination. A random sample of baker's scrapers shall be selected from each lot in accordance with inspection level S-4, AQL 4.0 expressed in terms of defects per hundred units. The sample unit shall be one scraper. The sample scraper shall be visually and dimensionally examined for any possible defects listed in table I and the remainder of this commercial item description. All dimensions are absolute as defined in ASTM E 29.

TABLE I. Classification of defects

Examine	Defect
Material	Material not as specified
	Color not as specified
Construction and Workmanship	Handle not molded to blade
	Blade corners not rounded
	Handle not rounded
	Handle not smooth
	Handle splintered or cracked
	Crevice or gouge in blade
	Blade chalky or improperly vulcanized
Marking	Missing or illegible

4.6 Examination for preparation for delivery. A random sample of shipping containers shall be selected from each lot for examination of the unit, intermediate and shipping containers (as applicable) for conformance with the preservation, packaging, packing, labeling, and marking required in the contract or order. Samples shall be selected in accordance with inspection level S-2, AQL 6.5, expressed in terms of defects per hundred units.

5. PREPARATION FOR DELIVERY

5.1 Packaging, packing, and marking. The packaging, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Ordering data. Purchasers should include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. The packaging, packing, and marking desired.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.

6.2 National Stock Number: The following NSN corresponds to the item described by this cid: 7330-00-680-2636.

MILITARY INTERESTS:

Military Coordinating Activity:

Army - GL

Custodians:

Army - GL
Navy - SA
Air Force - 99

Review Activities:

Army - MD, QM
Air Force - 84, 50

User Activity:

Navy - MC

Civil Agency Coordinating Activity:

VA - OSS

Preparing Activity:

GSA - FSS

(DoD Project 7330-0661)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:06Z
Check the source to verify that this is the current version before use.