A-A-53193
15 September 1987

COMMERCIAL ITEM DESCRIPTION

HAMMER, HAND (OPTICAL)

The General Services Administration has authorized the use of this commercial item description in preference to Military Specification MIL-H-3663B.

This commercial item description covers a riveting hammer suitable for use in optical shops.

Salient characteristics:

Shall be a small hammer commonly known as "Swiss Style" hammer. The head shall be made of cast malleable iron, suitably heat treated. The handle shall be made of smoothed hardwood. Overall length of handle with head shall be 8-3/4 inches plus or minus 1/4 inch.

One end of the hammer head shall be 1/2 inch diameter with chamfered flat face. The other end shall be chisel shaped. All corners and edges shall be smoothed. Hardness of the head shall be ranged from C50 Rockwell or better. The head shall weigh two ounces nominal.

The hammer head shall be permanently marked with manufacturer's name or logo.

Workmanship. The hammer shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One hammer, as specified, constitutes one unit.

AMSC N/A FSC 5120

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:16Z
Check the source to verify that this is the current version before use.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/ contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 as amended, and as implemented by Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

Ordering data. (Intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.)

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:16Z
Check the source to verify that this is the currentversion before use.

NOTE: The following National Stock Number is covered by this document:

5120-00-299-8418

MILITARY INTERESTS:

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing Activity:

DoD-MB

Agent:

DLA-DM

Project No. 5120-C026

Location: Disk # 9

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:16Z
Check the source to verify that this is the current version before use.