
MILITARY SPECIFICATION SHEET

Ⓐ CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, SPLIT 90°, EMI/RFI SHIELD TERMINATION, CATEGORY 38 (FOR MIL-C-38999 SERIES I AND II CONNECTORS)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the backshells described herein shall consist of this specification and the latest issue of MIL-C-85049.



NOTES.
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Backshell must be direct coupled (no loose follower and set screws). Rear adapter may be omitted when dash number and clamp size permits.
4. See table I for minimum and maximum clamp size available with each accessory shell size. See table II for cable range for each clamp size.

FIGURE 1. Dimensions and configuration

Ⓐ denotes changes

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Design and construction

Ⓐ Dimensions and configuration. See figure 1 and tables I and II. Interface dimensions shall conform to MIL-C-38999, series I and II.

Ground ring shall be free to rotate in the unassembled condition.

Material: Accessory components: Aluminum alloy in accordance with MIL-C-85049. Clamp assembly screws and lockwashers. 300 series corrosion resistant steel, passivated.

Finish 1/ N, W

Ⓐ TABLE I. Shell and clamp sizes, and coupling ring dimensions.

Accessory shell size	Fits connector shell size		Clamp size (see table II)	A maximum	B maximum	C maximum	D reference	E maximum
	Series II	Series I						
8	8	9	01 through 02	2 88	.75	.72	1.21	1.45
10	10	11	01 through 03	2 92	.85	.72	1.25	1.49
12	12	13	02 through 04	3 06	1.00	.80	1.36	1.60
14	14	15	02 through 05	3 24	1.10	.85	1.47	1.71
16	16	17	02 through 06	3 44	1.25	.91	1.60	1.84
18	18	19	03 through 06	3 73	1.40	1.00	1.75	1.99
20	20	21	03 through 07	3 94	1.50	1.05	1.82	2.06
22	22	23	03 through 08	4 14	1.65	1.10	1.97	2.21
24	24	25	04 through 09	4.19	1.75	1.20	2.15	2.30

INCHES	mm	INCHES	mm	INCHES	mm	INCHES	mm
.72	18 29	1.40	35 56	1.99	50.55	3.03	76.96
75	19 05	1.45	36.83	2 06	52 32	3.06	77 72
.80	20 32	1.47	37 34	2 15	54.61	3.19	81.03
85	21 59	1.49	37 85	2.21	56 13	3 24	82.30
.91	23 11	1.50	38 10	2.30	58.42	3.31	84.07
1.00	25 40	1.60	40 64	2 50	63 50	3.44	87.38
1.05	26.67	1.65	41.91	2 56	65 02	3.73	94 74
1.10	27 94	1.71	43 43	2.69	68.33	3 94	100 08
1.20	30 48	1.75	44 45	2 81	71 37	4 14	105 16
1.21	30 73	1.82	46 23	2 88	73.15	4 19	106 43
1.25	31 75	1.84	46 74	2 92	74 17		
1.36	34 54	1.97	50 04				

Ⓐ 1/ N Not for Navy use. Air Force. For space applications only.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

Ⓐ TABLE II. Clamp size and dimensions.

Clamp size	Y maximum	Cable range minimum	Cable range maximum
01	.781 (19.84)	.062 (1.57)	.125 (3.18)
02	.969 (24.61)	.125 (3.18)	.250 (6.35)
03	1.062 (26.97)	.250 (6.35)	.375 (9.52)
04	1.156 (29.36)	.312 (7.92)	.500 (12.70)
05	1.250 (31.75)	.437 (11.10)	.625 (15.88)
06	1.375 (34.92)	.562 (14.27)	.750 (19.05)
07	1.500 (38.10)	.687 (17.45)	.875 (22.22)
08	1.625 (41.28)	.812 (20.62)	1.000 (25.40)
09	1.750 (44.45)	.937 (23.80)	1.125 (28.58)

Part number: See example below.

M85049/37 — 24 — W — 01 — L

Military designator

Specification sheet number

Accessory shell size, see table I

Finish

Clamp size, see tables I and II

L = Encapsulating hole
D = 3 drain holes

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.


Assembly instructions: Simplified assembly instructions shall be shipped with the unit package.

Qualification.

See MIL-C-85049, category 3B, backshell shall be tested with MIL-C-38999 series I connectors.

Ⓐ QPL evaluating activity Naval Avionics Center, Code B/714, 6000 East 21st Street, Indianapolis, Indiana 46219-2189.

Supersession data:



Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities
Army - AR, MI
Navy - EC, MC, OS
Air Force - 11, 15, 17, 19, 99
DLA - ES

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5935-3377-8)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.