MILITARY SPECIFICATION SHEET

CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN, RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-83733 CONNECTORS)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the accessories described herein shall consist of this specification and the latest issue of MIL-C-85049.




FIGURE 1. Dimensions and configuration

Ⓐ denotes changes

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

Part number	Dimensions						Lanyard
	Shell size	A ± 062 (1.57)	B ±.005 (.13)	C ±.032 (.81)	D ±.062 (1.57)	E ±.062 (1.57)	
M85049/44-1	A	2.437 (61.90)	1.895 (48.13)	.271 (6.88)	1.70 (43.18)		Without
M85049/44-2	B	3.750 (95.25)	3.195 (81.15)	.277 (7.04)	3.00 (76.20)		
M85049/44-3	A	2.437 (61.90)	1.895 (48.13)	271 (6.88)	1.70 (43.18)	10.375 (263.53)	With
M85049/44-4	B	3.750 (95.25)	3.195 (81.15)	.277 (7.04)	3.00 (76.20)		

INCHES	MM	INCHES	MM
.010	.25	.116	2.95
.012	.30	.178	4.52
.02	.51	.187	4.75
.062	1.57	.25	6.35
.0937	2.38	.312	7 92
.094	2.39	.811	20.60
.097	2.46	815	20.70
.112	2.84	1.00	25.40
		1 50	38.10

Ⓐ

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only
3. Metric equivalents are in parentheses.
4. Dimensions apply after plating.

FIGURE 1 Dimensions and configuration - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Design and construction:

Dimensions and configuration: See figure 1.

Lanyard shall be flexible corrosion resistant steel per MIL-W-83420, type 2, composition B.

Connecting lugs shall be welded or securely attached mechanically to wire rope.

Material and finish: See table I.

Ⓐ TABLE I. Material and finish.

Part name	Material	Finish
Shell	Aluminum alloy in accordance with MIL-C-85049	1/ N
Screws	300 series corrosion resistant steel, passivated	S

1/ Not for Navy use. Air Force: For space applications only.

Part number: See figure 1.

Qualification:

See MIL-C-85049, category 4C.

Ⓐ QPL evaluating activity: Naval Avionics Center, Code B/714, 6000 East 21st Street, Indianapolis, Indiana 46219-2189.

Supersession data:

M83733/16- * M85049/44- *

Dash number

Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - AR, MI
Navy - EC
Air Force - 11, 15, 17, 19, 99
DLA - ES

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5935-3377-9)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.