MILITARY SPECIFICATION SHEET

CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER,
SHRINK BOOT, CATEGORY 5
(FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R)

This specification is approved for use by all Departments and Agencies of the Department of Defense

The requirements for acquiring the accessories described herein shall consist of this specification and the latest issue of MIL-C-85049




FIGURE 1 Configurations and dimensions

(A) denotes change.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.

Adapter size no	Packing preformed	A Thread class 2B-LH	B ± 010	C dia ± 005	D dia ± 010	E dia ± 010	F ± 016	G + 010 - 000	H dia ± 005	L ± 031
12	MS9021-017	7500-20 UNEF	923	500	673	798	479	.766	673	1.175
14	MS9021-019	.8750-20 UNEF	1.047	656	.797	.922	479	844	797	1.175
16	MS9021-021	1.0000-20 UNEF	1 172	.813	.923	1 048	479	969	923	1 175
18	MS9021-023	1 1250-18 UNEF	1.297	.938	1 047	1 172	479	1.094	1.047	1 175
20	MS9021-025	1 2500-18 UNEF	1 422	1 063	1.172	1 297	479	1 219	1 047	1 175
22	MS9021-027	1.3750-18 UNEF	1.547	1.188	1 297	1.423	.479	1.344	1.297	1.175
24	MS9021-030	1 6250-18 UNEF	1 787	1 312	1.537	1 662	479	1 469	1 422	1.175
28	MS9021-032	1.8750-16 UN	2.047	1.500	1.797	1.922	.479	1 719	1 679	1 175
32	MS9021-033	2.0625-16 UN	2 297	1.800	2.047	2.172	.479	2.000	1.960	1 175
36	MS9021-035	2 3125-16 UN	2 547	2.000	2.297	2 422	479	2 219	2 179	1 175
40	MS9021-038	2 6250-16 UN	2 859	2 250	2 609	2 734	667	2 469	2 429	1 375
(A) 44	MS9021-040	2 8750-16 UN	3 110	2 459	2 857	2 982	667	2 782	2 742	1 375

FIGURE 1. Configurations and dimensions - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.

Inches	mm
.005	0.13
.010	0.25
.016	0.41
.031	0.79
.060	1.52
.062	1.57
.125	3.18
.479	12.17
.500	12.70
.656	16.66
.667	16.94
.673	17.09
.7500	19.05
.766	19.46
.797	20.24
.798	20.27
.813	20.65
.844	21.44
.8750	22.225
.922	23.42
.923	23.44
.938	23.83
.969	24.61
1.0000	25.400
1.047	26.59
1.048	26.62
1.063	27.00
1.094	27.79
1.1250	28.58
1.172	29.77
1.175	29.84
1.188	30.18
1.219	30.96
1.2500	31.38
1.297	32.94
1.312	33.32
1.344	34.14
1.375	34.92
1.3750	34.92
1.422	36.12
1.423	36.14
1.469	37.31
1.500	38.10
1.537	39.04
1.547	39.29
1.6250	41.21
1.662	42.28
1.679	42.65
1.719	43.66
1.787	45.39
1.797	45.64
1.800	45.72
1.8750	47.62
1.922	48.82
1.960	49.76
2.000	50.80
2.047	51.99
2.0625	52.388
2.172	55.17
2.179	55.35
2.219	56.36
2.250	57.15
2.297	58.34
2.3125	58.74
2.422	61.52
2.429	61.70
2.459	62.46
2.469	62.71
2.609	66.27
2.6250	66.675
2.734	69.44
2.742	69.65
2.782	70.66
2.857	72.57
2.8750	73.025
2.982	75.74
3.110	78.99
3.841	97.56
3.844	97.64
3.846	97.69
3.901	99.08
3.932	99.87
3.966	100.74
4.000	101.60
4.024	102.21
4.087	103.81
4.100	104.14
4.150	105.41
4.154	105.51
4.177	106.10
4.188	106.38
4.212	106.98
4.275	108.58
4.276	108.61
4.337	110.16
4.400	111.76
4.431	112.55
4.594	116.69
4.600	116.84
4.647	118.03
4.651	118.14
4.688	119.08
4.896	124.36
4.900	124.46
4.959	125.96
5.00	127.0
5.021	127.53
5.138	131.78
5.266	133.76
5.300	134.62
5.373	136.47
5.600	142.24
5.673	144.09
5.688	144.48
5.725	145.42
6.00	152.70
6.057	153.85
6.188	157.18
6.354	161.39
6.688	169.88
7.188	182.58
7.688	195.28
8.188	207.98
8.688	220.68
9.688	246.08
12.688	322.28
13.688	347.68
14.188	360.38

NOTES
1. Dimensions are in inches.
2. Dimensions apply after plating.
4. Metric equivalents are given for general information only.

TABLE I. Configuration and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS


Design and construction

Dimensions and configuration See figure 1

Material Aluminum alloy, in accordance with MIL-C-85049

Finish A, W

Part number See example below




Application Used to adapt MIL-C-85049/68 shrink boots to MS17343, MS17344, MS17345, and MS17347 connectors.

Qualification See MIL-C-85049, category 5.

QPL evaluating activity Defense Electronics Supply Center, (DESC-E), Dayton, OH 45444

Supersession data



CONCLUDING MATERIAL

Custodians
Army - CR
Navy - EC
Air Force - 85

Review activities
Army - AR, MI
(A) Air Force - 11, 99
DLA - ES

(A) Civil agency coordinating activity
NASA - NA

Preparing activity
Navy - EC

Agent
DLA - ES

(Project 5935-3069)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.