
MILITARY SPECIFICATION SHEET

CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH MIL-C-85049/61 POTTING BOOT RING)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the accessories described herein shall consist of this specification and the latest issue of MIL-C-85049.



INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM
.450	11.43	.734	18.64	1.000	25.40	1.110	28.19	1.360	34.54	1.625	41.28
.500	12.70	.766	19.46	1.016	25.81	1.125	28.58	1.375	34.93	1.703	43.26
.550	13.97	.858	21.79	1.031	26.19	1.234	31.34	1.469	37.31	1.734	44.04
.594	15.09	.922	23.42	1.078	27.38	1.281	32.54	1.484	37.69	2.047	51.99
.608	15.44	.984	24.99	1.094	27.79	1.297	32.94	1.610	40.89		

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Entrance configuration optional with indicated cross section.

FIGURE 1. Dimensions and configuration.

Ⓐ denotes changes

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Design and construction:

Dimensions and configuration: See figure 1 and table I.

Material: Translucent nylon.

Wall thickness: Minimum plastic .020 (.51 mm).

Ⓐ TABLE I. Shell size and dimensions.

Shell size	A-minimum cross section area in square	B maximum	L_S minimum	L_S maximum	$L_{90°}$ maximum	X minimum ID	Y maximum OD	Z +.000 -.010 diameter
8	.110	1.000	.450	.500	.766	.317	.608	.516
10	.200	1.125			.922	.434	.734	.642
12	.290				1.031	.548	.858	.766
14	.400	1.297			1.016	.673	.984	.892
16	.490	1.375				.798	1.110	1.018
18	.590	1.469			1.078	.899	1.234	1.142
20	.730	1.625	.550	.594	1.094	1.024	1.360	1.268
22	.860	1.703				1.149	1.484	1.392
24	1.070	2.047			1.281	1.274	1.610	1.518
28	---	---			---	1.399	1.734	1.642

Part number: See example below:

M85049/ 74 -10 -1

Military designator

Specification sheet

Shell size (see table I)

Geometry
1 - straight
2 - 90°C

Qualification: See MIL-C-85049, category 7.

Ⓐ QPL evaluating activity: Naval Avionics Center, Code B/714, 6000 East 21st Street, Indianapolis, Indiana 46219-2189.

Supersession data:

MS27333 * * M85049/74 * *

Shell size

Geometry

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.

Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - AR, MI
Navy - EC
Air Force - 11, 15, 17, 19, 99
DLA - ES

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5935-3377-20)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.