INCH-POUND

MIL-C-70532 (AR)
AMENDMENT 1
29 March 1991

MILITARY SPECIFICATION

CARTRIDGES, 105MM, HE, RA, XM913 AND XM927 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING

This amendment forms a part of Military Specification MIL-P-70532 (AR), dated 29 October 1990, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Title: Change "XM913" to "M913" (and wherever it appears).

PAGE 2

2.1.2 Change: "9290990" to "9390990".

Dwg. 12624495 Add: "PA111," after assembly
Dwg. 12624496 Change: "Ammunition" to "Ammo"
Dwg. 12934903 Change: ""XM912" to "M913"

Drawing 19-48-4231/45-20PM1006
Add: "and" after Ammunitions
Delete: "Cyclindrical" and Substitute "Cylindrical"

PAGE 3

3.1.1 Add "s" to word "operation"

PAGE 4

3.2.3 Delete in its entirety

3.2.4 Delete in its entirety

PAGE 5

3.3.5 Change: "thousands" to "thousandths"

PAGE 7

3.6 Capitalize: "proving" in title

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.

PAGE 28

4.4.2.14 Critical defect #1 Add: "/scale" after "Gage"

PAGE 31

4.4.2.17 Majors 101, 102, 103 Add: "/SMTE" after "Gage"

PAGE 35

4.4.2.21 Delete Drawing Number "12630699" Substitute: "12624496"

PAGE 37

4.4.2.23 Delete Drawing Number "12934900" Substitute: "12624496"

Add to "Next Higher Assembly" "12934900"

PAGE 38

4.4.2.24 "Next Higher Assembly" Delete Drawing Numbers entirely and substitute: "12929177/12929178"

Add the following Major defects:

"106, insufficient fillers for tight pack, Level III 3.1 Visual

107, Filler Size (min.), Level III 3.1 Gage

108, Filler not present underneath cloth strap, Level III 3.1 Visual"

Minor defect 202 delete in its entirety and substitute the following:

"202, Evidence of poor workmanship, Level V 3.10 Visual"

PAGE 43

4.4.3.5 Second sentence Add: "," after the word "change"

PAGE 48

4.5.4 Change: "4.4.3.6" to "4.4.3.5"

PAGE 51

5.4.1 Change: "19048-4231...." to "19-48-4231...."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.

PAGE 54

6.10 Delete in its entirety and substitute the following new paragraph:

"6.10 Ballistic test projectiles. All projectiles tested by a Government Proving Ground for Ballistic Acceptance Test shall have three markings, 120° apart, painted at the LAP manufacturing facility across the warhead/motor body joint. See figure 3.

Add the following pages: "54 a, Figure 3. Ballistic Acceptance Test Markings."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.




Figure 3. Ballistic Acceptance Test Markings.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 1320-AC36)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.