MIL-D-60365 (MU)
AMENDMENT 1
15 November 1968

MILITARY SPECIFICATION

DYNAMITE (COMMERCIAL)

This Amendment forms a part of Specification MIL-D-60365 (MU), dated 25 February 1966.

Paragraph 2, APPLICABLE DOCUMENTS, SPECIFICATIONS: Add the following:

"FEDERAL

L-P-378 - Plastic Film (Polyethylene Film, Thin Gage)
PPP-B-26 - Bag, Plastic, Polyethylene, General Purpose
PPP-T-97 - Tape, Pressure-Sensitive Adhesive, Filament Reinforced

MILITARY

MIL-B-2427 - Boxes, Ammunition Packing, Wood, Nailed
MIL-B-3106 - Board, Composition, Water-Resistant, Solid (For Filler or Cushioning Pads)"

Delete "MIL-D-13638" in its entirety.

Under "DRAWINGS" add the following:

"ARMY

8796522 - Marking Diagram and Sealing for Wooden Packing Boxes"

Add a new paragraph:

"2.2 Other Publications.-The following document forms a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids shall apply.

FSC: 1375

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:31Z
Check the source to verify that this is the current version before use.

CODE OF FEDERAL REGULATIONS

Title 49 - Transportation, Parts 49 CFR 171-179

The Interstate Commerce Commission Regulations are now a part of the Code of Federal Regulations, available from the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., 20402. Orders for the above publications should cite "49 CFR 171-179, (latest revision)."

Paragraph 3.1, Description, first sentence, third line: Delete "Type II" and substitute "Type III".

Paragraph 3.1, line 7: Delete: "Type I and II" and substitute "Type I, II and IIa."

Paragraph 3.2, Table I: Add Type IIa to Table I as follows:

Ingredient	Percent, Type IIa
Explosive Oil	29 plus or minus 4 (±)
Ammonium Nitrate	28 ± 4
Sodium Nitrate	31 ± 4
Carbonaceous Combustible Matter and Antacid	(Manufacturer's Option)

Paragrpah 3.5, Table II: Add "Type IIa, which has a rate of detonation, thousand of feet per second, minimum of 16".

Paragraph 4.3.1, Line 2: Delete "100" and substitute "50".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:31Z
Check the source to verify that this is the current version before use.

Delete Section 5 in its entirety and substitute:

"5. PREPARATION FOR DELIVERY

5.1 Packing

5.1.1 Level A.-Dynamite shall be packed in accordance with the Code of Federal Regulations, 49 CFR 171-179, for gelatin dynamite and the following additional instructions:

Box liner shall conform to Specification PPP-B-26, except that it shall be a plain flat or gussetted bag without wire-tie or interlocking seal. Bag material shall comply with Specification L-P-378, for Type II material; grade and finish optional and material thickness .005 inch. Excess air shall be removed from the bag and the bag closed by gathering the top portion of the bag together and closing the bag securely by a series of twists. Twist shall be secured by a length of PPP-T-97 tape, Type III 1 inch width, applied tightly around the twisted portion of the bag. A minimum of 2 inch of bag shall extend above the tape. Fillers consisting of composition board, MIL-B-3106, Type I or II, 1/16 inch, shall be added to the ends, bottom, sides or top of the box as reuqired to eliminate looseness of contents. Fillers shall be placed between the interior of the box and the liner. Boxes shall conform to Specification MIL-B-2427 for a Type I, class 3, Grade A box. Closure and strapping of boxes shall conform to instructions contained in the appendix of the box specification except flat strapping shall be 3/8 by .015 inch thick and round wire strapping shall be zinc coated No. 16 gage (.0625). Two straps shall be applied to each box. The gross weight of each box shall not exceed 75 pounds.

5.1.2 Level C.-Packing shall be in accordance with Code of Federal Regulations 49 CFR 171-179, requirements for gelatin dynamite and in a manner that will insure safe delivery from the manufacturer's plant to the first receiving activity.

5.2 Marking.-Exterior shipping containers shall be marked in accordance with Drawing 8796522 and Code of Federal Regulations, 49 CFR 171-179. The DOT marking shall be "HIGH EXPLOSIVE-DANGEROUS".

Custodian:
ARMY-MU

Preparing Activity:
ARMY-MU

Project Number: 1375-A030

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:31Z
Check the source to verify that this is the current version before use.