MILITARY SPECIFICATION

INDICATOR, POSITION, AILERON TRIM TAB

This amendment forms a part of Military Specification MIL-I-7065A, dated 26 May 1976 and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1: Under "SPECIFICATIONS, Federal", add the following:

"PPP-B-601 Boxes, Wood, Cleated Plywood"

Change title of "PPP-B-636" to:

"Box, Shipping, Fiberboard"

2.1: Under "STANDARDS, Military", delete "MS 33680" and add the following:

"MIL-STD-129	Marking For Shipment And Storage
MIL-STD-1651	Insert Arrangements For MIL-C-5015, MIL-C-22992 (Classes C, J and R), And MIL-C-83723 (Series II) Electrical Connectors
AN 5786	Transmitter & Position, 28 Volt DC
AN 5787	Transmitter & Position, Gearless"

Add the following boxed paragraph to the bottom center of page:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: HQ AFLC CASO/LODS, Federal Center, Battle Creek MI 49016 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter."

PAGE 3

Add new paragraph 3.6 as follows:

"3.6 Reclaimed materials. The use of reclaimed materials shall be encouraged to the maximum extent possible without jeopardizing the intended end use of the item."

PAGE 5

4.2: Delete existing paragraph and add the following:

"4.2 Packaging inspection.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:54Z
Check the source to verify that this is the current version before use.

4.2.1 Quality conformance. The inspection of the preservation-packaging interior package marking shall be in accordance with group A and B quality conformance requirements, Section 4 of MIL-P-116. The sampling and inspection of the packing and marking for shipment and storage shall be in accordance with the quality assurance provisions of applicable container specification and the marking requirements of MIL-STD-129.

4.2.2 First article. When the unit container is capable of serving as the shipping container, First Article Inspection and rough handling tests as outlined in Section 4 of MIL-P-116, shall be accomplished followed by a functional test of the unit to insure freedom from operational malfunction."

Delete existing Section 5 in its entirety and add the following:

"5. PACKAGING

5.1 Preservation-packaging. Preservation-packaging shall be Level A or C as specified by the procuring activity.

5.1.1 Level A.

5.1.1.1 Cleaning. Unit shall be cleaned in accordance with Process C-1 of MIL-P-116.

5.1.1.2 Drying. Immediately after cleaning, the unit shall be dried following any one of combination of the drying procedures of MIL-P-116.

5.1.1.3 Preservation application. Not required.

5.1.1.4 Unit packaging. Unless otherwise specified by the procuring activity, each unit shall be packaged in quantity unit packs of one each in accordance with method IC-1 of MIL-P-116. Overbox each completed pack in a PPP-B-636 fiberboard, weather-resistant class box. Cushioning material between bag and container shall be of a type, density and thickness that will protect the unit from impact shock damage when tested as specified in paragraph 4.2 of this specification.

5.1.2 Level C. Units shall be packaged as indicated for level B except that a PPP-B-636 domestic class box shall be used as the unit container.

5.2 Packing. Packing shall be level A, B or C as specified.

5.2.1 Level A. Unless otherwise specified by the procuring agency, units packaged as specified in 5.1 shall be packed in shipping containers conforming to specification PPP-B-601. Insofar as practical, exterior containers shall be of a uniform

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:54Z
Check the source to verify that this is the current version before use.

shape and size and of minimum cube and tare consistent with protection required.

5.2.2 Level B. Unless otherwise specified, units packaged as in 5.1 shall be packed in shipping containers conforming to PPP-B-636.

5.2.3 Level C. Packaged units shall be packed in shipping containers that will afford adequate protection against damage during direct domestic shipment from supply source to first receiving activity. Packs shall conform to applicable carrier regulations.

5.3 Marking. In addition to any special marking required by the contract, unit package and shipping container shall be marked in accordance with MIL-STD-129."

PAGE 7

Add the following new paragraph to Section 6:

6.3 Ordering data. Procurement documents should specify the following:

a. Title, number and date of this specification.

b. Level of packaging and packing required."

Custodian:
Air Force - 99
Navy - AS

User:
Army - MI

Preparing Activity:
Air Force - 99

Project Number:
6610-0427

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:54Z
Check the source to verify that this is the current version before use.