MIL-I-37761A
29 September 1977
SUPERSEDING
MIL-I-37761(DLA-DM)
22 February 1977

MILITARY SPECIFICATION

INFLUENZA VIRUS VACCINE, USP,
GENERAL SPECIFICATION FOR

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This general specification covers Influenza Virus Vaccine, USP.

1.2 Classification. The Influenza Virus Vaccine covered by this specification shall be of the sizes and strengths (CCA units per dose), as specified by the procuring activity in the applicable Military Specification Sheet.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this specification or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:26Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)



Source: https://assist.dla.mil -- Downloaded: 2026l0-21T11:26Z
Check the source to verify that this is the currentversion before use.

3. REQUIREMENTS

3.1 Specification Sheets. The individual item requirements shall be as specified herein and in accordance with the applicable Military Specification Sheets. In the event of any conflict between requirements of this specification and the specification sheet, the latter shall govern.

3.2 Material. Shall be Influenza Virus Vaccine, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein, and in the Military Specification Sheet.

S2. Classification. Shall be type I, class 2.

S5.2.1 The following is added to this paragraph:

Shall be suitable for subcutaneous or intramuscular administration.

Shall be suitable for use with Hypodermic Injection Apparatus, Jet, Automatic, covered by MIL-H-36505, Hypodermic Injection Apparatus, Jet, Foot Operated, covered by MIL-H-37084, (see 6.2); and for use by needle and syringe method of injection.

Shall be an aqueous, influenza virus vaccine obtained from allantoic fluid of virus inoculated chick ~~embryos~~.

Shall be prepared from the strains of Influenza Virus, and shall contain the specified concentration of each strain per dose of finished vaccine as designated by the procuring activity.

3.2.1 The finished vaccine shall meet the applicable requirements of the Bureau of Biologics, FDA, including any amendments or revisions thereto. Each lot of vaccine shall contain the total of CCA units per dose as measured against the Bureau of Biologics reference vaccine. The test shall be performed in accordance with the prescribed procedures agreed upon between the licensed manufacturers and the Bureau of Biologics.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:26Z
Check the source to verify that this is the current version before use.

3.2.2 Shall be purified vaccine in accordance with current Bureau of Biologics license.

S6.3 Volume in final container. Each final container (bottle) shall contain the required number of doses plus the required excess. The contents and required excess shall be sufficient to obtain the required number of doses when using the jet hypodermic injection apparatus.

3.2 Expiration dating period. The expiration dating period shall be 18 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.



Source: https://assist.dla.mil -- Downloaded: 2026l0-21T11:26Z
Check the source to verify that this is the currentversion before use.

4.2 Sampling. Sampling as shown in FED-STD-142 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all references documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein and in the applicable Military Specification Sheet.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One bottle containing the number of doses, as specified, by the procuring activity, constitutes one unit of issue.

5.2.2.1 Immediate container. The immediate container shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The immediate container (bottle) shall be of such design and configuration that it can be used with Hypodermic Injection Apparatus, Jet, Automatic, and Hypodermic Injection Apparatus, Jet, Automatic, Foot Operated (See 6.2).



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:26Z
Check the source to verify that this is the current version before use.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

* 5.2.2.3 Intermediate package. Twenty-four units of issue shall be packaged as specified in 5.2.7 of PPP-C-186.

5.2.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.3 Packing. Packing shall be level A, B or C, as specified, (see 6.1).

* 5.3.1 Level A. Twelve intermediate packages (288 units) shall shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

* 5.3.2 Level B. Twelve intermediate packages (288 units) shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptanc and safe delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:26Z
Check the source to verify that this is the current version before use.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. In addition, Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE BETWEEN 2° - 8°C (35° - 46°F)".

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend: "STORE BETWEEN 2° - 8°C (35° - 46°F)".

NOTE: Shipments shall be made under constant refrigeration 2° - 8°C (35° - 46°F).

* 6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Title, number and date of the applicable Military Specification Sheet.
(c) National Stock Number.
(d) Item Identification.
(e) Selection of applicable levels of packaging and packing (see 5.2 and 5.3 and Military Specification Sheet).



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:26Z
Check the source to verify that this is the current version before use.

6.2 The Hypodermic Injection Apparatus referenced in 3.2 and 5.2.2.1 are listed in the Federal Supply Catalog as follows:

| National Stock Number | Item Identification |
|---|---|
| 6515-00-656-1021 | Hypodermic Injection Apparatus, Jet, Automatic, 115 volt, 50-60 Hz, AC |
| 6515-00-910-0097 | Hypodermic Injection Apparatus, Jet, Automatic, Foot Operated |

6.3 Changes from previous issue. The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective oc the marginal notations and relationship to the last previous issue.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA-DM

Project No. 6505-1911



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:26Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: MIL-I-37761A — INFLUENZA VIRUS VACCINE, USP, GENERAL SPECIFICATION FOR

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:26Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:26Z
Check the source to verify that this is the currenversion before use.