MILITARY SPECIFICATION

QUINIDINE SULFATE TABLETS, MODIFIED

This specification is approved for use by the Defense Personnel Support Center, Defense Logistics Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Quinidine Sulfate Tablets, Modified (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:32Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP)

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF)

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Quinidine Sulfate Tablets, Modified, and shall be in accordance with all applicable requirements of FED-STD-140 and as specified herein.

S2. Classification. Shall be Type XII, Class 2, Style C, Grade 4 (as specified in S5.3).

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:32Z
Check the source to verify that this is the currentversion before use.

S5.3 The following is added to this paragraph:

Shall be sustained release coated tablets containing in in each tablet, within the designated assay limits for the tablets, 100 mg of Quinidine Sulfate in the coating and 200 mg of Quinidine Sulfate in the tablet core for continuous absorption over an 8 to 12 hour period.

The coated tablets shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the required 100 mg of Quinidine Sulfate in the coating of the tablets and the inner cores shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the required 200 mg of Quinidine Sulfate per core when determined as specified in 4.5.1.

The tablets shall comply with the identity test specified in 4.5.2.

S6.4.9.1 Disintegration. At the end of one hour in simulated gastric fluid, USP, plus two hours in simulated intestinal fluid, the coated tablets shall retain not less than 60 percent nor more than 80 percent of the required quantity (200 mg) of Quinidine Sulfate in the cores and not less than 20 percent nor more than 40 percent of the required quantity (200 mg) of Quinidine Sulfate in the cores at the end of one hour in simulated gastric fluid, USP, plus six hours in simulated intestinal fluid when tested as specified in 4.5.3. In addition, coated tablets shall comply with the 8 to 12 hours disintegration test as specified in 4.5.3.1.

3.2 Ingredients.

3.2.1 Quinidine sulfate. The quinidine sulfate used in the manufacture of the tablets shall comply with the tests, standards and requirements of the USP, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients used in the manufacture of the tablets shall comply with S5.1 of FED-STD-140.

3.4 Expiration dating period. The expiration dating period shall be not less than 36 months.

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:32Z
Check the source to verify that this is the currentversion before use.

4. REQUIREMENTS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such time, or such longer period of time as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling plan as shown in FED-STD-140 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:32Z
Check the source to verify that this is the current version before use.

4.5 Tests.

4.5.1 Assay.

Reagents:

0.1N Sulfuric Acid
Standard Solution of Quinidine Sulfate - Dissolve 600 mg of USP quinidine sulfate reference standard in sufficient 0.1N sulfuric acid to make 200 ml. Transfer 2 ml of this solution to a 200 ml volumetric flask and adjust to volume with 0.1N sulfuric acid. Mix and transfer 25 ml to another 100 ml volumetric flask and adjust to volume with 0.1N sulfuric acid.

Test A - Coating
Wash the coating from 10 tablets using approximately 100 ml of 0.1N sulfuric acid into a 200 ml volumetric flask. Save the tablet cores for test B. Place on a mechanical shaker for one hour. Remove from the shaker and adjust to volume with 0.1N sulfuric acid; mix and filter a 10 ml aliquot. Transfer 5 ml of the filtrate to a 500 ml volumetric flask, make and adjust to volume with 0.1N sulfuric acid. Mix and transfer 15 ml to a 100 ml volumetric flask and adjust to volume with 0.1N sulfuric acid. Concomitantly determine the absorbance of the sample and standard solutions in a suitable spectrophotometer at wavelengths of 250 nm and 270 nm using 1 cm cells, with 0.1N sulfuric acid as the blank. Calculate the net absorbance of the sample and standard by subtracting the minimum absorbance at 270 nm from the maximum absorbance at 250 nm. Calculate the percent of the required amount (100 mg) of quinidine sulfate in the tablet coating.

Test B - Core
Grind 5 cores (retained from test A) to a fine powder and transfer to a 200 ml volumetric flask. Add 100 ml of 0.1N sulfuric acid and place on a mechanical shaker for 1 hour. Treat this sample the same as directed for Test A. Concomitantly determine the absorbance of the sample and standard solutions in a suitable spectrophotometer at wavelengths of 250 nm and 270 nm using 1 cm cells, with 0.1N sulfuric acid as the blank. Calculate the net absorbance of the sample and standard by subtracting the minimum absorbance at 270 nm from the maximum absorbance at 250 nm. Calculate the percent of the required amount (200 mg) of quinidine sulfate in the tablet core.

Source: https://assist.dla.mil -- Downloaded: 20261O-21T11:32Z
Check the source to verify that this is the current version before use.

4.5.2 The ultraviolet absorption spectrum obtained in the assays (tests A & B) shall exhibit maxima and minima at the same wavelengths as that of a similar preparation of USP quinidine sulfate reference standard.

4.5.3 Disintegration. The disintegration tests shall be conducted as follows:

Remove the coating from at least twelve tablets with 0.1N sulfuric acid and place six tablet cores in two separate USP basket rack assemblies and agitate for one hour in simulated gastric fluid, USP. Remove the assemblies from the gastric fluid, rinse with purified water and immediately analyze the gastric fluid for quinidine sulfate contents as directed below. Continue disintegration of the cores in pH6.8 simulated intestinal fluid. At the end of two hours and six hours, the intestinal fluids shall be tested as follows: Transfer the fluids (gastric and intestinal) and any solids from disintegration into liter volumetric flasks promptly and dilute to volume with purified water and mix. Filter immediately an adequate sample for analysis discarding the first 10 to 15 ml of the filtrate. Transfer 2 ml of the one hour gastric fluid sample to a 200 ml volumetric flask. Transfer 2 ml of the two hour intestinal fluid sample to a 100 ml volumetric flask. Transfer 2 ml of the six hour intestinal fluid sample to a 200 ml volumetric flask. Adjust all samples to volume with 0.1N sulfuric acid. Concomitantly determine the absorbance of the final dilutions of the sample and standard solutions in a suitable spectrophotometer at wavelengths of 250 nm and 270 nm using 1 cm cells with 0.1N sulfuric acid as the blank. Calculate the net absorbance of the sample and standard by subtracting the minimum absorbance at 270 nm from the maximum absorbance at 250 nm. Calculate the quantity of quinidine sulfate retained in the core after one hour of gastric fluid plus two hours of intestinal fluid and the quantity of quinidine sulfate retained in the core after one hour of gastric fluid plus six hours of intestinal fluid.

4.5.3.1 Eight to 12 hours disintegration. The 8 to 12 hours disintegration test shall be conducted as follows:

Place one (1) tablet in each of the six cylinders of USP basket rack assemblies.

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:32Z
Check the source to verify that this is the current version before use.

The tablets shall be agitated in simulated gastric fluid, USP, for one hour. The outer coating of each tablet shall be completely removed within the first 30 minutes of this one hour period. After an hour, the core shall be essentially intact, however, pinholes and enteric coating ruptures may occur.

These cores shall be transferred to simulated intestinal fluid and agitated for a period of 8 to 12 hours. All of the tablets shall have completely disintegrated. If after 12 hours, disintegration is not complete, re-run the test using 12 additional tablets. Not less than 16 of the total of 18 tablets tested shall disintegrate completely between 8 and 12 hours.

Note: Disks shall not be used in conducting the tests specified in 4.5.3 and 4.5.3.1.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 and as specified in herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing two hundred fifty tablets, as specified, constitutes one unit of issue.

5.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the container nor the contents are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, each unit may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Six (6) units of issue shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:32Z
Check the source to verify that this is the current version before use.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Forty-eight (48) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Forty-eight (48) units of issue shall be packed as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type II shelf life markings as specified in MIL-STD-129 shall be shown.

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall be shown.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:32Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-01-037-0630	QUINIDINE SULFATE TABLETS, MODIFIED, 300 mg, 250s

Preparing activity:
DLA-DM

Project No. 6505-1953

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:32Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:32Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-Q-37808(DLA-DM) QUINIDINE SULFATE TABLETS, MODIFIED

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

GPO 1974— 603-680/6126 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:32Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:32Z
Check the source to verify that this is the current version before use.