MIL-P-82491(OS)
AMENDMENT 1
20 September 1971

MILITARY SPECIFICATION

POWER SUPPLY

MARK 112 MOD 1

This amendment forms a part of Military Specification MIL-P-82491(OS) of 26 July 1967 and has been approved by the Naval Ordnance Systems Command, Department of the Navy

Wherever it appears in specification delete "Bureau of Naval Weapons" and substitute "Naval Ordnance Systems Command"; also delete "BuWeps" and substitute "NAVORD".

Page 3, paragraph 3.3.3: Delete in its entirety.

Page 5, paragraph 3.4.6.1. Delete first sentence and substitute: "The power supply shall withstand a total of 18 shocks of 40-g peak magnitude."

Page 7, Figure 2, under arrow to left of figure: Delete "SHOCK" and substitute "MAJOR SHOCK AXIS".

Page 8, paragraph 4.1. Delete and substitute:
"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

Pages 9 and 10, Table II: Delete in its entirety and substitute:

FSC 1375

Source: https://assist.dla.mil -- Downloaded: 202610-23T07:11Z
Check the source to verify that this is the current version before use.

Table II. Preproduction and Periodic Production Test Sequence

Test	Paragraph Number	Test Quantities Preproduction	Periodic
Quality Conformance Inspection	4.6*	10	6
Temperature, Storage Condition	4.5.1.2	10	6
Quality Conformance Inspection	4.6*	10	6
Humidity	4.5.1.3	10	-
Quality Conformance Inspection	4.6*	10	6
Salt Spray	4.5.1.4	10	6
Quality Conformance Inspection	4.6*	10	6
Vibration, Standby Condition	4.5.1.6	10	6
Shock, Standby Condition	4.5.1.8	10	6
Quality Conformance Inspection	4.6*	10	6
Function Test and Monitor Circuit Test	4.6.2.4 4.6.2.5	3**	1**
Acceleration	4.5.1.5	7	5
Quality Conformance Inspection	4.6*	7	5
Vibration, Operating Condition	4.5.1.7	7	5
Quality Conformance Inspection	4.6*	7	5
Shock, Operating Condition	4.5.1.9		
Major	4.5.1.9.1	3	2
Minor	4.5.1.9.2	4	3
Quality Conformance Inspection	4.6*		
Temperature, Operating Condition	4.5.1.1		
Low Extreme	4.5.1.1.1	3	2

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:11Z
Check the source to verify that this is the current version before use.

Table II. Preproduction and Periodic Production Test Sequence (Cont)

Test	Paragraph Number	Test Quantities Preproduction	Periodic
Quality Conformance Inspection Functioning Test and Monitor Circuit Test	4.6* 4.6.2.4 4.6.2.5	3**	2**
High Extreme	4.5.1.1.2	4	3
Quality Conformance Inspection Functioning Test and Monitor Circuit Test	4.6* 4.6.2.4 4.6.2.5	4**	3**

*Except for Function and Monitor Circuit Tests, 4.6.2.4 and 4.6.2.5
**Samples are expended during functioning.

Page 14, paragraph 4.5.1.8, first sentence: Delete "shocks of 40" and substitute "18 shocks of 40-g".

Page 15, Table III. Delete in its entirety and substitute:

Table III. Quality Conformance Tests and Examinations

Test	Sampling Plan	Test Paragraph
Insulation resistance	*	4.6.2.1
Electrical continuity circuit resistance test Monitor Battery common ground Igniters common ground Igniters	*	4.6.2.2
Functioning test	**	4.6.2.4
Monitor circuit test after functioning	**	4.6.2.5
Visual examination	***	4.6.2.6

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:11Z
Check the source to verify that this is the current version before use.

Table III. Quality Conformance Tests and Examinations (Cont)

Test	Sampling Plan	Test Paragraph
Preservation, packaging packing and marking	***	4.7

*One hundred percent inspection.
**Mil-Std-105D Special Inspection Level S-3; zero defects accepted.
***One hundred percent inspection; defect is cause for rejection of individual unit.

Page 17, paragraphs 4.6.2.3 and 4.6.2.3.1. Delete in their entirety.

Preparing Activity
Navy - OS
Project No. - 1375-N420

☆ U. S. GOVERNMENT PRINTING OFFICE: 1971-714-158/2427

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:11Z
Check the source to verify that this is the current version before use.