MILITARY SPECIFICATION

FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE AND 5 MICRON ABSOLUTE, TYPE II SYSTEMS

This supplement forms a part of Military Specification MIL-F-8815D dated

SPECIFICATION SHEETS:

MIL-F-8815/1	Filter, Fluid, Pressure, Hydraulic Line, 3000 PSI, 15 Micron Absolute, Style A, Bypass, -65° to +275°F
MIL-F-8815/2	Filter, Fluid, Pressure, Hydraulic Line, 3000 PSI, 15 Micron Absolute, Style B, Non Bypass, -65° to +275°F
MIL-F-8815/3	Filter Element, Fluid, Pressure, Hydraulic Line, 3000 PSI, 15 Micron Absolute, -65° to +275°F
MIL-F-8815/4	Filter, Fluid, Pressure, Hydraulic Line, 3000 PSI, 5 Micron Absolute, Style A, Bypass, -65° to +275°F
MIL-F-8815/5	Filter, Fluid, Pressure, Hydraulic Line, 3000 PSI, 5 Micron Absolute, Style B, Non Bypass, -65° to +275°F
MIL-F-8815/6	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 3000 PSI, 5 Micron Absolute, -65° to +275°F
MIL-F-8815/7	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 3000 PSI, 5 Micron Absolute, -65° to +275°F, 0.5 to 12.0 GPM
MIL-F-8815/8(AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F4 Aircraft, 1.5 GPM
MIL-F-8815/9(AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F4 Aircraft, 3.5 GPM

FSC 1650

Source: https://assist.dla.mil -- Downloaded: 202610-17T11:26Z
Check the source to verify that this is the current version before use.

SPECIFICATION SHEETS (contd.

MIL-F-8815/10(AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F4 Aircraft, 4.5 GPM
MIL-F-8815/11(AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F4 Aircraft, 4.5 GPM (High Capacity)
MIL-F-8815/12(AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F4 Aircraft, 32 GPM
MIL-F-8815/13(AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F8 Aircraft, 1.5 GPM
MIL-F-8815/14(AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F8 Aircraft, 2.0 GPM
MIL-F-8815/15(AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F8 Aircraft, 12.0 GPM
MIL-F-8815/16(AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F8 Aircraft, 18.0 GPM
MIL-F-8815/18 (AS)	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 3000 PSI, 5 Micron Absolute, AV8 and A7 Aircraft, 3.5 GPM
MIL-F-8815/19 (AS)	Filter Element, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, A4 Aircraft, 2.0 GPM

Source: https://assist.dla.mil -- Downloaded: 20260-17T11:26Z
Check the source to verify that this is the current version before use.

SPECIFICATION SHEETS (contd)

MIL-F-8815/20(AS)	Filter Element, Noncleanable, Fluid Pressure, Hydraulic Line, 5 Micron Absolute, A4 Aircraft, 3.5 GPM
MIL-F-8815/21(AS)	Filter Element, Noncleanable, Fluid Pressure, Hydraulic Line, 15 Micron Absolute, AV8 Aircraft, 10 GPM

Preparing Activity:
Navy AS

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:26Z
Check the source to verify that this is the current version before use.