FEDERAL STANDARD STOCK CATALOG

Section IV

(Part 5)

FEDERAL SPECIFICATION

FOR

GLOVES; WORKING, COTTON, WITH LEATHER-PALM

This specification was approved by the Director of Procurement, for the use of all departments and establishments of the Government, and shall become effective not later than December 1, 1935. It may be put into effect, however, at any earlier date after promulgation.

A. APPLICABLE FEDERAL SPECIFICATIONS

A–1. There are no other Federal specifications applicable to this specification.

B. TYPE AND GRADE

B–1. The gloves shall be of the gauntlet type and of but one grade.

C. MATERIAL AND WORKMANSHIP

C–1. *Material.*—Shall be as follows:

C–1a. *Body of glove.*—Shall be made from canton flannel having a thread count of not less than 64 threads per inch in the warp and not less than 40 threads per inch in the filling, and weighing not less than 8.4 ounces per square yard.

C–1b. *Palm.*—Shall be made from no. 1 side split chrome tanned cowhide of medium weight. Unless otherwise specified, shall be green color. The thickness of the leather shall measure between 0.040 inch and 0.070 inch, and the leather shall be free from scratches (except nature scratches healed in the hide may be acceptable), sponginess, or other defects. No head, middle, or flesh splits are acceptable. No make-weight salts or fillers shall be used.

C–2. *Workmanship.*—The gloves shall be of the best workmanship and shall be free from all defects which affect their serviceability.

D. GENERAL REQUIREMENTS

D–1. See Section E.

E. DETAIL REQUIREMENTS

E–1. *General description.*—Body of glove shall be made from canton flannel. The cuff shall be of a stiffness characteristic of this type of glove, and shall be made with either two materials cemented together or with two materials joined with not less than two rows of

Downloaded from http://www.everyspec.com

stitching. Edges of cuff shall be finished with a covering stitch. Outer covering shall be of twill, having a thread count of not less than 84 threads per inch in the warp, and 40 threads per inch in the filling, and weighing not less than 5.4 ounces per square yard. Palm and underside of fingers shall be fully covered with leather. The back of fingers shall be covered with leather to approximately 1½ inches from finger tips. Underside of thumb shall be leather covered and side of thumb faced with leather so that not less than three-fourths of the entire thumb shall be leather faced.

E-2. *Measurements.*—The glove shall measure 8 inches, plus or minus ½ inch, from bottom edge of cuff to end of index fingers. The cuff shall be 4½ inches, plus or minus ¼ inch, in length, measured from edge to edge, and 7½ inches, plus or minus ¼ inch, wide at top.

E-3. *Marks.*—The gloves shall be without marking or trade mark.

F. METHODS OF SAMPLING, INSPECTION, AND TESTS

F-1. Any requirements applicable to the individual departments are noted under section H.

F-2. *Sampling.*—Not less than a single package out of each lot of not more than 1,000 packages shall be taken as representative of the whole.

F-3. *Inspection and tests.*—Gloves shall be inspected as to compliance with this specification. Examination shall be made of thread count, weight of fabric, quality of leather, workmanship, and finish.

G. PACKAGING, PACKING, AND MARKING

G-1. Any special requirements of the individual departments are noted under section H.

G-2. *Issue packages.*—Gloves shall be packed 1 dozen pairs to a carton.

G-3. *Packing.*—Unless otherwise specified, issue packages containing gloves shall be delivered in standard commercial containers, so constructed as to insure acceptance by common or other carriers, for safe transportation, at the lowest rate, to the point of delivery.

G-4. *Marking.*—

G-4a. *Issue packages.*—Unless otherwise specified, issue packages shall be plainly marked on one side with name of contents, quantity, name of contractor, contract or order number, and date of contract or order.

G-4b. *Shipping containers.*—Unless otherwise specified, shipping containers shall be marked with the name of the material and the quantity contained therein as defined by the contract or order under which the shipment is made, the name of the contractor, and the number of the contract or order.

H. REQUIREMENTS APPLICABLE TO INDIVIDUAL DEPARTMENTS

H-1. The following departmental specifications of the issue in effect on date of invitation for bids shall form a part of this specification:

H-1a. *Army.*—United States Army Specification No. 100-2B, Standard Specification for Marking Shipments.

Source: https://assist.dla.mil - Check the source to verify that

H–1b. *Navy.*—Navy Department General Specifications for Inspection of Material, copies of which may be obtained without cost upon application to the Bureau of Supplies and Accounts, Navy Department, Washington, D. C.

4. NOTES

I–1. It is believed that this specification adequately describes the characteristics necessary to secure the desired material, and that normally no samples will be necessary prior to award to determine compliance with this specification. If, for any particular purpose, samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated, the specification to apply in all other respects.

I–2. Purchasing officer may exercise option noted in paragraph C–1b.

I–3. An alphabetical index of Federal specifications may be purchased as noted in the paragraph next below, price to be obtained from the Superintendent of Documents.

I–4. Copies of this specification may be obtained upon application, accompanied by money order or coupon, or cash, to the Superintendent of Documents, Government Printing Office, Washington, D. C. Price, 5 cents.

Notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Source: https://assist.dla.mil -- D
Check the source to verify that thi