MIL-M-52677A(ME)
18 March 1976
SUPERSEDING
MIL-M-52677(ME)
29 December 1969

MILITARY SPECIFICATION

MULTIPLEX SECTION, TOPOGRAPHIC MAPPING SET

TRUCK MOUNTED, PACKAGING OF

This specification is approved for use by the Mobility Equipment Research and Development Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers requirements for preservation, packing, and marking of a Multiplex Section, Topographic Mapping Set, Truck Mounted (SC 6675-97-CL-E39).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-566	- Boxes, Folding, Paperboard.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-P-40	- Packaging and Packing of Hand Tools.

Military

MIL-C-104	- Crates, Wood; Lumber and Plywood Sheathed, Nailed and Bolted.
MIL-P-116	- Preservation-Packaging, Methods of.
MIL-R-3593	- Refrigeration and Cooling Equipment (Excluding Household Refrigerators), Packaging of.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

MIL-F-9329	- Filters, Light, Photographic, General Specification for.
MIL-F-10538	- Frames, Stereoplotter Projection, Multiplex, (Single and Double) With Case.
MIL-T-10540	- Tracing Table, Stereoplotter, Projection: With Case.
MIL-P-10562	- Projector, Stereoplotter, Wide-Angle, Vertical, Multiplex Mapping Equipment (Set of Three Projectors in a Case with Accessories).
MIL-P-10603	- Pumps and Pumping Units, Centrifugal, Power-Driven, For Water, Packaging of.
MIL-P-14257	- Printer, Reduction, Stereoplotter, Multiplex.
MIL-F-14614	- Frame and Table Assembly, Stereoplotter, Projection: Multiplex, 32-Inch Length, With Chest.
MIL-G-28554	- Generator Sets, Mobile Electric Power; Packaging of.

STANDARDS

Federal

FED. STD. No. 356	- Commercial Packaging of Supplies and Equipment.

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-281	- Automobiles, Trucks, Truck-Tractors, Trailers and Trailer Dollies; Preservation and Packaging of.
MIL-STD-1186	- Cushioning, Anchoring, Bracing, Blocking, and Waterproofing; With Appropriate Test Methods.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Preproduction pack. The contractor shall furnish a preproduction pack within the time frame specified (see 6.2) to prove prior to starting production packaging, that the applied preservation, packing, and marking comply with the requirements of this specification. Examination shall be as specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 Preservation. Preservation shall be Level A or Commercial as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Preservatives. Preservatives specified herein shall conform to the applicable specifications listed in and shall be applied in accordance with MIL-P-116.

3.3.1.2 Methods of preservation. Methods of preservation indicated by symbols herein shall conform to the corresponding symbols in MIL-P-116.

3.3.1.3 Handtools. The knife blades, hammer, knives, key, pliers, screwdrivers, screwdriver set, shears, pin vises, open end wrenches, pipe wrenches, and socket wrench set shall be preserved and packed in accordance with PPP-P-40, Level A.

3.3.1.4 Truck/van. The components and accessories of the truck/van shall be preserved in accordance with MIL-STD-281, Level A, (mobile) and as follows.

3.3.1.4.1 Screwjacks. The screws of the jacks shall be coated with Type P-11 preservative and the screws fully retracted into the jacks. Exterior unpainted surfaces of the jacks shall be coated with Type P-1 or P-19 preservative. The jacks shall be secured in the stowage compartment on the truck/van body.

3.3.1.4.2 One-hundred-foot power cable, cable reel, and cover. The cable assembly shall be wound on the cable reel provided and secured to prevent the cable from unwinding. The reel cover shall then be installed and the reel secured in the brackets provided.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the currenversion before use.

3.3.1.4.3 Heaters and air conditioner. Heaters shall be completely drained of fuel. Components of the air conditioner shall be preserved in accordance with applicable requirements of MIL-R-3593, Level A.

3.3.1.5 Generator set (MAP). The generator set, accessories, repair parts, tools, and publications shall be preserved, packed, and marked in accordance with MIL-G-28554, Level A.

3.3.1.6 Centrifugal pump (MAP). The pump, repair parts, tools, and publications shall be preserved, packed, and marked in accordance with MIL-P-10603, Level A.

3.3.1.7 Developer and orbit bath. Cans of developer and orbit bath shall not require unit packing.

3.3.1.8 Pipe to hose adapters, pipe bushings, pipe caps, pipe coupling, pipe elbow, pipe nipple, and pipe reducers. Items requiring the application of a contact preservative in accordance with MIL-P-116 shall be coated with Type P-1 or P-19 preservative. The fitting shall be placed in the chest provided.

3.3.1.9 Dusting brushes, flask brush, paint brushes, and scrub brush. The bristle or hair of each brush shall be protected by an envelope or by fiber pads to prevent deformation. Each brush shall then be preserved, Method IC-1.

3.3.1.10 Stereoplotter adapters, lamp bushings, rheostat bushings, drafting compasses, lamp bushing cover, curves, dividers, drafting instrument set, mailing envelopes, electrical erasers, height gage, dial indicator, lead repointer, level and plumb, magnifiers, needle points, paperweights, projector slide plates, pressure plates, print paddles, stirring rods, drafting scales, plotting scales, pencil sharpener, solder, soldering iron, spacer ring, spectacles, stapler, staples, stereoscopes, stone, straightedges, triangles, fountain pens, towel dispenser, and paper towels. Each item, pair, box, or spool, as applicable, shall be preserved Method IC-1.

3.3.1.11 Cover set. Each cover shall be folded to the minimum and preserved, Method IC-1. The covers shall then be packed together in a close-fitting box conforming to PPP-B-636, W5c, style optional.

3.3.1.12 Gaskets, pencil lead, and mechanical pencils. Items of like description in quantities specified for each set shall be preserved together, Method IC-1.

3.3.1.13 Eight-foot, 9-inch power cable assembly. The terminal lugs of the four conductors shall be secured together with tape and the cap covers installed. The cable assembly shall then be coiled in a minimum coil, not less than 10 times the cable diameter and secured with cotton tape or twine.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.14 Six-foot- and 10-foot-long power cable. Each cable shall be coiled in a minimum coil, not less than 10 times the cable diameter and secured with cotton tape or twine.

3.3.1.15 Rotary chairs, nadirscope, glass flask, graduate, diapositive plate holders, tray assemblies, foot valve, and desk lights. Each item shall be positioned to the minimum cube and preserved Method III. Containers shall conform to PPP-B-636, W5c, or V3c as applicable, style optional. Box closure shall be in accordance with the appendix to the box specification, Method V.

3.3.1.16 Miscellaneous electrical items. Electrical connectors, fuse-holder, knobs, lampholders, lampholder mounts, receptacles, fixed resistors, variable resistors, rotary switches, sensitive switches, and toggle switches shall be preserved Method IC-1, if not permanently installed in the van.

3.3.1.17 Incandescent lamps. Each lamp shall be placed in a single face corrugated fiberboard sleeve. Lamps of like description shall then be packed together in a close-fitting box conforming to PPP-B-636, W6c, style optional, in the quantities specified for each set.

3.3.1.18 Cartridge fuses. Fuses shall be preserved Method IC-2. The container shall be the vendors carton or a paperboard box conforming to PPP-B-566, variety, style, type, and class optional.

3.3.1.19 Exposure control instrument. The exposure control instrument shall be preserved Method IIb. The inner container shall be a box conforming to PPP-B-636, Type CF, Class Domestic, Variety SW, Grade 125. The outer container shall be a box conforming to PPP-B-636, W5c, style optional. Closure of the outer container shall be in accordance with the appendix to the box specification, Method V.

3.3.1.20 Filters. Filters shall be preserved in accordance with MIL-F-9329, Level A.

3.3.1.21 Hose assemblies. Each hose assembly shall be coiled to the minimum safe diameter and each coil secured with a minimum of four evenly spaced ties of cotton tape or twine.

3.3.1.22 Voltage regulator group. Each voltage regulator group shall be preserved Method IIb. The inner container shall be a box conforming to PPP-B-636, Type CF, Class Domestic, Variety SW, Grade 125. The outer container shall be a box conforming to PPP-B-636, W5c, style optional. Closure of the outer container shall be in accordance with the appendix to the box specification, Method V.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.23 Reduction printer. The printer shall be preserved and packed in accordance with MIL-P-14257, Level A.

3.3.1.24 Projector sets. The projector sets shall be preserved in accordance with MIL-P-10562, Level A.

3.3.1.25 Tracing tables. The tracing tables shall be preserved in accordance with MIL-T-10540, Level A.

3.3.1.26 Stereoplotter projection frame. Components of the installed frame shall be preserved in accordance with MIL-F-10538, Level A.

3.3.1.27 Stereoplotter frame and table assembly. Components of the installed frame and table assembly shall be preserved in accordance with MIL-F-14614, Level A.

3.3.1.28 Stereoplotter tables. The installed tables shall not require preservation.

3.3.1.29 Telephone cable and waste receptacles. These items shall not require unit packing.

3.3.1.30 Electrical wire. The wire shall be coiled in a minimum safe coil that will not damage the wire and the coil shall be secured with cotton tape or twine.

3.3.1.31 Ground rod. The ground rod shall be placed and secured in the mounting bracket.

3.3.1.32 Cargo trailer (MAP). The cargo trailer shall be preserved in accordance with MIL-STD-281, Level A (mobile).

3.3.1.33 Consolidated packing. Small components shall be placed in storage cabinets, table drawers, or any other available space provided for storage within the van body. Other components for which space is not available shall be consolidated packed in a minimum number of boxes conforming to PPP-B-601, Domestic Type, Style I. The size and configuration of the boxes shall be determined by the available space that will permit securing within the van body or truck cab. Strapping of the boxes shall not be required. The boxes shall be immobilized within the van body or truck cab using blocking, bracing or strapping as required, applied in a manner that will not damage the items or set components to which the boxes are secured. Where space is not available for securing the larger consolidated packed components within the van body or truck cab, the consolidated components shall be secured within a minimum size crate conforming to MIL-C-104, Type I Class 2, Style a. Blocking, bracing and anchoring shall be in accordance with MIL-STD-1186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.2 Commercial. Components of the set, including the truck/van shall be preserved in accordance with FED. STD. No. 356.

3.4 Packing. Packing shall be Level A or Commercial as specified (see 6.2).

3.4.1 Level A. The truck/van containing the set components prepared for shipment as specified in 3.3 shall be shipped unboxed (mobile). When a crate is required for consolidated items, the crate shall be shipped separate but at the same time as the truck/van. The packed generator set (MAP) and centrifugal pump (MAP) shall be placed and secured within the van body if space is available or within the crate when a crate is required. If a crate is not required and space is not available within the van body, the generator set and pump shall be secured in the cargo trailer, if a cargo trailer is furnished. The cargo trailer shall be shipped (mobile) separately from, but at the same time as the truck/van. Van wheels and cargo trailer wheels shall be free to rotate. If a trailer is not furnished, the packed generator and centrifugal pump shall be shipped separately from, but at the same time as, the truck/van.

3.4.2 Commercial. Components comprising a complete set shall be packed in accordance with FED. STD. No. 356.

3.5 Marking.

3.5.1 Military packaging. Marking shall be in accordance with MIL-STD-129.

3.5.2 Commercial packaging. Marking shall be in accordance with FED. STD. No. 356.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The contractor is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the preproduction pack.

4.4 Quality conformance inspection.

4.4.1 Inspection stages.

(a) The first stage shall include inspection of procedures, methods, materials, containers, and marking prior to placing the items into location in the van or prior to placing the items into consolidated containers.
(b) The second stage shall include inspection of closure and marking of the consolidated containers, and the arrangement and blocking and bracing of the located items and blocking and bracing of consolidated containers in the van.
(c) The third stage shall include inspection of the closed and marked mobile van as prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection, all packs, prepared for any applicable inspection stage that will comprise a complete pack, shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the following defects. AQL shall be 2.5 percent defective.

101. Materials, methods, or containers not as specified. Each incorrect material, method, or container shall constitute one defect (see 3.2, 3.3, and 3.4).
102. Threads of screwjacks not coated with preservative and the screws not fully retracted as specified (see 3.3.1.4.1).
103. Cable reel not secured to prevent cable from unwinding (see 3.3.1.4.2).
104. Pipe fittings not placed in the chest (see 3.3.1.8).

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

105. Bristles or hair of brushes not protected to prevent deformation as specified (see 3.3.1.9).
106. Cover sets not folded, preserved, and packed as specified (see 3.3.1.11).
107. Cable assemblies and cable not coiled and secured as specified (see 3.3.1.13 and 3.3.1.14).
108. Lamps not packaged as specified (see 3.3.1.17).
109. Hose assemblies not coiled and secured as specified (see 3.3.1.21).
110. Electrical wire not coiled and secured as specified (see 3.3.1.30).
111. Consolidated packing not as specified (see 3.3.1.33).
112. Wheels on van and cargo trailer not free to rotate (see 3.4.1).
113. Marking illegible, incomplete, incorrect, or missing (see 3.5).

5. PACKAGING

(This section not applicable to this specification.)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packing, and marking of a Multiplex Section, Topographic Mapping Set, Truck Mounted (NSN 6675-00-526-4836) for MAP (NSN 6675-00-914-4666).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Whether Level A or Commercial preservation and Level A or Commercial packing is required (see 3.3 and 3.4).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the contractor of his obligation to preserve, pack, and mark the set components in accordance with this specification.

Custodian:

Army - ME

Preparing activity:

Army - ME

Review activities:

Army - SM
DSA - GS

Project No. 6675-A195

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-M-52677A(ME) Multiplex Section, Topographic Mapping Set, Truck Mounted, Packaging Of

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research
and Development Command
ATTN: DRXFB-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.