METRIC

MIL-STD-2411-1
w/CHANGE 5 MP
7 October 2022
SUPERSEDING
MIL-STD-2411-1
w/CHANGE 4
20 August 2020

# DEPARTMENT OF DEFENSE
# INTERFACE STANDARD

# REGISTERED DATA VALUES FOR RASTER PRODUCT FORMAT




**AMSC N/A** **AREA GINT**

**DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.**

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

# FOREWORD

1. This Military Standard is approved for use by all Departments and Agencies of the Department of Defense.

2. Comments, suggestions or questions should be addressed to the National Geospatial-Intelligence Agency (NGA), Architectural and Engineering Group, Attn: GEOINT & IT Standards Division, Mail Stop S83-T, 7500 GEOINT Drive, Springfield, VA 22150, or emailed to ncgis-mail@nga.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

## SUMMARY OF CHANGE 5 MODIFICATIONS

The following modifications to MIL-STD-2411-1 Change Notice 4, 20 August 2020, have been made:

| Paragraph | Modification |
|---|---|
| 5.1.4 | Changed table (codes and descriptions added) |
| 5.2.1 | Changed table (codes and descriptions added) |
| 5.3.2.1 | Changed table (Description for Attribute 1, Parameter 1) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

**CONTENTS**

1 SCOPE ..... 1
1.1 Scope ..... 1
1.2 Purpose ..... 1
1.3 Application ..... 1
1.4 Security ..... 1
2 APPLICABLE DOCUMENTS ..... 1
2.1 General ..... 1
2.2 Government documents ..... 1
2.2.1 Specifications, standards, and handbooks ..... 1
2.2.2 Other Government documents, drawings, and publications ..... 2
2.3 Non-Government publications ..... 2
2.4 Order of precedence ..... 2
3 DEFINITIONS ..... 2
3.1 Acronyms and abbreviations ..... 2
4 GENERAL REQUIREMENTS ..... 3
5 DETAILED REQUIREMENTS ..... 4
5.1 Global data ..... 4
5.1.1 Section/Component ID codes ..... 4
5.1.2 Color/Grayscale section codes ..... 5
5.1.3 Zone codes ..... 8
5.1.4 Data series codes ..... 9
5.1.5 Data series and zone codes ..... 17
5.1.6 Product data types ..... 19
5.1.7 Security country/international codes ..... 19
5.1.8 Security classifications ..... 19
5.1.9 Security release markings ..... 20
5.2 Table of contents data ..... 22
5.2.1 Producer codes ..... 22
5.2.2 Compression ratio code ..... 23
5.3 Frame file data ..... 23
5.3.1 Compression section ..... 23
5.3.2 Attribute section ..... 26
5.3.3 Relationship code ..... 57
5.4 NITF Registered Data Tags ..... 57
6 NOTES ..... 58
6.1 Intended use ..... 58
6.2 Acquisition requirements ..... 58
6.3 Subject term (key word) listing ..... 58
6.4 Changes from previous issue ..... 58



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

## List of TABLES

TABLE I. Data types and their abbreviations ..... 4
TABLE II. Section/component codes ..... 5
TABLE III. Color table codes ..... 6
TABLE IV. Color conversion codes ..... 7
TABLE V. Zone codes ..... 8
TABLE VI. Zone codes for DTED data ..... 9
TABLE VII. Data series codes ..... 9
TABLE VIII. Northern hemisphere – data series/zone codes ..... 17
TABLE IX. Southern hemisphere – data series/zone codes ..... 18
TABLE X. DTED zone format - data series/zone codes ..... 18
TABLE XI. Product data types ..... 19
TABLE XII. Classification codes ..... 19
TABLE XIII. Security release markings ..... 20
TABLE XIV. Producer codes ..... 22
TABLE XV. Compression ratio code ..... 23
TABLE XVI. Compression algorithm codes ..... 24
TABLE XVII. Compression lookup table ..... 25
TABLE XVIII. Compression parameter codes ..... 25
TABLE XIX. Registered attributes and parameters ..... 26
TABLE XX. Horizontal datum codes ..... 38
TABLE XXI. Sounding datum codes ..... 44
TABLE XXII. Vertical datum codes ..... 44
TABLE XXIII. Projection codes and parameters ..... 45
TABLE XXIV. Navigation system codes ..... 46
TABLE XXV. Ellipsoid codes ..... 48
TABLE XXVI. Unit of measure codes ..... 49
TABLE XXVII. Grid codes ..... 50
TABLE XXVIII. Relationship codes ..... 57
TABLE XXIX. NITF registered data tags ..... 57



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

# 1 SCOPE

## 1.1 Scope

This document is a companion document to the military standard for Raster Product Format (RPF), MIL-STD-2411. It contains all registered data values referenced in the standard.

## 1.2 Purpose

This document is intended to supply producers and users of RPF products with the registered data values necessary to produce and interpret RPF data.

## 1.3 Application

The Military Departments, Office of the Secretary of Defense, Organizations of the Joint Chiefs of Staff, and the Defense Agencies of the Department of Defense (collectively known as DoD components) use the information in this document in preparing and accessing digital geographic data required or specified to be in RPF.

## 1.4 Security

This standard is UNCLASSIFIED. The registered data values presented herein may be used for classified processing where appropriate security provisions are added.

# 2 APPLICABLE DOCUMENTS

## 2.1 General

The documents listed in this section are specified in sections 3, 4, or 5 of this standard. This section does not include documents cited in other sections of this standard or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements of documents cited in sections 3, 4, or 5 of this standard, whether or not they are listed.

## 2.2 Government documents

### 2.2.1 Specifications, standards, and handbooks

The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE STANDARDS

MIL-STD-2411 Military Standard for Raster Product Format, with Change Notice 2

(Copies of federal and military specifications, standards, and handbooks are available at https://quicksearch.dla.mil/.)

2.2.2 Other Government documents, drawings, and publications

The following other government documents, drawings and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

NGA.STND.0036_1.0.0_WGS84, Department of Defense World Geodetic System 1984 : Its Definition and Relationships with Local Geodetic Systems, Version 1.0.0, 8 July 2014.

Copies of this standard are available at https://nsgreg.nga.mil.

2.3 Non-Government publications

This section is not applicable to this standard.

2.4 Order of precedence

Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. However, nothing in this document supersedes applicable laws and regulations unless a specific exemption has been obtained.

## 3 DEFINITIONS

### 3.1 Acronyms and abbreviations

a. ASCII American Standard Code for Information Interchange
b. CMYK Cyan, Magenta, Yellow and Black
c. NGA National Geospatial-Intelligence Agency
d. NITF National Imagery Transmission Format
e. RGB Red, Green, Blue
f. RGBM Red, Green, Blue and Monochromatic
g. RPF Raster Product Format
h. VQ Vector Quantization



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

# 4 GENERAL REQUIREMENTS

This document provides all registered data values to be used in products that conform to the RPF military standard (MIL-STD-2411). The data includes identification codes, attribute and parameter tables, and other tables required for RPF products.

RPF includes several distinct file types (e.g., [table of contents file], [frame file]). Some of the registered data values found in this document are unique to particular file types, and others are found in several different file types. The specific registered values are listed in section 5, Detailed Requirements. The format is such that new registered values can easily be added to specific subsections. Where applicable, unused identification codes have been marked as reserved for future use.

Note: Change 4 of MIL-STD-2411-1 resulted in the addition of 18 data series codes to the table in 5.1.4.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

# 5 DETAILED REQUIREMENTS

Section 5 is a listing of the registered data values that are used in RPF products.

Each of the subsections in section 5 will include a description of the registered data unique to that subsection, the code or ID corresponding to the data field, and, in some cases the size and data type of that code. The data types used are listed in TABLE I and defined in MIL-STD-2411. All registered data field types and sizes are defined in MIL-STD-2411.

TABLE I. Data types and their abbreviations

| **Data Type** | **Abbreviation** |
|---|---|
| ASCII string | asci |
| Bit string | bits |
| Byte string | byte |
| Boolean | bool |
| Integer (signed) | ints |
| Integer (unsigned) | uint |
| Real | real |

Section 5.1 describes global data. Global data is defined here as data that can occur in more than one type of RPF file (i.e., <section/component id> values are necessary in all RPF files). Section 5.2 describes data that is used only in the [table of contents file]. Section 5.3 describes data that is used only in the [frame file].

## 5.1 Global data

Data in this section will pertain to information that may be used in more than one type of RPF file.

### 5.1.1 Section/Component ID codes

The following are the valid <section/component id> codes currently defined in MIL-STD-2411.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE II. Section/component codes

| <section/component id> | [section/component] |
|---|---|
| 1-127 | Reserved for future standardization |
| 128 | header component |
| 129 | location component |
| 130 | coverage section subheader |
| 131 | compression section subheader |
| 132 | compression lookup subsection |
| 133 | compression parameter subsection |
| 134 | color/grayscale section subheader |
| 135 | colormap subsection |
| 136 | image description subheader |
| 137 | image display parameters subheader |
| 138 | mask subsection |
| 139 | color converter subsection |
| 140 | spatial data subsection |
| 141 | attribute section subheader |
| 142 | attribute subsection |
| 143 | explicit areal coverage table |
| 144 | related images section subheader |
| 145 | related images subsection |
| 146 | replace/update section subheader |
| 147 | replace/update table |
| 148 | boundary rectangle section subheader |
| 149 | boundary rectangle table |
| 150 | frame file index section subheader |
| 151 | frame file index subsection |
| 152 | color table index section subheader |
| 153 | color table index record |
| 154-65535 | Reserved for future standardization |

### 5.1.2 Color/Grayscale section codes

The following sections define the valid [color/grayscale section] codes currently defined for RPF products, which include <color/grayscale table id> codes and <color converter> codes.

The two types of table id's can be defined as traditional color/grayscale tables that contain values for the various color planes and/or bands within an image, and color converter tables, which define a mapping between two color/grayscale tables. Sections 5.1.2.1 and 5.1.2.2 describe the two [color/grayscale] section codes in more detail.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

5.1.2.1 Color table codes

Each of the color/grayscale tables identified in the table below represents a particular organization of the color planes in the table. For example, a color table containing Red, Green and Blue (RGB) color planes would have an id of one indicating an RGB arrangement of the table. Examples of other arrangements of the color table that are currently registered in RPF include Red, Green, Blue, Monochromatic (RGBM); Monochromatic (M); and Cyan Magenta Yellow, Black (CMYK), which is often used in color printing.

TABLE III. Color table codes

| **<color/grayscale table id>** | **Description** |
|---|---|
| 1<br>2<br>3<br>4 | RGB<br>RGBM<br>M<br>CMYK |
| 5-65535 | Reserved for future standardization |

5.1.2.2 Color conversion codes.

The color conversion table maps the colors from one color/grayscale table into another color/grayscale table. If a user is unable, or does not choose, to use the primary color/grayscale table in an RPF file, the color conversion table can be used to map the primary colors into the closest matching colors within the alternate table. These names used to describe the <color/grayscale table id>'s begin with the letters CCT/. The number immediately after the slash (/) is the <color/grayscale table id> of the primary color table, and the number after the arrow (->) is the alternate color table id. In cases where the primary and alternate color tables contain the same color planes, the numbers after the slashes will be the same. In these cases, the color converter table is often used to map a larger number of colors in the primary color table to a smaller number of colors in the alternate color table.

As an example of the use of a color conversion table, assume that an RPF file has two <color/grayscale table id> values and one <color converter table id> value. The two [color/grayscale table] are RGBM (<color/grayscale table id> = 2) and therefore the appropriate [color converter table would map the primary RGBM into



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

the alternate RGBM, (<color converter table id> = 5). The color conversion table is a mapping of the colors from the primary RGBM color table to the alternate RGBM color table as shown in FIGURE 1. A call to display a color X from the primary color table will be routed to the color conversion table, where the index of X will be mapped to the index of Y, a color in the alternate color table.

TABLE IV. Color conversion codes

| **<color converter table id>** | **Description** |
|---|---|
| 1 | CCT/1->1 |
| 2 | CCT/1->2 |
| 3 | CCT/1->3 |
| 4 | CCT/1->4 |
| 5 | CCT/2->2 |
| 6 | CCT/2->3 |
| 7 | CCT/2->4 |
| 8 | CCT/3->3 |
| 10-65535 | Reserved for future standardization |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.





FIGURE 1. Color mapping between primary and alternate color tables

5.1.3 Zone codes

Zone codes are used in conjunction with the data series codes (5.1.4) to construct the <data series and zone> codes in 5.1.5. For products where zone code and/or data series is not applicable, the <data series and zone code> shall consist of a 3-byte descriptor applicable to a particular product. No <data series and zone> codes are currently registered for such products.

TABLE V. Zone codes

| Zone Number | Equatorward Latitude | Midpoint Latitude | Poleward Latitude |
|---|---|---|---|
| 1,A | 0° | 22.94791772° | 32° |
| 2,B | 32° | 41.12682127° | 48° |
| 3,C | 48° | 52.28859923° | 56° |
| 4,D | 56° | 60.32378942° | 64° |
| 5,E | 64° | 66.09421768° | 68° |
| 6,F | 68° | 70.10896259° | 72° |
| 7,G | 72° | 74.13230145° | 76° |
| 8,H | 76° | 78.17283750° | 80° |
| 9,J | 80° | ——— | 90° |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

5.1.3.1 Zone codes for DTED data

Zone codes are used in conjunction with the data series codes (5.1.4) to construct the <data series and zone> codes in 5.1.5. The zone codes for RPF data that is zoned similar to DTED data have the following zone codes.

TABLE VI. Zone codes for DTED data

| Zone Number | Equatorward Latitude | Poleward Latitude |
|---|---|---|
| 1,6 | 0° | 50° |
| 2,7 | 50° | 70° |
| 3,8 | 70° | 75° |
| 4,9 | 75° | 80° |
| 5,A | 80° | 90° |

5.1.4 Data series codes

The data series codes are used in conjunction with the zone codes (5.1.3) to construct the <data series and zone> codes in 5.1.5. The specific methodology for creating the data series and zone codes is described in MIL-STD-2411.

TABLE VII. Data series codes

| Code | Series Abbr. | Scale/resolution | Data series | RPF data type |
|---|---|---|---|---|
| A1 | CM | 1:10,000 | Combat Charts/LPCs, 1:10,000 scale | CADRG |
| A2 | CM | 1:25,000 | Combat Charts/LPCs, 1:25,000 scale | CADRG |
| A3 | CM | 1:50,000 | Combat Charts/LPCs, 1:50,000 scale | CADRG |
| A4 | CM | 1:100,000 | Combat Charts/LPCs, 1:100,000 scale | CADRG |
| A5 | CM | 1:12,500 | Combat Charts/LPCs, 1:12,500 scale | CADRG |
| A6 | CM | Various | Combat Charts/LPCs, various scales | CADRG |
| AT | ATC | 1:200,000 | Series 200 Air Target Chart | CADRG |
| C1 | CG | 1:10,000 | City Graphics | CADRG |
| C2 | CG | 1:10,560 | City Graphics | CADRG |
| C3 | CG | 1:11,000 | City Graphics | CADRG |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE VII. Data series codes - Continued

| Code | Series Abbr. | Scale/resolution | Data series | RPF data type |
|---|---|---|---|---|
| C4 | CG | 1:11,800 | City Graphics | CADRG |
| C5 | CG | 1:12,000 | City Graphics | CADRG |
| C6 | CG | 1:12,500 | City Graphics | CADRG |
| C7 | CG | 1:12,800 | City Graphics | CADRG |
| C8 | CG | 1:14,000 | City Graphics | CADRG |
| C9 | CG | 1:14,700 | City Graphics | CADRG |
| CA | CG | 1:15,000 | City Graphics | CADRG |
| CB | CG | 1:15,500 | City Graphics | CADRG |
| CC | CG | 1:16,000 | City Graphics | CADRG |
| CD | CG | 1:16,666 | City Graphics | CADRG |
| CE | CG | 1:17,000 | City Graphics | CADRG |
| CF | CG | 1:17,500 | City Graphics | CADRG |
| CG | CG | Various | City Graphics | CADRG |
| CH | CG | 1:18,000 | City Graphics | CADRG |
| CJ | CG | 1:20,000 | City Graphics | CADRG |
| CK | CG | 1:21,000 | City Graphics | CADRG |
| CL | CG | 1:21,120 | City Graphics | CADRG |
| CM | CM | Various | Combat Charts | CADRG |
| CN | CG | 1:22,000 | City Graphics | CADRG |
| CO | CO | Various | Coastal Charts | CADRG |
| CP | CG | 1:23,000 | City Graphics | CADRG |
| CQ | CG | 1:25,000 | City Graphics | CADRG |
| CR | CG | 1:26,000 | City Graphics | CADRG |
| CS | CG | 1:35,000 | City Graphics | CADRG |
| CT | CG | 1:36,000 | City Graphics | CADRG |
| D1[1] | - | 100m | Elevation Data from DTED Level 1 | CDTED |
| D2[1] | - | 30m | Elevation Data from DTED Level 2 | CDTED |
| EG | NARC | 1:11,000,000 | North Atlantic Route Chart | CADRG |
| ES | SEC | 1:500,000 | VFR Sectional | CADRG |
| ET | SEC | 1:250,000 | VFR Sectional Insets | CADRG |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE VII. Data series codes - Continued

| Code | Series Abbr. | Scale/resolution | Data series | RPF data type |
|---|---|---|---|---|
| F1 | TFC-1 | 1:250,000 | Transit Flying Chart (TBD #1) | CADRG |
| F2 | TFC-2 | 1:250,000 | Transit Flying Chart (TBD #2) | CADRG |
| F3 | TFC-3 | 1:250,000 | Transit Flying Chart (TBD #3) | CADRG |
| F4 | TFC-4 | 1:250,000 | Transit Flying Chart (TBD #4) | CADRG |
| F5 | TFC-5 | 1:250,000 | Transit Flying Chart (TBD #5) | CADRG |
| G1 | TLM20 | 1:20,000 | Base TLM 1:20,000 scale | CADRG |
| GN | GNC | 1:5,000,000 | Global Navigation Chart | CADRG |
| HA | HA | Various | Harbor and Approach Charts | CADRG |
| HC | HC | 1:250,000 | Helicopter Route Chart 250 | CADRG |
| I1 | - | 10m | Imagery, 10 meter resolution | CIB |
| I2 | - | 5m | Imagery, 5 meter resolution | CIB |
| I3 | - | 2m | Imagery, 2 meter resolution | CIB |
| I4 | - | 1m | Imagery, 1 meter resolution | CIB |
| I5 | - | .5m | Imagery, .5 (half) meter resolution | CIB |
| IV | - | Various > 10m | Imagery, > 10 meter resolution | CIB |
| JA | JOG-A | 1:250,000 | Joint Operations Graphic - Air | CADRG |
| JG | JOG | 1:250,000 | Joint Operations Graphic | CADRG |
| JN | JNC | 1:2,000,000 | Jet Navigation Chart | CADRG |
| JO | OPG | 1:250,000 | Operational Planning Graphic | CADRG |
| JR | JOG-R | 1:250,000 | Joint Operations Graphic - Radar | CADRG |
| JS | JOG-S | 1:250,000 | Joint Operations Graphic - Special | CADRG |
| JX | JNCAX | 1:3,000,000 | Jet Navigation Chart 3M | CADRG |
| K1 | ICM | 1:8,000 | Image City Maps | CADRG |
| K2 | ICM | 1:10,000 | Image City Maps | CADRG |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE VII. Data series codes - Continued

| Code | Series Abbr. | Scale/resolution | Data series | RPF data type |
|---|---|---|---|---|
| K3 | ICM | 1:10,560 | Image City Maps | CADRG |
| K7 | ICM | 1:12,500 | Image City Maps | CADRG |
| K8 | ICM | 1:12,800 | Image City Maps | CADRG |
| KB | ICM | 1:15,000 | Image City Maps | CADRG |
| KE | ICM | 1:16,666 | Image City Maps | CADRG |
| KM | ICM | 1:21,120 | Image City Maps | CADRG |
| KR | ICM | 1:25,000 | Image City Maps | CADRG |
| KS | ICM | 1:26,000 | Image City Maps | CADRG |
| KU | ICM | 1:36,000 | Image City Maps | CADRG |
| L1 | LFC-1 | 1:500,000 | Low Flying Chart (TBD #1) | CADRG |
| L2 | LFC-2 | 1:500,000 | Low Flying Chart (TBD #2) | CADRG |
| L3 | LFC-3 | 1:500,000 | Low Flying Chart (TBD #3) | CADRG |
| L4 | LFC-4 | 1:500,000 | Low Flying Chart (TBD #4) | CADRG |
| L5 | LFC-5 | 1:500,000 | Low Flying Chart (TBD #5) | CADRG |
| LF | LFC-FR (Day) | 1:500,000 | Low Flying Chart (Day)- Host Nation | CADRG |
| LN | LFC (Night) | 1:500,000 | Low Flying Chart (Night) - Host Nation | CADRG |
| M1 | MIM | Various | Military Installation Map (larger than 1:100K) | CADRG |
| M2 | MIM | Various | Military Installation Map (smaller than 1:100K) | CADRG |
| MH | MIM | 1:25,000 | Military Installation Maps | CADRG |
| MI | MIM | 1:50,000 | Military Installation Maps | CADRG |
| MJ | MIM | 1:100,000 | Military Installation Maps | CADRG |
| MM | - | Various | (Miscellaneous Maps & Charts) | CADRG |
| MS | MTM | 1:100,000 | MGCP Topographic Map 100 | CADRG |
| MT | MTM | 1:50,000 | MGCP Topographic Map 50 | CADRG |
| OA | OPAREA | Various | Naval Range Operating Area Chart | CADRG |
| OH | VHRC | 1:1,000,000 | VFR Helicopter Route Chart | CADRG |
| ON | ONC | 1:1,000,000 | Operational Navigation Chart | CADRG |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE VII. Data series codes - Continued

| Code | Series Abbr. | Scale/resolution | Data series | RPF data type |
|---|---|---|---|---|
| OW | WAC | 1:1,000,000 | High Flying Chart – Host Nation | CADRG |
| P1[2] | - | 1:25,000 | Special Military Map - Overlay | CADRG |
| P2 | - | 1:25,000 | Special Military Purpose | CADRG |
| P3 | - | 1:25,000 | Special Military Purpose | CADRG |
| P4 | - | 1:25,000 | Special Military Purpose | CADRG |
| P5[2] | - | 1:50,000 | Special Military Map - Overlay | CADRG |
| P6 | - | 1:50,000 | Special Military Purpose | CADRG |
| P7 | - | 1:50,000 | Special Military Purpose | CADRG |
| P8 | - | 1:50,000 | Special Military Purpose | CADRG |
| P9[2] | - | 1:100,000 | Special Military Map - Overlay | CADRG |
| PA | - | 1:100,000 | FAA Helicopter | CADRG |
| PB | - | 1:100,000 | Special Military Purpose | CADRG |
| PC | - | 1:100,000 | Special Military Purpose | CADRG |
| PD[2] | - | 1:250,000 | Special Military Map - Overlay | CADRG |
| PE | - | 1:250,000 | Special Military Purpose | CADRG |
| PF | - | 1:250,000 | JOG-A Topo Base | CADRG |
| PG | - | 1:250,000 | Special Military Purpose | CADRG |
| PH | - | 1:500,000 | Special Military Map - Overlay | CADRG |
| PI | - | 1:500,000 | TPC Topo Base | CADRG |
| PJ | - | 1:500,000 | Special Military Purpose | CADRG |
| PK | - | 1:500,000 | Special Military Purpose | CADRG |
| PL | - | 1:1,000,000 | Special Military Map - Overlay | CADRG |
| PM | - | 1:1,000,000 | FAA Helicopter | CADRG |
| PN | - | 1:1,000,000 | ONC Topo Base | CADRG |
| PO | - | 1:1,000,000 | Special Military Purpose | CADRG |
| PP | - | 1:2,000,000 | Special Military Map - Overlay | CADRG |
| PQ | - | 1:2,000,000 | JNC Topo Base | CADRG |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE VII. Data series codes - Continued

| Code | Series Abbr. | Scale/resolution | Data series | RPF data type |
|---|---|---|---|---|
| PR | - | 1:2,000,000 | Special Military Purpose | CADRG |
| PS | - | 1:5,000,000 | Special Military Map - Overlay | CADRG |
| PT | - | 1:5,000,000 | Special Military Purpose | CADRG |
| PU | - | 1:5,000,000 | Special Military Purpose | CADRG |
| PV | - | 1:5,000,000 | GNC Topo Base | CADRG |
| R1 | - | 1:50,000 | Range Charts | CADRG |
| R2 | - | 1:100,000 | Range Charts | CADRG |
| R3 | - | 1:250,000 | Range Charts | CADRG |
| R4 | - | 1:500,000 | Range Charts | CADRG |
| R5 | - | 1:1,000,000 | Range Charts | CADRG |
| RC | RGS-100 | 1:100,000 | Russian General Staff Maps | CADRG |
| RL | RGS-50 | 1:50,000 | Russian General Staff Maps | CADRG |
| RR | RGS-200 | 1:200,000 | Russian General Staff Maps | CADRG |
| RV | Riverine | 1:50,000 | Riverine Map 1:50,000 scale | CADRG |
| RW | Riverine | 1:100,000 | Riverine Map 1:100,000 scale | CADRG |
| SC | TLM100S | 1:100,000 | Base 100K TLM with overlay | CADRG |
| SL | TLM50S | 1:50,000 | Base 50K TLM with overlay | CADRG |
| SQ | TLM24S | 1:24,000 | Base 24K TLM with overlay | CADRG |
| SR | TLM200S | 1:200,000 | Base 200K TLM with overlay | CADRG |
| SS | TLM250S | 1:250,000 | Base 250K TLM with overlay | CADRG |
| ST | TLM25S | 1:25,000 | Base 25K TLM with overlay | CADRG |
| SU | TLM10S | 1:10,000 | Base 10K TLM with overlay | CADRG |
| TC | TLM100 | 1:100,000 | Base TLM 1:100,0000 scale | CADRG |
| TF | TFC (Day) | 1:250,000 | Transit Flying Chart (Day) | CADRG |
| TL | TLM50 | 1:50,000 | Base TLM 1:50,000 scale | CADRG |
| TN | TFC (Night) | 1:250,000 | Transit Flying Chart (Night) - Host nation | CADRG |
| TP | TPC | 1:500,000 | Tactical Pilotage Chart | CADRG |
| TQ | TLM24 | 1:24,000 | Base TLM 1:24,000 scale | CADRG |
| TR | TLM200 | 1:200,000 | Base TLM 1:200,000 scale | CADRG |
| TS | TLM250 | 1:250,000 | Base TLM 1:250,000 scale | CADRG |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE VII. Data series codes - Continued

| Code | Series Abbr. | Scale/resolution | Data series | RPF data type |
|---|---|---|---|---|
| TT | TLM25 | 1:25,000 | Base TLM 1:25,000 scale | CADRG |
| TU | TLM10 | 1:10,000 | Base TLM 1:10,000 scale | CADRG |
| TV | TLMV | Various | Base TLM Various scale | CADRG |
| UC | ALT100 | 1:100,000 | Alternate TLM 100,000 scale | CADRG |
| UL | ALT50 | 1:50,000 | Alternate TLM 1:50,000 | CADRG |
| UR | ALT200 | 1:200,000 | Alternate TLM 1:200,000 | CADRG |
| US | ALT250 | 1:250,000 | Alternate TLM 1:250,000 | CADRG |
| UT | ALT25 | 1:25,000 | Alternate TLM 1:25,000 | CADRG |
| UU | ALT10 | 1:10,000 | Alternate TLM 1:10,000 | CADRG |
| UV | ALTV | Various | Alternate TLM various scale | CADRG |
| V1 | HRC Inset | 1:50,000 | Helicopter Route Chart Inset | CADRG |
| V2 | HRC Inset | 1:62,500 | Helicopter Route Chart Inset | CADRG |
| V3 | HRC Inset | 1:90,000 | Helicopter Route Chart Inset | CADRG |
| V4 | HRC Inset | 1:250,000 | Helicopter Route Chart Inset | CADRG |
| VH | HRC | 1:125,000 | Helicopter Route Chart | CADRG |
| VN | VNC | 1:500,000 | Visual Navigation Charts | CADRG |
| VT | VTAC | 1:250,000 | VFR Terminal Area Chart | CADRG |
| VU | VTAC | 1:1,000,000 | VFR Terminal Area Chart | CADRG |
| VV | VTAC | 1:500,000 | VFR Terminal Area Chart | CADRG |
| WA | - | 1:250,000 | IFR Enroute Low | CADRG |
| WB | - | 1:500,000 | IFR Enroute Low | CADRG |
| WC | - | 1:750,000 | IFR Enroute Low | CADRG |
| WD | - | 1:1,000,000 | IFR Enroute Low | CADRG |
| WE | - | 1:1,500,000 | IFR Enroute Low | CADRG |
| WF | - | 1:2,000,000 | IFR Enroute Low | CADRG |
| WG | - | 1:2,500,000 | IFR Enroute Low | CADRG |
| WH | - | 1:3,000,000 | IFR Enroute Low | CADRG |
| WI | - | 1:3,500,000 | IFR Enroute Low | CADRG |
| WK | - | 1:4,500,000 | IFR Enroute Low | CADRG |
| XD | - | 1:1,000,000 | IFR Enroute High | CADRG |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE VII. Data series codes - Continued

| Code | Series Abbr. | Scale/resolution | Data series | RPF data type |
|---|---|---|---|---|
| XE | - | 1:1,500,000 | IFR Enroute High | CADRG |
| XF | - | 1:2,000,000 | IFR Enroute High | CADRG |
| XG | - | 1:2,500,000 | IFR Enroute High | CADRG |
| XH | - | 1:3,000,000 | IFR Enroute High | CADRG |
| XI | - | 1:3,500,000 | IFR Enroute High | CADRG |
| XJ | - | 1:4,000,000 | IFR Enroute High | CADRG |
| XK | - | 1:4,500,000 | IFR Enroute High | CADRG |
| Y9 | - | 1:16,500,000 | IFR Enroute Area | CADRG |
| YA | - | 1:250,000 | IFR Enroute Area | CADRG |
| YB | - | 1:500,000 | IFR Enroute Area | CADRG |
| YC | - | 1:750,000 | IFR Enroute Area | CADRG |
| YD | - | 1:1,000,000 | IFR Enroute Area | CADRG |
| YE | - | 1:1,500,000 | IFR Enroute Area | CADRG |
| YF | - | 1:2,000,000 | IFR Enroute Area | CADRG |
| YI | - | 1:3,500,000 | IFR Enroute Area | CADRG |
| YJ | - | 1:4,000,000 | IFR Enroute Area | CADRG |
| YZ | - | 1:12,000,000 | IFR Enroute Area | CADRG |
| Z8 | - | 1:16,000,000 | IFR Enroute High/Low | CADRG |
| ZA | - | 1:250,000 | IFR Enroute High/Low | CADRG |
| ZB | - | 1:500,000 | IFR Enroute High/Low | CADRG |
| ZC | - | 1:750,000 | IFR Enroute High/Low | CADRG |
| ZD | - | 1:1,000,000 | IFR Enroute High/Low | CADRG |
| ZE | - | 1:1,500,000 | IFR Enroute High/Low | CADRG |
| ZF | - | 1:2,000,000 | IFR Enroute High/Low | CADRG |
| ZG | - | 1:2,500,000 | IFR Enroute High/Low | CADRG |
| ZH | - | 1:3,000,000 | IFR Enroute High/Low | CADRG |
| ZI | - | 1:3,500,000 | IFR Enroute High/Low | CADRG |
| ZJ | - | 1:4,000,000 | IFR Enroute High/Low | CADRG |
| ZK | - | 1:4,500,000 | IFR Enroute High/Low | CADRG |
| ZT | - | 1:9,000,000 | IFR Enroute High/Low | CADRG |
| ZV | - | 1:10,000,000 | IFR Enroute High/Low | CADRG |
| ZZ | - | 1:12,000,000 | IFR Enroute High/Low | CADRG |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

[1] For user-specified applications of RPF that have not been approved for joint use

[2] Use is restricted to Military Services only, for operational overlay graphics

### 5.1.5 Data series and zone codes

The <data series and zone> codes are three digit alphanumeric codes derived from the two digit Data Series Code (see 5.1.4) and the one-digit Zone Code (see 5.1.3). The following are examples of valid codes currently defined for RPF data. Other valid <data series and zone> codes (for city graphics, etc.) can be created by combining data series codes with the ARC zonecodes in the same fashion.

TABLE VIII. Northern hemisphere – data series/zone codes

| **Data series** | **ZONE** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | **1** | **2** | **3** | **4** | **5** | **6** | **7** | **8** | **9** |
| GN | GN1 | GN2 | GN3 | GN4 | N/A | N/A | GN7 | N/A | GN9 |
| JN | JN1 | JN2 | JN3 | JN4 | JN5 | JN6 | JN7 | JN8 | JN9 |
| ON | ON1 | ON2 | ON3 | ON4 | ON5 | ON6 | ON7 | ON8 | ON9 |
| TP | TP1 | TP2 | TP3 | TP4 | TP5 | TP6 | TP7 | TP8 | TP9 |
| LF | LF1 | LF2 | LF3 | LF4 | LF5 | LF6 | LF7 | LF8 | LF9 |
| JG | JG1 | JG2 | JG3 | JG4 | JG5 | JG6 | JG7 | JG8 | JG9 |
| JA | JA1 | JA2 | JA3 | JA4 | JA5 | JA6 | JA7 | JA8 | JA9 |
| JR | JR1 | JR2 | JR3 | JR4 | JR5 | JR6 | JR7 | JR8 | JR9 |
| TF | TF1 | TF2 | TF3 | TF4 | TF5 | TF6 | TF7 | TF8 | TF9 |
| AT | AT1 | AT2 | AT3 | AT4 | AT5 | AT6 | AT7 | AT8 | AT9 |
| TC | TC1 | TC2 | TC3 | TC4 | TC5 | TC6 | TC7 | TC8 | TC9 |
| TL | TL1 | TL2 | TL3 | TL4 | TL5 | TL6 | TL7 | TL8 | TL9 |
| TT | TT1 | TT2 | TT3 | TT4 | TT5 | TT6 | TT7 | TT8 | TT9 |
| TQ | TQ1 | TQ2 | TQ3 | TQ4 | TQ5 | TQ6 | TQ7 | TQ8 | TQ9 |
| CG | CG1 | CG2 | CG3 | CG4 | CG5 | CG6 | CG7 | CG8 | CG9 |
| CM | CM1 | CM2 | CM3 | CM4 | CM5 | CM6 | CM7 | CM8 | CM9 |
| A1 | A11 | A12 | A13 | A14 | A15 | A16 | A17 | A18 | A19 |
| A2 | A21 | A22 | A23 | A24 | A25 | A26 | A27 | A28 | A29 |
| A3 | A31 | A32 | A33 | A34 | A35 | A36 | A37 | A38 | A39 |
| MI | MI1 | MI2 | MI3 | MI4 | MI5 | MI6 | MI7 | MI8 | MI9 |
| VN | VN1 | VN2 | VN3 | VN4 | VN5 | VN6 | VN7 | VN8 | VN9 |
| I1 | I11 | I12 | I13 | I14 | I15 | I16 | I17 | I18 | I19 |
| I2 | I21 | I22 | I23 | I24 | I25 | I26 | I27 | I28 | I29 |
| I3 | I31 | I32 | I33 | I34 | I35 | I36 | I37 | I38 | I39 |
| I4 | I41 | I42 | I43 | I44 | I45 | I46 | I47 | I48 | I49 |
| IV | IV1 | IV2 | IV3 | IV4 | IV5 | IV6 | IV7 | IV8 | IV9 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE IX. Southern hemisphere – data series/zone codes

| Data series | ZONE | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | A | B | C | D | E | F | G | H | J |
| GN | GNA | GNB | GNC | GND | N/A | N/A | GNG | N/A | GNJ |
| JN | JNA | JNB | JNC | JND | JNE | JNF | JNG | JNH | JNJ |
| ON | ONA | ONB | ONC | OND | ONE | ONF | ONG | ONH | ONJ |
| TP | TPA | TPB | TPC | TPD | TPE | TPF | TPG | TPH | TPJ |
| LF | LFA | LFB | LFC | LFD | LFE | LFF | LFG | LFH | LFJ |
| JG | JGA | JGB | JGC | JGD | JGE | JGF | JGG | JGH | JGJ |
| JA | JAA | JAB | JAC | JAD | JAE | JAF | JAG | JAH | JAJ |
| JR | JRA | JRB | JRC | JRD | JRE | JRF | JRG | JRH | JRJ |
| TF | TFA | TFB | TFC | TFD | TFE | TFF | TFG | TFH | TFJ |
| AT | ATA | ATB | ATC | ATD | ATE | ATF | ATG | ATH | ATJ |
| TC | TCA | TCB | TCC | TCD | TCE | TCF | TCG | TCH | TCJ |
| TL | TLA | TLB | TLC | TLD | TLE | TLF | TLG | TLH | TLJ |
| TT | TTA | TTB | TTC | TTD | TTE | TTF | TTG | TTH | TTJ |
| TQ | TQA | TQB | TQC | TQD | TQE | TQF | TQG | TQH | TQJ |
| CG | CGA | CGB | CGC | CGD | CGE | CGF | CGG | CGH | CGJ |
| CM | CMA | CMB | CMC | CMD | CME | CMF | CMG | CMH | CMJ |
| A1 | A1A | A1B | A1C | A1D | A1E | A1F | A1G | A1H | A1J |
| A2 | A2A | A2B | A2C | A2D | A2E | A2F | A2G | A2H | A2J |
| A3 | A3A | A3B | A3C | A3D | A3E | A3F | A3G | A3H | A3J |
| MI | MIA | MIB | MIC | MID | MIE | MIF | MIG | MIH | MIJ |
| VN | VNA | VNB | VNC | VND | VNE | VNF | VNG | VNH | VNJ |
| I1 | I1A | I1B | I1C | I1D | I1E | I1F | I1G | I1H | I1J |
| I2 | I2A | I2B | I2C | I2D | I2E | I2F | I2G | I2H | I2J |
| I3 | I3A | I3B | I3C | I3D | I3E | I3F | I3G | I3H | I3J |
| I4 | I4A | I4B | I4C | I4D | I4E | I4F | I4G | I4H | I4J |
| IV | IVA | IVB | IVC | IVD | IVE | IVF | IVG | IVH | IVJ |

The following are the valid <data series and zone> codes currently defined for RPF data that are zoned in the DTED zone format.

TABLE X. DTED zone format - data series/zone codes

| Data Series | DTED Zone | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | A |
| D1[1] | D11 | D12 | D13 | D14 | D15 | D16 | D17 | D18 | D19 | D1A |
| D2[1] | D21 | D22 | D23 | D24 | D25 | D26 | D27 | D28 | D29 | D2A |

[1] For user-specified applications of RPF that have not been approved for joint use



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

### 5.1.6 Product data types

The following are the valid <product data type> values currently registered for RPF products.

TABLE XI. Product data types

| Product Data Type | Product Name |
|---|---|
| ADRG | ARC Digitized Raster Graphics |
| ADRI | ARC Digital Raster Imagery |
| CADRG | Compressed ARC Digitized Raster Graphics |
| CIB | Controlled Image Base |
| CDTED[1] | Compressed Digital Terrain Elevation Data |
| DTED[1] | Digital Terrain Elevation Data |

[1] For user-specified applications of RPF that have not been approved for joint use

### 5.1.7 Security country/international codes

For country codes that can be used to populate the 'security country/international code' field in the RPF Data Extension Segment (RPFDES), as well as the 'File Classification Authority' and 'File Release Instructions' fields in the other NITF 2.0 Headers and subheaders, see the 2-character codes found in the Geopolitical Entities and Codes (GEC) Register at https://nsgreg.nga.mil/genc/registers.jsp?register=GEC. Note, the GEC register is not to be confused with the GENC Register within the GENC standard.

### 5.1.8 Security classifications

The following <security classification> codes are defined for RPF.

TABLE XII. Classification codes

| Code | Classification |
|---|---|
| T | Top Secret |
| S | Secret |
| C | Confidential |
| R | Restricted |
| U | Unclassified |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

### 5.1.9 Security release markings

The following <security release marking> codes are defined for RPF.

TABLE XIII. Security release markings

| Code | Release Marking |
|---|---|
| AT | ATOMAL (NATO designation to identify restricted or formerly restricted data) |
| BX | Background use only |
| PI | Caution - Proprietary information involved (PROPIN) |
| CC | Continued Control |
| PX | Copyright |
| CS | COSMIC (Caveat applied to NATO Top Secret) |
| CN | Critical Nuclear Weapon Design Information/DoD directive 5210.2 applies (CNWDI) |
| CR | Cryptographic (CRYPTO) |
| OR | Dissemination and Extraction Of information controlled by originator (ORCON) |
| DS | Distribution Limited-Destroy when no longer needed (LIMDIS) |
| TX | Encrypted for Transmission Only |
| FO | For Official Use Only (FOUO) |
| RF | Formerly restricted data (FRD) |
| IC | Intelligence Components Only |
| LA | Limited |
| LU | Limited official use |
| UB | NFIB (National Foreign Intelligence Board) departments only (NFIB ONLY) |
| DA | No Dissemination Abroad |
| NT | Noncompartmented |
| NC | Not releasable to contractors/consultants |
| FN | Not releasable to foreign national (DoD) |
| NF | Not releasable to foreign nationals (NOFORN) |
| NS | NSC Participating Agencies Only |
| IN | Personal Data - Privacy Act |
| EZ | Releasable to Republic of Vietnam |
| RD | Restricted Data (RD) |
| SA | SAO |
| SL | SAO Handling Caveat #1 (SAO-1) |
| HA | SAO Handling Caveat #2 (SAO-2) |
| HB | SAO Handling Caveat #3 (SAO-3) |
| SK | SAO Special Intelligence Handling Caveat #2 (SAO-SI-2) |
| HC | SAO Special Intelligence Handling Caveat #3 (SAO-SI-3) |
| HD | SAO Special Intelligence Handling Caveat #4 (SAO-SI-4) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XIII. Security release markings - Continued

| Code | Release Marking |
|---|---|
| SH | Single Integrated Operational Plan (SIOP) |
| SE | Single Integrated Operational Plan/Extremely Sensitive Information (SIOP/ESI) |
| SC | Special Control |
| SU | Special Handling Required/Not Releasable to foreign Nationals |
| SI | Special Intelligence (SI) |
| SN | Special Intelligence Handling Caveat #1 (SI-1) |
| EP | Authorized for release to Australia (REL AUSTRALIA) |
| EN | Authorized for release to Canada (REL CANADA) |
| ER | This information has been authorized for release to CENTO (REL CENTO) |
| BZ | Authorized for release to Chile (REL CHILE) |
| EK | Authorized for release to Denmark (REL DENMARK) |
| EQ | Authorized for release to Federal Republic of Germany (FEDERAL REPUBLIC OF GERMANY) |
| FR | Authorized for release to France (REL FRANCE) |
| IG | Authorized for release to Greece (REL GREECE) |
| FV | Authorized for release to Israel (REL ISRAEL) |
| FY | Authorized for release to Italy (REL ITALY) |
| PM | Authorized for release to Japan (REL JAPAN) |
| MR | Authorized for release to Jordan (REL JORDAN) |
| ET | Authorized for release to NATO (REL NATO) |
| FP | Authorized for release to NATO Forces (REL NATO FORCES) |
| FC | Authorized for release to New Zealand (REL NEW ZEALAND) |
| EF | Authorized for release to Norway (REL NORWAY) |
| FX | Authorized for release to Taiwan (REL TAIWAN) |
| EO | Authorized for release to Republic of Korea (REL REPUBLIC OF KOREA) |
| ES | This Information has been Authorized for release to SEATO (REL SEATO) |
| IS | Authorized for release to Denmark |
| FW | Authorized for release to Spain (REL SPAIN) |
| ED | Authorized for release to Sweden (REL SWEDEN) |
| PF | Authorized for release to Thailand (REL THAILAND) |
| EA | Authorized for release to Turkey (REL TURKEY) |
| WN | Authorized for release to United Kingdom (REL UNITED KINGDOM) |
| WI | Warning Notice – Intel Sources or Methods (WNINTEL) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

### 5.2 Table of contents data

This section defines codes that are used primarily in the RPF [table of contents file].

#### 5.2.1 Producer codes

The following are the valid <producer code> values currently registered for RPF products.

TABLE XIV. Producer codes

| ID | Producer code | Producer |
|---|---|---|
| 1 | AFACC | Air Force Air Combat Command |
| 2 | AFESC | Air Force Electronic Systems Center |
| 3 | ASG1 | Allied System for Geospatial Intelligence (US) |
| 4 | ASG2 | Allied System for Geospatial Intelligence (UK) |
| 5 | ASG3 | Allied System for Geospatial Intelligence (CA) |
| 6 | ASG4 | Allied System for Geospatial Intelligence (AS-Bendigo) |
| 7 | SOCAF | Air Force Special Operations Command |
| 8 | SOCOM | United States Special Operations Command |
| 9 | PACAF | Pacific Air Forces |
| A | USAFE | United States Air Force, Europe |
| B | Non-DoD (NonDD) | US producer outside the Department of Defense |
| C | Non-US (NonUS) | All CADRG Produced for NATO by NATO member, includes overlays, annotations |
| D | NGA DCHUM (DCHUM) | NGA-produced overlay on NGA base frame |
| E | Non-NGA DCHUM (DCHMD) | Other US DoD-produced overlay on NGA base frame |
| F | Non-US DCHUM (DCHMF) | Non-US producer of overlay on ASG base frame |
| G | Non-DoD DCHUM (DCHMG) | US Non-DoD producer of overlay on NGA Base frame |
| H | IMG2RPF | Non-specified, Imagery formatted to RPF |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

| ID | Producer code | Producer |
|---|---|---|
| M | ASG5 | Allied System for Geospatial Intelligence (AS-Melbourne) |
| N | ASG6 | Allied System for Geospatial Intelligence (NZ) |
| I-L | | Reserved for future standardization |
| O-Z | | Reserved for future standardization |

#### 5.2.2 Compression ratio code

The compression ratio code is an ASCII field within the [table of contents] file of RPF products. Examples of text that may be found in this field are given below.

TABLE XV. Compression ratio code

| Code | Description |
|---|---|
| 55:1 | Digital product compressed approximately 55:1 with respect to the uncompressed data |
| 12:1 | Digital product compressed approximately 12:1 with respect to the uncompressed data |
| 48:1 | Digital product compressed approximately 48:1 with respect to the uncompressed data |
| UNC | Uncompressed RPF product |
| VAR | Variable compression ratio |

### 5.3 Frame file data

This section defines codes that are used in the RPF [frame file].

#### 5.3.1 Compression section

RPF data can be in a compressed or uncompressed format. This compression section defines valid codes for compression scheme parameters.

##### 5.3.1.1 Compression algorithm ID

The following are the valid <compression algorithm id> values currently registered for RPF products.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XVI. Compression algorithm codes

| ID | Compression Algorithm |
|---|---|
| 1 | VQ |
| 2 | JPEG Lossless[1] |
| 3-65535 | Reserved for future standardization |

[1] For user-specified applications of RPF that have not been approved for joint use



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

#### 5.3.1.2 Compression lookup table ID

The following are the valid <compression lookup table id> values currently registered for RPF products.

TABLE XVII. Compression lookup table

| ID | Compression Lookup Table |
|---|---|
| 1 | 1x4 Row 0 VQ |
| 2 | 1x4 Row 1 VQ |
| 3 | 1x4 Row 2 VQ |
| 4 | 1x4 Row 3 VQ |
| 5 | 4x4 VQ |
| 6 | 2x2 VQ |
| 7 | Huffman Code[1] |
| 8 | Length of Huffman Code[1] |
| 9 | Huffman Value[1] |
| 10-65535 | Reserved for future standardization |

[1] For user-specified applications of RPF that have not been approved for joint use

#### 5.3.1.3 Compression parameter ID

The <compression parameter id> is a code which identifies parameters which may be used in the [compression section] of an RPF [frame file]. Not all compression schemes require <compression parameter id> codes.

TABLE XVIII. Compression parameter codes

| ID | Compression Parameter |
|---|---|
| 1 | JPEG data stream for Huffman table structure[1] |
| 2-65535 | Reserved for future standardization |

[1] For user-specified applications of RPF that have not been approved for joint use

#### 5.3.1.4 Compression parameter value

The <compression parameter value> can be either an explicit value to be used in a compression scheme or an index to a table used in the compression of RPF [frame file]s. Not all compression schemes require <compression parameter> values. Currently no <compression parameter> values are registered.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

### 5.3.2 Attribute section

The attribute section in RPF products defines ancillary or qualifying information about the data within the [frame file]. The following tables list currently registered attributes and parameters for RPF products.

TABLE XIX. Registered attributes and parameters

| Attr ID | Attribute Description | Number of Parameters |
|---|---|---|
| 1 | Currency Date | 1 |
| 2 | Production Date | 1 |
| 3 | Significant Date | 1 |
| 4 | Map/Chart Source | 4 |
| 5 | Projection System | 5 |
| 6 | Vertical Datum | 1 |
| 7 | Horizontal Datum | 1 |
| 8 | Vertical Absolute Accuracy | 2 |
| 9 | Horizontal Absolute Accuracy | 2 |
| 10 | Vertical Relative Accuracy | 2 |
| 11 | Horizontal Relative Accuracy | 2 |
| 12 | Ellipsoid | 1 |
| 13 | Sounding Datum | 1 |
| 14 | Navigation System | 1 |
| 15 | Grid | 1 |
| 16 | Easterly Annual Magnetic Change | 2 |
| 17 | Westerly Annual Magnetic Change | 2 |
| 18 | Grid North-Magnetic North Angle | 2 |
| 19 | Grid Convergence Angle | 2 |
| 20 | Highest Known Elevation | 4 |
| 21 | Multiple Legend | 1 |
| 22 | Image Source Data | 2 |
| 23[1] | Data Level | 1 |
| 24 | Chart Update Information | 7 |
| 25 | Contour Interval | 2 |

[1] For user-specified applications of RPF that have not been approved for joint use

#### 5.3.2.1 Attribute and parameter descriptions

The following are the valid parameters associated with attributes listed above and currently registered for RPF products.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

Currency Date (ID ::= 1)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Currency Date | Oldest significant date of the sources contributing to the [frame file], in the form YYYYMMDD. |
| Data Type | asci:8 | |

Production Date (ID ::= 2)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Production Date | Date that the source data was transformed to RPF format, in the form YYYYMMDD. |
| Data Type | asci:8 | |

Significant Date (ID ::= 3)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Significant Date | Date that most accurately describes the basic date of the source product, in the form YYYYMMDD. It can be the completion date, compilation date, collection date, revision date, or other date depending on the product and circumstances. |
| Data Type | asci:8 | |

Map/Chart Source (ID ::= 4)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Data series designation | A short title for the identification of a group of products usually having the same scale and/or cartographic specification (e.g., JOG 1501A, JOG 1501G, or JOG 1501C). |
| Data Type | asci:10 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

| | | |
|---|---|---|
| Parameter ID | 2 | Description<br><br>The designation, within the data series, of the hardcopy source (e.g., if the hardcopy source is ONC G18, then the map designation is "G18". |
| Parameter Name | Map Designation | |
| Data Type | asci:8 | |
| Parameter ID | 3 | Description<br><br>Original horizontal datum of the hardcopy product. A list of horizontal datum codes is given in 5.3.2.2. |
| Parameter Name | Old Horizontal Datum Code | |
| Data Type | asci:4 | |
| Parameter ID | 4 | Description<br><br>Edition number of the source graphic, which uniquely identifies a product within a series and item number. |
| Parameter Name | Edition Identifier | |
| Data Type | asci:7 | |

Projection System (ID ::= 5)

| | | |
|---|---|---|
| Parameter ID | 1 | Description<br><br>Projection of the source hardcopy graphic, as listed in 5.3.2.3. |
| Parameter Name | Projection Code | |
| Data Type | asci:2 | |
| Parameter ID | 2 | Description<br><br>The value of the first projection parameter. A definition of the first projection parameter is given in 5.3.2.3. |
| Parameter Name | Projection Parameter A | |
| Data Type | real:4 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

| | | |
|---|---|---|
| Parameter ID | 3 | Description<br><br>The value of the second projection parameter. A definition of the second projection parameter is given in 5.3.2.3. |
| Parameter Name | Projection Parameter B | |
| Data Type | real:4 | |
| Parameter ID | 4 | Description<br><br>The value of the third projection parameter. A definition of the third projection parameter is given in 5.3.2.3. |
| Parameter Name | Projection Parameter C | |
| Data Type | real:4 | |
| Parameter ID | 5 | Description<br><br>The value of the fourth projection parameter. A definition of the fourth projection parameter is given in 5.3.2.3. |
| Parameter Name | Projection Parameter D | |
| Data Type | real:4 | |

[1] A full description of the projection systems and their parameters can be found in NGA.SIG.0012.

Vertical Datum (ID ::= 6)

| | | |
|---|---|---|
| Parameter ID | 1 | Description<br><br>Vertical datum of this RPF [frame file] or areal extent, as listed in 5.3.2.2. |
| Parameter Name | Vertical Datum Code | |
| Data Type | asci:4 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

Horizontal Datum (ID ::= 7)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Horizontal Datum Code | Horizontal datum of this RPF [frame file] or areal extent, as listed in 5.3.2.2. |
| Data Type | asci:4 | |

Vertical Absolute Accuracy (ID ::= 8)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Vertical Absolute Accuracy | Vertical absolute accuracy of this RPF [frame file] or areal extent. |
| Data Type | uint:4 | |
| Parameter ID | 2 | Description |
| Parameter Name | Accuracy Units of Measure | Units of measure for the vertical absolute accuracy, as listed in 5.3.2.6. |
| Data Type | uint:2 | |

Horizontal Absolute Accuracy (ID ::= 9)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Horizontal Absolute Accuracy | Horizontal absolute accuracy of this RPF [frame file] or areal extent. |
| Data Type | uint:4 | |
| Parameter ID | 2 | Description |
| Parameter Name | Accuracy Units of Measure | Units of measure for the horizontal absolute accuracy, as listed in 5.3.2.6. |
| Data Type | uint:2 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

Vertical Relative Accuracy (ID ::= 10)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Vertical Relative Accuracy | Vertical relative accuracy of this RPF [frame file] or areal extent. |
| Data Type | uint:4 | |
| Parameter ID | 2 | Description |
| Parameter Name | Accuracy Units of Measure | Units of measure for the vertical relative accuracy, as listed in 5.3.2.6. |
| Data Type | uint:2 | |

Horizontal Relative Accuracy (ID ::= 11)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Horizontal Relative Accuracy | Horizontal relative accuracy of this RPF [frame file] or areal extent. |
| Data Type | uint:4 | |
| Parameter ID | 2 | Description |
| Parameter Name | Accuracy Units of Measure | Units of measure for the horizontal relative accuracy, as listed in 5.3.2.6. |
| Data Type | uint:2 | |

Ellipsoid (ID ::= 12)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Ellipsoid Code | Ellipsoid used in this RPF [frame file] or areal extent, as listed in 5.3.2.5. |
| Data Type | asci:3 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

Sounding Datum (ID ::= 13)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Sounding Datum Code | Sounding datum used in this RPF [frame file] or areal extent, as listed in 5.3.2.2. |
| Data Type | asci:4 | |

Navigation System (ID ::= 14)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Navigation System Code | Navigation system used in this RPF [frame file] or areal extent, as listed in 5.3.2.4. |
| Data Type | uint:2 | |

Grid (ID ::= 15)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Grid Code | Grid code for this RPF [frame file] or areal extent, as listed in 5.3.2.7. |
| Data Type | asci:2 | |

Easterly Annual Magnetic Change (ID ::= 16)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Easterly Annual Magnetic Change | Annual magnetic change in the easterly direction for this RPF [frame file] or areal extent. |
| Data Type | real:4 | |
| Parameter ID | 2 | Description |
| Parameter Name | Units of Magnetic Change | Units for the magnetic change, as listed in 5.3.2.6. |
| Data Type | uint:2 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

Westerly Annual Magnetic Change (ID ::= 17)

| | | |
|---|---|---|
| Parameter ID | 1 | Description |
| Parameter Name | Westerly Annual Magnetic Change | Annual magnetic change in the westerly direction for this RPF [frame file] or areal extent. |
| Data Type | real:4 | |
| Parameter ID | 2 | Description |
| Parameter Name | Units of Magnetic Change | Units for the magnetic change, as listed in 5.3.2.6. |
| Data Type | uint:2 | |

Grid North-Magnetic North Angle (ID ::= 18)

| | | |
|---|---|---|
| Parameter ID | 1 | Description |
| Parameter Name | Grid North-Magnetic North (G-M) Angle | Angle between north/south grid lines and magnetic north in this [frame file] or areal extent. |
| Data Type | real:4 | |
| Parameter ID | 2 | Description |
| Parameter Name | Units of Angle | Units of measure for the grid north-magnetic north angle, as listed in 5.3.2.6. |
| Data Type | uint:2 | |

Grid Convergence Angle (ID ::= 19)

| | | |
|---|---|---|
| Parameter ID | 1 | Description |
| Parameter Name | Grid Convergence Angle | Angle between grid north and true north in this [frame file] or areal extent. |
| Data Type | real:4 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

| | | |
|---|---|---|
| Parameter ID | 2 | Description<br><br>Units of measure for the grid convergence angle, as listed in 5.3.2.6. |
| Parameter Name | Units of Angle | |
| Data Type | uint:2 | |

Highest Known Elevation (ID ::= 20)

| | | |
|---|---|---|
| Parameter ID | 1 | Description<br><br>Highest known elevation for the RPF frame or areal extent. |
| Parameter Name | Highest Known Elevation | |
| Data Type | real:8 | |
| Parameter ID | 2 | Description<br><br>Units of measure for the highest known elevation, as listed in 5.3.2.6. |
| Parameter Name | Units of elevation | |
| Data Type | uint:2 | |
| Parameter ID | 3 | Description<br><br>Latitude in decimal degrees of the highest known elevation point within this RPF [frame file] or areal extent. |
| Parameter Name | Latitude of elevation | |
| Data Type | real:8 | |
| Parameter ID | 4 | Description<br><br>Longitude in decimal degrees of the highest known elevation point within this RPF [frame file] or areal extent. |
| Parameter Name | Longitude of elevation | |
| Data Type | real:8 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

Multiple Legend (ID ::= 21)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Legend File Name | Location of the legend files that apply to the source maps depicted in the file extents. Use directory name (e.g. map/chart series or city name + sheet number) |
| Data Type | asci:12 | |

Data Source (ID ::= 22)

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Data Source | Source of the data from which this RPF data was derived. For CIB: examples include "SPOT", "Landsat7". For CADRG: a map producer country code (see codelist reference in 5.1.7), comma separated if multiple producers. For the CDTED product, examples of this attribute include “imagery”, “carto”.1 |
| Data Type | asci:12 | |
| Parameter ID | 2 | Description |
| Parameter Name | GSD | For CIB: Ground Sample or post Distance of the RPF data. For CADRG: N/A |
| Data Type | uint:4 | |

Data Level (ID ::= 23)[1]

| Parameter ID | 1 | Description |
|---|---|---|
| Parameter Name | Data Level | The level of the source for this data. For the CDTED product, this attribute would be used to distinguish between DTED/CDTED level 1 and DTED/CDTED level 2. |
| Data Type | uint:2 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

[1] For-user specified applications of RPF that have not been approved for joint use

Chart Update Information (ID : := 24)

| | | |
|---|---|---|
| Parameter ID | 1 | Description<br><br>The total number of updates associated with this [frame file]. |
| Parameter Name | Number of Updates | |
| Data Type | uint:2 | |
| Parameter ID | 2 | Description<br><br>The sequence number of this update. |
| Parameter Name | Update Number | |
| Data Type | Uint:2 | |
| Parameter ID | 3 | Description<br><br>The date associated with the update. This date is the date found in the OCF information, in the form YYYYMMDD. |
| Parameter Name | Update Date | |
| Data Type | asci:8 | |
| Parameter ID | 4 | Description<br><br>The number of subframes impacted by this update. |
| Parameter Name | Number of Subframes Impacted | |
| Data Type | uint: 2 | |
| Parameter ID | 5 | Description<br><br>An array of integers representing the list of subframes affected by the change. Each entry in the array is 2 bytes and the number of entries is specified by the “number of subframes”, indicated by parameter 4. |
| Parameter Name | List of Subframes | |
| Data Type | (uint:2) x (value of parameter 4) | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

| | | |
|---|---|---|
| Parameter ID | 6 | Description<br><br>The number of characters in the description of the change. |
| Parameter Name | Number of Characters in Description | |
| Data Type | uint:2 | |
| Parameter ID | 7 | Description<br><br>A description of the change, as described in the OCF information. The length of this description is specified by the "Number of Characters in Description" indicated by parameter 6. |
| Parameter Name | Change Description | |
| Data Type | asci: var | |

Contour Interval (ID ::= 25)

| | | |
|---|---|---|
| Parameter ID | 1 | Description<br><br>Contour interval of the map or chart. |
| Parameter Name | Contour Interval | |
| Data Type | uint:2 | |
| Parameter ID | 2 | Description<br><br>Unit of measurement for the contour interval as specified in Section 5.3.2.6. |
| Parameter Name | Unit of Measurement | |
| Data Type | uint:2 | |

### 5.3.2.2 Datum codes

The following are the valid datum codes currently registered for RPF products, and as taken from NGA.STND.0036.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XX. Horizontal datum codes

| Code | Name (Region) |
|---|---|
| ADIM | Adindan (Mean value: Ethiopia and Sudan) |
| ADIA | Adindan (Ethiopia) |
| ADIB | Adindan (Sudan) |
| ADIC | Adindan (Mali) |
| ADID | Adindan (Senegal) |
| ADIF | Adindan (Cameroon) |
| ADIE | Adindan (Burkina Faso) |
| AFG | Afgooye (Somalia) |
| AIA | Antigua Island Astro 1943 Antigua (Leeward Islands) |
| AINA | Ain el Abd 1970 (Bahrain Island) |
| AINB | Ain el Abd 1970 (Saudi Arabia) |
| ANO | Anna 1 Astro (Cocos Islands) |
| ARFM | Arc 1950 (Mean value: Botswana, Lesotho, Malawi, Swaziland, Zaire, Zambia, and Zimbabwe) |
| ARFA | Arc 1950 (Botswana) |
| ARFB | Arc 1950 (Lesotho) |
| ARFC | Arc 1950 (Malawi) |
| ARFD | Arc 1950 (Swaziland) |
| ARFE | Arc 1950 (Zaire) |
| ARFF | Arc 1950 (Zambia) |
| ARFG | Arc 1950 (Zimbabwe) |
| ARFH | Arc 1950 (Burundi) |
| ARSM | Arc 1960 (Mean value: Kenya, Tanzania) |
| ARSA | Arc 1960 (Kenya) |
| ARSB | Arc 1960 (Tanzania) |
| ASC | Ascension Island 1958 (Ascension Island) |
| ATF | Astro Beacon "E" (Iwo Jima Island) |
| TRN | Astro Tern Is. 1961 (Tern Island, Hawaii) |
| SHB | Astro Dos 71/4 (St. Helena Island) |
| ASQ | Astro Station 1952 (Marcus Island) |
| AUA | Australian Geod. 1966 (Australia and Tasmania Is.) |
| AUG | Australian Geod. 1984 (Australia and Tasmania Is.) |
| PHA | Ayabelle Lighthouse (Djibouti) |
| IBE | Bellevue (IGN (Efate and Erromango Islands) |
| BER | Bermuda 1957 (Bermuda Islands) |
| BID | Bissau (Guinea-Bissau) |
| BOO | Bogota Observatory (Colombia) |
| BUR | Bukit Rimpah (Bangka and Belitum Islands, Indonesia) |
| CAZ | Camp Area Astro (Camp McMurdo Area, Antarctica) |
| CAI | Campo Inchauspe (Argentina) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XX. Horizontal datum codes - Continued

| Code | Name (Region) |
|---|---|
| CAO | Canton Astro 1966 (Phoenix Islands) |
| CAP | Cape (South Africa) |
| CAC | Cape Canaveral (Mean value: Florida and Bahama Islands) |
| CGE | Carthage (Tunisia) |
| CHI | Chatham 1971 (Chatham Island, New Zealand) |
| CHU | Chua Astro (Paraguay) |
| COA | Corrego Alegre (Brazil) |
| DAL | Dabola (Guinea) |
| BAT | Djakarta (Batavia) Sumatra Island, Indonesia) |
| GIZ | DOS 1968 0230 (Gizo Island, New Georgia Islands) |
| EAS | Easter Island 1967 (Easter Island) |
| EURM | European 1950 (Mean Value: Austria, Belgium, Denmark, Finland, France, Federal Republic of Germany, Gibraltar, Greece, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden and Switzerland) |
| EURA | European 1950 (Western Europe: Austria, Denmark, France, Federal Republic of Germany, Netherlands, and Switzerland) |
| EURB | European 1950 (Greece) |
| EURC | European 1950 (Norway and Finland) |
| EURD | European 1950 (Portugal and Spain) |
| EURE | European 1950 (Cyprus) |
| EURF | European 1950 (Egypt) |
| EURH | European 1950 (Iran) |
| EURI | European 1950 (Sardinia) |
| EURJ | European 1950 (Sicily) |
| EURK | European 1950 (England, Channel Islands, Ireland, Northern Ireland, Scotland, Shetland Islands, and Wales) |
| EURL | European 1950 (Malta) |
| EURS | European 1950 (Mean Value: Iraq, Israel, Jordan, Lebanon, Kuwait, Saudi Arabia, Syria) |
| EUS | European 1979 (Mean value: Austria, Finland, Netherlands, Norway, Spain, Sweden, and Switzerland) |
| FOT | Fort Thomas 1955 (Nevis, Saint Kitts, Leeward Islands) |
| GAA | GAN Datum (Addu Atoll, Republic of Maldives) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XX. Horizontal datum codes - Continued

| Code | Name (Region) |
|---|---|
| GEO | Geodetic Datum 1949 (New Zealand) |
| GUA | Guam 1963 (Guam Island) |
| GSE | Genung Segara (Kalimantan Island, Indonesia) |
| DOB | GUX 1 Astro (Guadalcanal Island) |
| HEN | Herat (North Afghanistan) |
| HJO | Hjorsey 1955 (Iceland) |
| HKD | Hong Kong 1963 (Hong Kong) |
| HTN | Hu-Tzu-Shan (Taiwan) |
| INFA | Indian 1954 (Thailand and Vietnam) |
| INHA | Indian 1975 (Thailand) |
| INDI | Indian (India and Nepal) |
| INDB | Indian (Bangladesh) |
| IRL | Ireland 1965 (Ireland and Northern Ireland) |
| ISG | ISTS 061 Astro 1968 (South Georgia Islands) |
| IST | ISTS 073 Astro 1969 (Diego Garcia) |
| JOH | Johnston Island 1961 (Johnston Island) |
| KAN | Kandawala (Sri Lanka) |
| KEG | Kerguelen Island 1949 (Kerguelen Island) |
| KEA | Kertau 1948 (West Malaysia and Singapore) |
| KUS | Kusaie Astro 1951 (Caroline Islands) |
| LCF | L.C. 5 Astro 1961 (Cayman Brac Island) |
| LEH | Leigon (Ghana) |
| LIB | Liberia 1964 (Liberia) |
| LUZA | Luzon (Philippines except Mindanao Island) |
| LUZB | Luzon (Mindanao Island, Philippines) |
| MPO | M'Poraloko (Gabon) |
| MIK | Mahe 1971 (Mahe Island) |
| MAR | Marco Astro (Salvage Islands) |
| MAS | Massawa (Eritrea, Ethiopia) |
| MER | Merchich (Morocco) |
| MID | Midway Astro 1961 (Midway Island) |
| MINA | Minna (Cameroon) |
| MIN | Minna (Nigeria) |
| ASM | Montserrat Island Astro 1958 (Montserrat, Leeward Islands) |
| NAHA | Nahrwan (Masirah Island, Oman) |
| NAHB | Nahrwan (United Arab Emirates) |
| NAHC | Nahrwan (Saudi Arabia) |
| NAP | Naparima (BWI Trinidad and Tobago) |
| NAS | North American 1927 (Mean Value) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XX. Horizontal datum codes - Continued

| Code | Name (Region) |
|---|---|
| NASC | North American 1927 (Mean value: CONUS) |
| NASA | North American 1927 (Eastern US) |
| NASB | North American 1927 (Western US) |
| NASD | North American 1927 (Alaska) |
| NASQ | North American 1927 (Bahamas, except San Salvador Island) |
| NASR | North American 1927 (San Salvador Island) |
| NASE | North American 1927 (Mean value: Canada) |
| NASF | North American 1927 (Alberta and British Columbia) |
| NASG | North American 1927 (Newfoundland, New Brunswick, Nova Scotia, and Quebec) |
| NASH | North American 1927 (Manitoba and Ontario) |
| NASI | North American 1927 (Northwest Territories and Saskatchewan) |
| NASJ | North American 1927 (Yukon) |
| NASO | North American 1927 (Canal Zone) |
| NASP | North American 1927 (Caribbean, Barbados, Caicos Islands, Cuba, Dominican Republic, Grand Cayman, Jamaica, Leeward Islands, and Turks Islands) |
| NASN | North American 1927 (Central America - Belize, Costa Rica, El Salvador, Guatemala, Honduras, and Nicaragua) |
| NAST | North American 1927 (Cuba) |
| NASU | North American 1927 (Hayes, Peninsula, Greenland) |
| NASL | North American 1927 (Mexico) |
| NAR | North American 1983 (Mean Value: Alaska, Canada, CONUS, Mexico, and Central America) |
| FLO | Observatorio 1966 (Corvo and Flores Islands, Azores) |
| OEG | Old Egyptian (Egypt) |
| OHAM | Old Hawaiian (Mean value) |
| OHAA | Old Hawaiian (Hawaii) |
| OHAB | Old Hawaiian (Kauai) |
| OHAC | Old Hawaiian (Maui) |
| OHAD | Old Hawaiian (Oahu) |
| FAH | Oman (Oman) |
| OGBM | Ord. Survey G. G. 1936 (Mean Value: England, Isle of Man, Scotland, Shetland, and Wales) |
| OGBA | Ord. Survey G.B. 1936 (England) |
| OGBB | Ord. Survey G.G. 1936 (England, Isle of Man, and Wales) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XX. Horizontal datum codes - Continued

| Code | Name (Region) |
|---|---|
| OGBC | Ord. Survey G.B. 1936 (Scotland and Shetland Islands) |
| OGBD | Ord. Survey G. B. 1936 (Wales) |
| PLN | Pico de las Nieves (Canary Islands) |
| PIT | Pitcairn Astro 1967 (Pitcairn Island) |
| PTB | Point 58 (Mean Value: Burkina Faso and Niger) |
| PON | Pointe Noire 1948 (Congo) |
| POS | Porto Santo 1936 (Porto Santo, Madeira Islands) |
| HIT | Prov. S. Chilean (S. Chile, 53 S.) |
| PRPM | Prov. S. Amer. 1956 (Mean value: Bolivia, Chile, Colombia, Ecuador, Guyana, Peru and Venezuela) |
| PRPB | Prov. S. Amer. 1956 (Northern Chile near 19 degrees south) |
| PRPC | Prov. S. Amer. 1956 (Southern Chile near 43 degrees south) |
| PRPD | Prov. S. Amer. 1956 (Columbia) |
| PRPE | Prov. S. Amer. 1956 (Ecuador) |
| PRPF | Prov. S. Amer. 1956 (Guyana) |
| PRPG | Prov. S. Amer. 1956 (Peru) |
| PRPH | Prov. S. Amer. 1956 (Venezuela) |
| PUR | Puerto Rico (Puerto Rico and Virgin Islands) |
| QAT | Qatar National (Qatar) |
| QUO | Qornog (South Greenland) |
| REU | Reunion (Mascarene Island) |
| MOD | Rome 1940 (Sardinia Island) |
| SAE | Santo (DOS) 1965 (Espirito Santo Island) |
| SAO | Sao Braz (Sao Miguel, Santa Maria Islands, Azores) |
| SAP | Sapper Hill 1943 (East Falkland Islands) |
| SCK | Schwarzeck (Namibia) |
| SGM | Selvagem Grande (Salvage Islands) |
| SANM | South American 1969 (Mean value: Argentina, Bolivia, Brazil, Chile, Columbia, Ecuador, Guyana, Paraguay, Peru, Trinidad and Tobago, and Venezuela) |
| SANA | South American 1969 (Argentina) |
| SANB | South American 1969 (Bolivia) |
| SANC | South American 1969 (Brazil) |
| SAND | South American 1969 (Chile) |
| SANE | South American 1969 (Columbia) |
| SANF | South American 1969 (Ecuador excluding Galapagos Islands) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XX. Horizontal datum codes - Continued

| Code | Name (Region) |
|---|---|
| SANG | South American 1969 (Guyana) |
| SANH | South American 1969 (Paraguay) |
| SANI | South American 1969 (Peru) |
| SANJ | South American 1969 (Ecuador including Baltra and Galapagos Islands) |
| SANK | South American 1969 (Trinidad and Tobago) |
| SANL | South American 1969 (Venezuela) |
| SOA | South Asia (Southeast Asia, Singapore) |
| POS | SE Base (Porte Santo) (Porto Santo & Madeira Islands) |
| GRA | SW Base (Faial, Graciosa, Pico, Sao Jorge, and Terceira Island, Azores) |
| TIL | Timbali 1948 (Brunei and East Malaysia - Sarawak and Sabah) |
| TAN | Tananarive Observatory 1925 (Madagascar) |
| TOK | Tokyo (Mean Value) |
| TOYM | Tokyo (Mean value: Japan, Korea, and Okinawa) |
| TOYA | Tokyo (Japan) |
| TOYB | Tokyo (Korea) |
| TOYC | Tokyo (Okinawa) |
| TDC | Tristan Astro 1968 (Tristan da Cunha) |
| UND | Undetermined (processed as if WGS 84) |
| MVS | Viti Levu 1916 (Viti Levu Island, Fiji Islands) |
| WAK | Wake Island Asto 1952 (Wake Atoll) |
| ENW | Wake-Eniwetok 1960 (Marshall Islands) |
| WGC | World Geodetic System 1972 |
| WGE | World Geodetic System 1984 |
| YAC | Yacare (Uruguay) |
| ZAN | Zanderij (Surinam) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXI. Sounding datum codes

| Code | Description |
|---|---|
| MHW | Mean High Water |
| MHWN | Mean High Water Neaps |
| MHWS | Mean High Water Springs |
| MHHW | Mean Higher High Water |
| MLW | Mean Low Water |
| MLWN | Mean Low Water Neaps |
| MLWS | Mean Low Water Springs |
| MLLW | Mean Lower Low Water |

TABLE XXII. Vertical datum codes

| Code | Vertical Datum |
|---|---|
| MSL | Mean Sea Level (All elevations in the data set are referenced to the geoid of the specified datum.) |
| GEOD | Geodetic (All elevations in the data set are referenced to the ellipsoid of the specified datum.) |

#### 5.3.2.3 Projection codes and parameters

The following are the valid projection codes and parameters currently registered for RPF products.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXIII. Projection codes and parameters

| Code Name | Parameters | | | |
|---|---|---|---|---|
| | **A** | **B** | **C** | **D** |
| AC Albers Equal Area | Central Meridian | Std. Parallel Nearest to Equator | Std. Parallel Farthest from Equator | Latitude of Origin |
| AL Azimuthal Equal Distant | Longitude of Tangency | Latitude of Tangency | --- | --- |
| RB Hotline Oblique Mercator | Longitude of Great Circle | Latitude of Great Circle | Azimuth of great Circle | --- |
| LE Lambert Conformal Conic | Central Meridian | Std. Parallel Nearest to Equator | Std. Parallel Farthest from Equator | Latitude of Origin |
| MC Mercator | Central Meridian | Latitude of True scale | --- | --- |
| OC Oblique Mercator | Longitude of Great Circle | Latitude of Great Circle | Azimuth of Great Circle | --- |
| OD Orthographic | Longitude of Tangency | Latitude of Tangency | --- | --- |
| PG Polar Stereographic | Central Meridian | Latitude of True Scale | Latitude of Origin | Longitude of Origin |
| PH Polyconic | Central Meridian | Latitude of Origin | --- | --- |
| TC Transverse Mercator | Central Meridian | Meridian of True North | Central Scale Factor | --- |
| UT Universal Transverse Mercator | Central Meridian | --- | --- | --- |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

#### 5.3.2.4 Navigation systems codes

The following are the valid navigation system codes currently registered for RPF products.

TABLE XXIV. Navigation system codes

| Code | Description |
|---|---|
| 0 | Unknown |
| 1 | Circular Radio Beacon |
| 2 | CONSOL |
| 3 | DECCA |
| 4 | Radio Direction Finding |
| 5 | Direction Finding Beacon |
| 6 | Distance Finding |
| 7 | Long Range Air Navigation System (LORAN) |
| 8 | OMEGA |
| 9 | Undefined |
| 10 | Radar Response Beacon (RACON) |
| 11 | Radar |
| 12 | Radio |
| 13 | Radio Telephone |
| 14 | Undefined |
| 15 | TV |
| 16 | Microwave |
| 17 | Non-Directional Radio Beacon (NDB) |
| 18 | Non-Directional Beacon/Distance Measuring Equipment (NDB/DME) |
| 19 | Radio Range (RNG) |
| 20 | VHF Omni Directional Radio Range (VOR) |
| 21 | VHF Omni Directional (VOR/DME) |
| 22 | VHF Omni Directional (VORTAC) |
| 23 | Tactical Air Navigation Equipment (TACAN) |
| 24 | Instrument Landing System (ILS) |
| 25 | (ILS/DME) |
| 26 | Localizer (LOC) |
| 27 | Localizer/Distance measuring Equipment (LOC/DME) |
| 28 | Simplified Direction Facility |
| 29 | Landing Distance Available (LDA) |
| 30 | Microwave Landing System (MLS) |
| 31 | Fan Marker |
| 32 | Bone Marker |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXIV. Navigation system codes - Continued

| Code | Description |
|---|---|
| 33 | Radio Telegraph |
| 34 | Ground Control Approach (GCA) |
| 35 | Radar Antenna |
| 36 | Undefined |
| 37 | Precision Approach Radar (PAR) |
| 38 | Aeronautical Radio |
| 39 | Undefined |
| 40 | Radio Beacon |
| 41 | Rotating Loop Radio Beacon |
| 42 | Visual Flight Rules (VFR) Test Signal Maker |
| 43 | Undefined |
| 44 | Consol Radio Beacon |
| 45 | Aeronautical Radio Beacon |
| 46 | Radar Station |
| 47 | Hifix |
| 48 | Hyperfix |
| 999 | Other |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

#### 5.3.2.5 Ellipsoid codes

The following are the valid ellipsoid codes currently registered for RPF products.

TABLE XXV. Ellipsoid codes

| Code | Description |
|---|---|
| AAY | Airy 1830 |
| AUN | Australian National |
| BES | Bessel 1841 |
| bes | Bessel 1841 (Namibia) |
| CLK | Clark 1866 |
| CLJ | Clark 1880 |
| EVE | Everest |
| FM | Fischer 1960 |
| FC | Fischer 1968 |
| RE | Geodetic Reference System 1967 |
| GRS | Geodetic Reference System 1980 |
| HE | Helmert 1906 |
| HO | Hough 1960 |
| INT | International 1924 |
| KRA | Krasovsky |
| AAM | Modified Airy |
| EVM | Modified Everest |
| FA | Modified Fischer 1960 (South Asia) |
| SA | South American 1969 |
| WGA | World Geodetic System 1960 |
| WGB | World Geodetic System 1966 |
| WGC | World Geodetic System 1972 |
| WGD | World Geodetic System 1984 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

#### 5.3.2.6 Units of measure codes

The following are the valid units of measure codes currently registered for RPF products.

TABLE XXVI. Unit of measure codes

| Code | Description |
|---|---|
| 0 | Unknown |
| 1 | Meters (Length, Area, Volume) |
| 2 | Kilopounds (Weight) |
| 3 | Seconds (Of Time) |
| 4 | Meters/Second (Speed) |
| 5 | Cubic Meters/Second (Flow) |
| 6 | Volt (Electrical Potential) |
| 7 | Watt (Ten to the Sixth (Electrical Power)) |
| 8 | Hertz (Frequency) |
| 9 | ± DDD MM SS.S (Angular) |
| 10 | ± HH MM SS.S (Time) |
| 11 | International Nautical Mile (1852 meters) |
| 12 | Knot |
| 13 | Nautical Mile/Day |
| 14 | Feet |
| 15 | Fathom |
| 16 | Micrometers (Microns) |
| 17 | Mils |
| 18 | Seconds of arc |
| 19 | Minutes of arc |
| 20 | Degrees of arc |
| 999 | Other |

#### 5.3.2.7 Grid codes

The following are the valid grid codes currently registered for RPF products.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXVII. Grid codes

| Code | Description |
|---|---|
| AD | Aden Zone |
| AF | Afghanistan Gauss-Krueger Grid |
| AG | Air Defense Grid |
| AI | Air Support Grid |
| AJ | Alabama Coordinate System |
| AK | Alaska Coordinate System |
| AL | Algeria Zone |
| AM | Albania Bonne Grid |
| AN | Alpha-Numeric (Atlas) Grid |
| AO | Arbitrary Grid |
| AP | American Samoa Coordinate System |
| AQ | Argentina Gauss-Krueger Conformal Grid |
| AR | Artillery Referencing System |
| AS | Arizona Coordinate System |
| AU | Australia Belts |
| AV | Arkansas Coordinate System |
| AW | Australian Map Grid |
| AX | Azores Gauss Conformal Grid |
| AZ | Azores Zone |
| BA | Baku 1927 Coordinate System |
| BB | Bavaria Solder Coordinate System |
| BC | Belgium-Lambert Grid |
| BE | Belgium Bonne Grid |
| BF | Brazil Gauss Conformal GridBO |
| BO | Borneo Rectified Skew Orthomorphic Grid |
| BW | British West Indies Grid |
| CB | California Coordinate System |
| CD | Canada British Modified Grid |
| CE | Ceylon Belt (Transverse Mercator) |
| CF | Canary Islands (Spanish) Lambert Grid |
| CG | Chile Gauss Conformal Grid |
| CH | China Belt |
| CI | Canary Islands Zone |
| CJ | China Lambert Zone |
| CK | Colorado Coordinate System |
| CM | Connecticut Coordinate System |
| CN | Caspian Zone |
| CO | Costa Rica Lambert Grid |
| CQ | Crimea Grid |
| CR | Crete Zone |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXVII. Grid codes - Continued

| Code | Description |
|---|---|
| CT | Cuba Lambert Grid |
| CU | Caucasus Zone |
| CV | Cape Verde Islands Zone |
| CW | British Cassini Grid |
| CX | Czechoslovak Uniform Cadastral Coordinate System |
| CY | Cyprus Grid |
| CZ | Czechoslovak Military Grid |
| DA | Danube Zone |
| DB | Dahomey Belt |
| DC | Denmark General Staff Grid |
| DD | Delaware Coordinate System |
| DE | Dominican Lambert Grid |
| DJ | Denmark Geodetic Institute System 1934 |
| DK | Cape Verde Peninsula Grid |
| EA | East Africa Belt |
| EB | English Belt |
| ED | Egypt Gauss Conformal Grid |
| EE | El Salvador Lambert Grid |
| EF | Estonian Grid |
| EP | Egypt Purple Belt |
| ER | Egypt Red Belt |
| ET | Egypt 35 Degree Belt |
| FA | Fernando Poo Gauss Grid |
| FB | Fiji Grid |
| FC | Florida Coordinate System |
| FD | French Bonne Grid |
| FE | French Guiana Gauss Grid |
| FF | French Somaliland Gauss-LaBorde Grid |
| FI | French Indochina Grid |
| FJ | Franz Josef Land Zone |
| FL | French Lambert Grid |
| FO | Formosa (Taiwan) Gauss-Schreiber Coordinate System |
| FS | French Equatorial Africa Grid |
| GA | Gabon Belt |
| GB | Italy Gauss-Boaga Grid (Transverse Mercator) |
| GD | Gabon Gauss Conformal Grid |
| GE | World Geographic Reference System (GEOREF) |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXVII. Grid codes - Continued

| Code | Description |
|---|---|
| GF | Guadeloupe Gauss-LaBorde Grid |
| GG | Colombia Gause Conformal Grid |
| GH | Sweden Gauss-Hanover Grid |
| GI | Georgia Coordinate System |
| GK | Gauss-Krueger Grid (Transverse Mercator) |
| GL | Greece Azimuthal Grid |
| GN | German Army Grid (DHG) |
| GO | Ghana National Grid |
| GP | Greece Bonne Grid |
| GQ | Greece Conical Mecklenburg Coordinates |
| GR | Greece Conical Mecklenburg Coordinate (New Numbering) |
| GT | Greenland Lambert Grid |
| GU | Guinea Zone |
| GV | Guam Coordinate System |
| GW | Guatemala Lambert Grid |
| GY | Guyana Transverse Mercator Grid |
| HB | Haiti Lambert Grid |
| HC | Hawaii Coordinate System |
| HD | Hawaii Grid |
| HE | Honduras Lambert Grid |
| HF | Hong Kong New System Cassini Grid |
| HG | Hungary Stereographic Grid |
| HK | Hong Kong Colony Grid |
| IA | Idaho Coordinate System |
| IB | Illinois Coordinate System |
| IC | Indiana Coordinate System |
| ID | Indonesia Mercator Grid |
| IE | Indonesia Polyhedric Grid |
| IF | Iowa Coordinate System |
| IG | Ivory Coast Azimuthal Grid |
| IH | Irish Cassini Grid |
| IJ | Ivory Coast Belt |
| IK | Irish Transverse Mercator Grid |
| IL | Iceland New Lambert Zone |
| IN | India Zone |
| IR | Iraq National Grid |
| IT | Italy Zone |
| IY | Ivy - Found on an HA in Marshall Islands |
| IZ | Iceland Zone |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXVII. Grid codes - Continued

| Code | Description |
|---|---|
| JA | Jamaica Foot Grid |
| JB | Japan Plane-Rectangular Coordinate System |
| JC | Japan Gauss-Schreiber Grid |
| JO | Johore Grid |
| KA | Austria Gauss-Krueger Grid |
| KB | Bulgaria Gauss-Krueger Grid |
| KC | Katanga Grid |
| KD | Kansas Coordinate System |
| KE | Kentucky Coordinate System |
| KF | Finland Gauss-Kreuger Grid |
| KG | German Gauss-Kreuger Grid |
| KH | Kenya Colony Grid |
| KJ | Korea Gauss-Schreiber Coordinate System |
| KK | Louisiana Coordinate System |
| KL | Lithuania Gauss-Kreuger Grid |
| KN | Kwantung Province Grid |
| KT | Turkey Gauss-Kreuger Grid |
| KW | Kwangsi Province Grid |
| KX | Luxembourg Gauss-Kreuger Grid |
| LC | Lambert Conformal Conic Grid |
| LD | Latvia Coordinate System |
| LE | Levant Zone |
| LF | Levant Stereographic Grid |
| LG | Liberia Rectified Skew Orthomorphic Grid |
| LI | Libya Zone |
| LL | Sirte (Libya) Lambert Grid |
| MA | Malaya Grid |
| MB | Malta Belt |
| MC | Maldive-Chagos Belt |
| MD | Madiera Zone |
| ME | Mediterranean Zone |
| MF | Maine Coordinate System |
| MG | Malaya Rectified Skew Orthomorphic (Yard) Grid |
| MH | Martinique Gauss Grid |
| MI | Maryland Coordinate System |
| MJ | Massachusetts Coordinate System |
| MK | Mexican Lambert Grid |
| ML | Michigan Coordinate System |
| MM | Mecca-Muscat Zone |
| MN | Minnesota Coordinate System |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXVII. Grid codes - Continued

| Code | Description |
|---|---|
| MO | Madagascar Grid (Laborde) |
| MP | Mississippi Coordinate System |
| MQ | Morocco Zone |
| MT | Missouri Coordinate System |
| MU | Mauritius Zone |
| MV | Montana Coordinate System |
| MW | Mozambique Lambert Grid |
| MX | Mozambique Polyconic Grid |
| NA | Northwest Africa Zone |
| NC | Nigeria Colony Belt |
| ND | National Grid of Great Britain |
| NE | Northern European Zone |
| NF | Nebraska Coordinate System |
| NG | Numeric Grid |
| NI | Niger Zone |
| NJ | Netherlands Stereographic Grid (Old Numbering) |
| NK | North Korea Gauss-Kreuger Grid |
| NL | Netherlands Stereographic Grid (New Numbering) |
| NM | Netherlands East Indies Equatorial Zone British Metric Grid (Lambert) |
| NO | Nord de Guerre Zone |
| NP | Nevada Coordinate System |
| NQ | New Sierra Leone Colony Grid |
| NR | New York Coordinate System |
| NS | Netherlands East Indies Southern Zone |
| NT | New Zealand National Grid |
| NU | Nicaragua Lambert Grid |
| NV | Niger Belt |
| NW | North Caroline Coordinate System |
| NX | North Dakota Coordinate System |
| NY | Netherlands East Indies Equatorial Zone U.S. Yard Grid |
| NZ | New Zealand Belt |
| OA | Northern Malaya Grid |
| OB | Norway Gauss-Kreuger Grid |
| OD | Ohio Coordinate System |
| OE | Oklahoma Coordinate System |
| OR | Orange Report Net |
| OS | Oregon Coordinate System |
| PA | Palestine Belt |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXVII. Grid codes - Continued

| Code | Description |
|---|---|
| PB | Panama Lambert Grid |
| PC | Palestine Civil Grid (Cassini) |
| PD | Paraguay Gauss-Kreuger Grid |
| PE | Peiping Coordinate System of 1954 |
| PF | Pennsylvania Coordinate System |
| PI | Peru Polyconic Grid |
| PJ | Philippine Plane Coordinate System |
| PK | Poland Gauss-Kreuger Grid |
| PL | Poland Quasi-Stereographic Grid |
| PP | Philippine Polyconic Grid |
| PQ | Portugal Bonne Grid, Old |
| PR | Portugal Bonne Grid, New |
| PS | Portugal Gauss Grid |
| PT | Puerto Rico Coordinate System |
| PU | Puerto Rico Lambert Grid |
| QA | Qatar Grid |
| QU | Qatar Peninsula Grid |
| RB | Russian Belt |
| RC | Reunion Gauss Grid |
| RD | Rhode Island Coordinate System |
| RE | Rumania Bonne Grid |
| RF | Soviet Coordinate System of 1942 |
| RH | Rumania Lambert-Cholesky Grid |
| RI | Rumania Stereographic Grid |
| RT | Pulkovo Coordinate System of 1932 |
| SA | South Africa Belt |
| SB | Senegal Gauss Conformal Grid (Belt) |
| SD | South Africa Coordinate System (Republic of South Africa) |
| SE | Senegal Belt |
| SF | South Carolina Coordinate System |
| SH | Sahara Zone |
| SI | South Dakota Coordinate System |
| SJ | South Libya Zone |
| SK | Sarawak Grid |
| SL | Spain Lambert Grid |
| SN | Southern New Guinea Grid |
| SQ | South Georgia Lambert Grid |
| SR | South Syria Lambert Grid |
| SS | Spanish North-Morocco Lambert Grid |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

TABLE XXVII. Grid codes - Continued

| Code | Description |
|---|---|
| SV | Svalbard Gauss-Kreuger Grid |
| SX | Svobodny 1935 Coordinate System |
| SY | Seychelles Belt |
| SZ | Spitzbergen Zone |
| TA | Tanganyika Territorial Grid |
| TB | Tashkent 1875 Coordinate System |
| TC | Tennessee Coordinate System |
| TD | Texas Coordinate System |
| TE | Tobago Grid |
| TF | Trinidad Grid |
| TG | Trucial Coast Cassini Grid |
| TH | Trucial Coast Transverse Mercator Grid |
| TI | Turkey Bonne Grid |
| TN | Tunisia Zone |
| UA | Uganda Cassini Coordinate System |
| UB | Unidentified Grid |
| UC | Uruguay Gauss-Kreuger Grid |
| UD | Utah Coordinate System |
| UP | Universal Polar Stereographic System |
| US | U.S. Polyconic Grid System |
| UT | Universal Transverse Mercator Grid |
| VA | Vermont Coordinate System |
| VB | Virginia Coordinate System |
| VE | Venezuela Modified Lambert Grid |
| VI | Viet Nam Azimuthal Grid |
| WA | West Malaysia Rectified Skew Orthomorphic (Metric) Grid |
| WB | Switzerland Bonne Grid |
| WC | Switzerland Conformal Oblique Cylindrical Grid |
| WD | West Virginia Coordinate System |
| WE | Wisconsin Coordinate System |
| WF | Wyoming Coordinate System |
| WP | World Polyconic System |
| YA | Yugoslavia Gauss-Kreuger Grid (Not Reduced) |
| YU | Yunnan Province Grid |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

### 5.3.3 Relationship code

The <relationship> code describes the relationship between two or more RPF [frame file]s. Valid codes are listed below.

TABLE XXVIII. Relationship codes

| Code | Description |
|---|---|
| 1 | Stereographic pairs |
| 2 | Legend Image |
| 3-65535 | Reserved for future standardization |

## 5.4 NITF Registered Data Tags

The following codes are valid NITF registered data tags for use by RPF products that are written in an NITF message. The official register of tagged data extensions is located under the RPF group at https://nsgreg.nga.mil/doc/view?i=5402.

Changes to this group are managed through the same DoD and NGA processes as the codes listed in this document.

TABLE XXIX. NITF registered data tags

| Tag | Description |
|---|---|
| RPFHDR | User Defined Header Section for RPF |
| RPFIMG | User Defined Image Section for RPF |
| RPFDES | Data Extension Segment for RPF |



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

# 6 NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

## 6.1 Intended use

This document is intended for use with MIL-STD-2411, Military Standard for Raster Product Format (RPF), and all specifications governed by that military standard. Identification codes and values tabulated in this document are the registered data values to be used in all products conforming to the RPF standard. The registered data values are included in this document, separate from MIL-STD-2411 so that new values can easily be added to the registered data set without modifying the governing standard.

## 6.2 Acquisition requirements

When this standard is used in acquisition, the applicable issue of DODISS must be cited in the solicitation (see 2.1.1 and 2.2).

## 6.3 Subject term (key word) listing

Scanned Map

## 6.4 Changes from previous issue

See the summary of change 4 modifications on page iii. The margins of this standard are marked with vertical lines to indicate modifications generated by this change. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

# INDEX


| SUBJECT | PARAGRAPH | PAGE |
|---|---|---|
| ASCII | 3.1 | 2 |
| | 5 | 4 |
| Boundary rectangle section | 5.1.1 | 5 |
| Color table codes | 5.1.2.1 | 6 |
| Compression algorithm id | 5.3.1.1 | 23 |
| Compression lookup table id | 5.3.1.2 | 25 |
| Compression parameter id | 5.3.1.3 | 25 |
| Compression parameter value | 5.3.1.4 | 25 |
| Coverage section subheader | 5.1.1 | 5 |
| Currency date | 5.3.2.1 | 26 |
| Data series codes | 5.1.4 | 9 |
| Data source | 5.3.2.1 | 35 |
| Datum codes | 5.3.2.2 | 37 |
| Easterly annual magnetic change | 5.3.2.1 | 32 |
| Ellipsoid | 5.3.2.1 | 31 |
| Frame file data | 5.3 | 23 |
| Frame file index section subheader | 5.1.1 | 5 |
| Grid | 5.3.2.1 | 32 |
| Grid codes | 5.3.2.7 | 49 |
| Grid convergence angle | 5.3.2.1 | 33 |
| Grid North-Magnetic north angle | 5.3.2.1 | 33 |
| Header component | 5.1.1 | 5 |
| Highest known elevation | 5.3.2.1 | 34 |
| Horizontal absolute accuracy | 5.3.2.1 | 30 |




Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

| SUBJECT | PARAGRAPH | PAGE |
|---|---|---|
| Horizontal datum | 5.3.2.1 | 30 |
| Horizontal relative accuracy | 5.3.2.1 | 31 |
| Location component | 5.1.1 | 5 |
| MIL-STD-2411 | 1.1 | 1 |
| | 2.2.1 | 2 |
| | 4 | 3 |
| | 5 | 4 |
| | 5.1.1 | 4 |
| | 5.1.4 | 9 |
| | 6.1 | 58 |
| Multiple legend | 5.3.2.1 | 35 |
| Navigation system | 5.3.2.1 | 32 |
| NITF | 3.1 | 2 |
| | 5.4 | 57 |
| | 5.1.7 | 19 |
| Producer code | 5.2.1 | 22 |
| Product data type | 5.1.6 | 19 |
| Production date | 5.3.2.1 | 27 |
| Projection system | 5.3.2.1 | 28 |
| Projection system codes and parameters | 5.3.2.3 | 44 |
| Raster Product Format | 1.1 | 1 |
| | 3.1 | 2 |
| | 6.1 | 58 |
| Related images section subheader | 5.1.1 | 5 |
| Relationship code | 5.3.3 | 57 |
| Replace/update section subheader | 5.1.1 | 4 |
| RGBM | 3.1 | 2 |
| | 5.1.2.1 | 6 |
| Section/component id | 5.1.1 | 4 |
| Security classifications | 5.1.8 | 19 |




Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

| SUBJECT | PARAGRAPH | PAGE |
|---|---|---|
| Security country/international codes | 5.1.7 | 19 |
| Security release markings | 5.1.9 | 20 |
| Significant date | 5.3.2.1 | 27 |
| Sounding datum | 5.3.2.1 | 32 |
| Stereographic pairs | 5.3.3 | 57 |
| Table of contents data | 5.2 | 22 |
| Units of measure | 5.3.2.6 | 49 |
| Vertical absolute accuracy | 5.3.2.1 | 30 |
| Vertical datum | 5.3.2.1 | 29 |
| Vertical relative accuracy | 5.3.2.1 | 31 |
| VQ | 3.1 | 2 |
| | 5.3.1.1 | 24 |
| | 5.3.1.2 | 25 |
| Westerly annual magnetic change | 5.3.2.1 | 33 |
| Zone codes | 5.1.3 | 8 |




Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.

**CONCLUDING MATERIAL**

Custodians:
NGA - MP

Preparing activity:
NGA - MP
(Project GINT-2023-004)

Review activities:
Air Force - 09
Navy – NO, MC
DISA – DC2

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil/.



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:09Z
Check the source to verify that this is the current version before use.