METRIC

MIL-W-70342/4
4 November 1988

MILITARY SPECIFICATION SHEET

WASHER, FLAT, WIDE SERIES (TYPE III), HIGH STRENGTH,
ALLOY STEEL, METRIC

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the washers described herein shall consist of this specification and the latest issue of MIL-W-70342.




FIGURE 1. WASHER, FLAT, WIDE SERIES (TYPE III), HIGH STRENGTH, ALLOY STEEL, METRIC

NOTES:

1. All dimensions are in millimeters.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:


1. Material: Alloy steel as specified in ASTM A453.

2. Hardness. Alloy steel washers shall have minimum hardness of 40HRC.

3. Protective finish: Cadmium plating (Code C); Zinc coating (Code Z).

4. Part number: The part number consists of the letter "D" the basic number of this specification sheet, and a dash number taken from Table I and a finish code identifier.

EXAMPLE: D70342/4-084C



D70342/4-084C Indicates - Washer, Flat, Alloy Steel, Wide Series, Metric; Inside Diameter 8.40; Outside Diameter 23.00; Thickness 4.00; Cadmium Plating.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS

DASH NUMBER	ØB INSIDE DIA ±0.25	ØA OUTSIDE DIA ±0.50	T THICKNESS	
064	6.40	17.00	3.00	±0.30
084	8.40	23.00	4.00	±0.30
105	10.50	28.00	4.00	±0.30
130	13.00	35.00	5.00	±0.30
170	17.00	45.00	6.00	±0.40
210	21.00	50.00	6.00	±0.40
250	25.00	50.00	8.00	±0.40
310	31.00	68.00	10.00	±0.40

Custodians:
Army - AR
Navy - AS
Air Force - 99

Review activities:
Army - ER
DLA - IS

User activities:
Army - CE, GL, MI
Navy - MC, SH, YD

Preparing activity:
Army - AR

Agent:
DLA - IS

(Project 5310-1582)

Source: https://assist.dla.mil - Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.