MILITARY SPECIFICATION SHEET


JACKS, TELEPHONE,

TYPES JJ-092, JJ-093, JJ-096, AND JJ-097

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the jacks described herein shall consist of this document and the latest issue of specification MIL-J-641.

Type	Dimension A (max)
JJ-092	.688
JJ-093	.781
JJ-096	.562
JJ-097	.625



INCHES	MM
.002	05
005	13
015	.38
.016	41
020	51
.062	1 57
094	2 39
2515	6 39
.375	9.53
500	12.70
562	14 27
.625	15 88
.688	17 48
750	19 05
781	19 84
1 015	25 78
1 312	33 32
1.750	44 45

NOTES
1. Dimensions are in inches. Unless otherwise specified, tolerance on dimensions is ±.015 inch.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Multiple mounting. These jacks are not generally used for multiple mounting.
4. Each schematic shows required switching operations but does not indicate a required mechanical arrangement of the parts.

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:04Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Dimensions and configuration See Figure.

Insertion and withdrawal forces The insertion and withdrawal forces shall be as follows

Insertion force . . . 7 pounds (maximum)
Withdrawal force . . . 1 5 pounds (minimum),
7 pounds (maximum)

Test plug TP55, conforming to MIL-J-641, shall be used

Spring life Test plug TP55, conforming to MIL-J-641, shall be used

Part number M641/13- (dash number from table I)

TABLE I. Types of telephone jacks.

Dash no.	Type	Connection	Mounting	Switching action upon insertion of plug 1/
1	JJ-092	Tip and sleeve	Bushing	One break-make
2	JJ-093			One break, one make
3	JJ-096			None
4	JJ-097			One break

1/ The hyphen indicates sequence.

TABLE II. Group qualification.

Submission and qualification of following types	Qualifies the following types
JJ-092 or JJ-093	JJ-092, JJ-093, JJ-096, JJ-097
JJ-097	JJ-096, JJ-097
JJ-096	JJ-096

Custodians
Army - EL
Navy - EC
Air Force - 11

Review activities
Army - EL, MI, VF, SL, MU
Navy - AS
Air Force - 80
DSA - ES

User activities
Army - MU, MI, VC, AV
Navy - OS, MC, SH, YD
Air Force - 17, 19

Preparing activity:
Army - EL

Agent
DSA - ES

(Project 5935-1854-13)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:04Z
Check the source to verify that this is the current version before use.

To detach this form, cut along this line

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION MIL-J-641/13C JACKS, TELEPHONE, TYPES JJ-092, JJ-093, JJ-096, AND JJ-097

ORGANIZATION

CITY AND STATE | CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3 IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4 REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)* | DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED

ESC-FM 1068-68

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:04Z
Check the source to verify that this is the current version before use.

FOLD

Department of the Army
Headquarters
U.S.Army Electronics Command
Fort Monmouth, New Jersey 07703

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commanding General
U.S.Army Electronics Command
ATTN: AMSEL- RD-ED
Fort Monmouth, New Jersey 07703

FOLD

To detach this form, cut along this line

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:04Z
Check the source to verify that this is the current version before use.