MIL-C-11260D
28 January 1980
SUPERSEDING
MIL-C-11260C
18 February 1965

MILITARY SPECIFICATION

CLAMP, HANDLE, STEEL TAPE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers one type of clamping handle for surveyor's steel tapes.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping Fiberboard.

MILITARY

MIL-P-116	- Preservation-Packaging, Methods of

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-1188	- Commercial Packaging of Supplies and Equipment.

FSC 5210

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Mobility Equipment Research and Development Command, ATTN: DRDME-DS, Fort Belvoir, VA 22060 by using the self-addressed Standardization Document Improvement Proposal (DD form 1426) appearing at the end of this document or by letter

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:47Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Description. The clamp shall be of the cam grip type that will permit instant and positive clamping of a standard surveying tape at any location on the tape.

3.2 Performance. When tested as specified in 4.4, the clamp shall withstand not less than 45 pounds pull without slippage or damage to the tape or clamp.

3.3 Material. The clamp shall be fabricated of chromium plated zinc alloy, chromium plated brass or stainless steel (see 6.3).

3.4 Identification marking. The manufacturer's name or trademark shall be cast integrally with, stamped, or otherwise permanently marked on the clamp in a conspicuous place.

3.5 Finish. The clamp shall be finished in accordance with the manufacturer's standard practice.

3.6 Workmanship. The clamp shall be free from defects such as sharp edges, burrs, cracks, dents, or other defects that could impair the serviceability of the clamp.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and service conform to prescribed requirements.

4.1.1 Component and material inspection. The contractor is responsible for insuring that components and materials used are manufactured, examined and tested in accordance with referenced specifications and standards.

4.2 Quality conformance inspection.

4.2.1 Sampling. Sampling for examination and test shall be in accordance with MIL-STD-105. AQL shall be 2.5 percent defective.

4.2.2 Examination. Samples selected in accordance with 4.2.1 shall be examined as specified in 4.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:47Z
Check the source to verify that this is the current version before use.

4.2.3 Test. Samples selected in accordance with 4.2.1 shall be tested as specified in 4.4.

4.3 Examination. The clamps shall be examined for the following defects:

101. Material not as specified.
102. Burrs, toolmarks, nicks, sharp edges, or other marks.
103. Identification marking not as specified.

4.4 Friction test. Attach one end of a surveyor's tape of a standard size to a tension spring and, at a distance of 10 feet from the attached end, grip the tape by the clamp and exert a pull of not less than 45 pounds. Loosening, slipping, or any permanent deformation or damage to the tape or clamp shall constitute failure of this test.

4.5 Inspection of packaging.

4.5.1 Quality conformance inspection.

4.5.1.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.5.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.5.1.3 Examination. Samples selected in accordance with 4.5.1.2 shall be examined for the following defects. AQL shall be 2.5 percent defective:

104. Materials, methods and containers not as specified for level A or B.
105. Consolidation not as specified for level A.
106. Preservation and packing not in accordance with referenced document for Commercial.
107. Packing not as specified for level A or B.
108. Boxes not closed and sealed as specified for level B.
109. Marking missing, illegible, incomplete, or incorrect for level A, level B, or Commercial.

5. PACKAGING

5.2 Packing. Packing shall be Level A, Level B, or Commercial as specified (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:47Z
Check the source to verify that this is the current version before use.

5.2.1 Level A. The clamps, preserved as specified in 5.1, shall be packed together in quantities not to exceed 200 pounds in close-fitting boxes conforming to PPP-B-601, overseas type, style optional. Boxes shall be closed and strapped in accordance with the appendix to the box specification.

5.2.2 Level B. The clamps, preserved as specified in 5.1, shall be packed in quantities not to exceed the weight limitation of the box, in close-fitting boxes conforming to PPP-B-636, V3c or V3s, style optional. The boxes shall be closed and sealed as specified for Method V in the appendix to the box specification.

5.2.3 Commercial. The clamps, preserved as specified in 5.1, shall be packed in accordance with MIL-STD-1188.

5.3 Marking.

5.3.1 Military. Marking for military levels of protection shall be in accordance with MIL-STD-129.

5.3.2 Commercial. Marking for commercial packaging shall be in accordance with MIL-STD-1188.

6. NOTES

6.1 Intended use. The clamp is intended for use in applying tension to a surveyor's steel tape at any point along the length of the tape.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Degree of preservation and degree of packing required (see 5.1 and 5.2).

6.3 Recycled material. It is encouraged that recycled material be used when practical as long as it meets the requirements of this specification (see 3.3).

Custodians:
Army - ME
Navy - YD
Air Force - 99

Review activity:
Army - AR

User Activities:
Army - GL
Navy - MC

Preparing activity:
Army - ME

Project 5210-0251

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:47Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-C-11260D Clamp, Handle, Steel Tape

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:47Z
Check the source to verify that this is the current version before use.

FOLD

MERADCOM
DRDME-DS
~~Ft. Belvoir, VA~~ 22060
OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD - 314



Commander
US Army Mobility Equipment Research and
Development Command
DRDME-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:47Z
Check the source to verify that this is the current version before use.