[INCH-POUND]
A-A-2534A
October 15, 1993
SUPERSEDING
A-A-2534
November 13, 1987

COMMERCIAL ITEM DESCRIPTION

GRIDDLE PLATE (CAST IRON)

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for Federal Specification RR-G-681 which has been canceled.

1. SCOPE

1.1 Scope. This commercial item description covers a rectangular cast iron griddle plate with handles.

2. APPLICABLE DOCUMENTS

2.1 The documents referenced in this commercial item description shall be the issues in effect on the date of issuance of the invitation for bids or request for proposal unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Federal Standard:

FED-STD-376 - Preferred Metric Units For General Use By The Federal Government.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

DISTRIBUTION STATEMENT A : Approved for public release; distribution is unlimited.

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:23Z
Check the source to verify that this is the current version before use.

Copies of Federal standards are available from the General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA, and the GSA Specifications Unit (3FBP-W), Suite 8100, 470 E. L'Enfant Plaza, S.W., Washington, DC 20407.

Military Standard:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

Copies of military standards may be obtained from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

ASTM Standard:

E 29 - Standard Practice For Using Significant Digits In Test Data To Determine Conformance With Specifications.

Application for copies of ASTM standards should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.

3. SALIENT CHARACTERISTICS

3.1 Design and construction. The griddle shall be cast iron and rectangular in shape with lifting handles centered on each end. The griddle, exclusive of the handles, shall be 21 inches (533.4 mm) plus or minus 1-1/4 inches (31.8 mm) in length by 10-1/2 inches (266.7 mm) plus or minus 1 inch (25.4 mm) in width. The top and bottom surfaces shall be parallel, and shall have continuous, uniform raised edges above and below the surfaces. At the option of the supplier, reinforcing ribs may be provided on the bottom surface. The thickness of the griddle shall be not less than 1/8 inch (3.2 mm). The griddle plate shall have a minimum weight of 10 pounds (4.5 kg).

3.2 Workmanship. The griddle shall be clean, free of imbedded foreign material, pits, blow holes, porosity, cracks, chips, fractures, fissures, and deformities. The finished griddle shall be free of rust, burrs, and sharp edges. Handles shall be smooth and free of rough surfaces and any other defects that may cause injury.

3.3 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580, as amended, to the maximum extent practicable.

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:23Z
Check the source to verify that this is the current version before use.

3.4 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The values stated in parentheses are for informational purposes only.

3.5 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the specification preparing activity for changes to this document.

3.6 Commercial item. The use of the term "commercial item description" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor certification. The contractor shall certify that the item meets the salient characteristics and the requirements of this commercial item description, and, except for any government unique requirements specified, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace, or is the same product that has been successfully been delivered to the government on a previous contract or purchase order. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4.2 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.3 Sampling. The levels of inspection and acceptable quality levels (AQL's) shall be in accordance with MIL-STD-105.

4.4 Lot formation. All griddles from the same manufacturer offered for delivery at one time shall be considered a lot for purposes of inspection.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:23Z
Check the source to verify that this is the current version before use.

4.5 Sampling for visual and dimensional examination. A random sample of griddles shall be selected from each lot in accordance with inspection level S-4, AQL 4.0 expressed in terms of defects per hundred units. The sample unit shall be one griddle. The sample griddle shall be visually and dimensionally examined to verify compliance with table I and the remainder of this commercial item description. All dimensions are absolute as defined in ASTM E 29.

TABLE I - Examination for defects

Examine	Defect
Construction and Workmanship	Dimensions not as specified. Weight less than 10 pounds. Handles missing or not as specified. Evidence of imbedded foreign material, pits, blow holes, porosity, cracks, chips, fractures, fissures, or deformities. Evidence of rust, burrs, or sharp edges. Marking missing or illegible.

4.6 Examination for preparation for delivery. A random sample of shipping containers shall be selected from each lot for examination of the unit, intermediate, and shipping containers (as applicable) for conformance with the packaging, packing, and marking required in the contract or order. Samples shall be selected in accordance with inspection level S-2, AQL 6.5, expressed in terms of defects per hundred units. The sample unit shall be one shipping container.

5. PREPARATION FOR DELIVERY

5.1 Packaging, packing, and marking. The packaging, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Ordering data. Purchasers should include the following information in procurement documents (if applicable):

a. Title, number and date of this commercial item description.
b. The packaging, packing, and marking required.

6.2 National Stock Number (NSN). The following NSN corresponds to this CID: 7330-00-243-3418.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:23Z
Check the source to verify that this is the current version before use.

Military Coordinating Activity:

Army - GL

Custodians:
Army - GL
Navy - SA
Air Force - 99

Review Activities:
Army - MD, QM
Air Force - 84, 50

User Activity:
Navy - MC

Civil Agency Coordinating Activity:

VA - OSS

PREPARING ACTIVITY:

GSA - FSS

(DoD Project 7330-0682)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:23Z
Check the source to verify that this is the current version before use.