INCH-POUND

MIL-T-8249B(USAF)
AMENDMENT 2
15 OCTOBER 92
SUPERSEDING
AMENDMENT 1
13 MAY 1986

MILITARY SPECIFICATION

TRANSMITTER, RATE OF FLOW, FUEL, TYPE MB-2

This amendment forms a part of MIL-T-8249B(USAF) dated 26 June 1979, and is approved for use by the Department of the Air Force and is available for use by all Department and Agencies of the Department of Defense.

PAGE 1

*Delete "2.1" entirely and add: "2.1 Government document."

*Add: " 2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

Under Specification, Military, Delete, "MIL-E-5272" and add: "MIL-B-121 Barrier Materials, Watervaporproof, Greaseproof, Flexible, Heat Sealable."

Add boxed paragraph to bottom center of page:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Oklahoma City Air Logistics Center/TICLA, Tinker AFB, OK 73145-5990 by using the Standardization Document improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

PAGE 2

Under STANDARDS, Add: "FEDERAL" and add: "FED-STD-101 Preservation, Packaging And Packing Mateirals: Test Procedures."

Source: https://assist.dla.mil -- Downloaded: 20261017T10:19Z
Check the source to verify that this is the current version before use.
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Under STANDARDS, MILITARY, delete "MIL-STD-794" and add: "MIL-STD-2073-1 DOD material Procedures For Development And Application Of Packaging Requirements."

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specifications, specification sheets, or MS standards), the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

PAGE 9

4.3.2.7 Line 2 delete "Procedure I of MIL-E-5272" and add: "Method 516.2 of MIL-STD-810".

*5. PACKAGING.

*5.1. Preservation. Preservation shall be level "A" or "C", as specified. (see 6.2)

*5.1.1 Preservation-packaging. Unless otherwise specified by the contracting activity, item shall be packaged in Quantity Unit Pack (QUP) of one each. Each item will be provided a Preservation method IC-1 in accordance with (IAW) MIL-P-116.

PAGE 10

*5.1.2 Cleaning. Item shall be cleaned IAW MIL-P-116 C-1 process.

*5.1.3 Drying. Immediately after cleaning , the item shall be dried following any one or combination of the drying procedures listed in MIL-P-116. The drying procedures employed shall not be injurious to the item.

*5.1.4 Level A. Item shall be preserved IAW MIL-P-116 and MIL-STD-2073-1 to provide a method IC-1.

*5.1.5 Level C. Item shall be individually preserved in a manner that will afford adequate protection against corrosion, deterioration, and physical damage during shipment from the supply source to the first receiving activity as specified in MIL-P-116 and MIL-STD-2073-1.

*5.2 Packing. Packing shall be level "A", "B", or "C", as specified (see 6.2).

*5.2.1 Container-cushioning. Unit container requirements shall conform to MIL-B-121, barrier material, unless otherwise specified by the contacting activity. Unit containers shall be large enough to allow for application of sufficient cushioning/wrap material, between the item and unit container to protect the unit container from punctures. Exterior/shipping container requirements shall conform to PPP-B-1672 weather-resistant unless otherwise

Source: https://assist.dla.mil -- Downloaded: 20260-17T10:19Z
Check the source to verify that this is the current version before use.

specified by the contacting activity. Cushioning material shall be of sufficient density and thickness to ensure shock transmission does not exceed peak values in G's established for the item.

*5.2.2 Level A. Fiberboard containers do not meet Level "A" container criteria.

*5.2.3 Level B. Item will be preserved as specified in 5.1 and shall be packed in exterior containers conforming to PPP-B-1672, weather-resistant, unless otherwise specified by the contracting activity. Exterior container shall be uniform shape, size and minimum tare and cube, consistent with the protection required. Closure shall be IAW appropriate PPP-B-1672 procedure, as specified by contractor, Special Packaging Instructions (SPI) or contracting activity.

*5.2.4 Level C. Item will be packed in such a manner that will afford adequate protection against physical damage during direct domestic shipment from the supply source to the first receiving activity. These packs shall conform to MIL-STD-129.

*5.3 Marking. Unit, intermediate, and exterior containers shall be marked IAW special marking required by the contractor, SPI and MIL-STD-129.

*5.4 Inspection and test. Test of methods of preservation shall be accomplished IAW section 4 of MIL-P-116 to ensure compliance with section 5 of this specification. Packaging tests shall be conducted IAW rough handling as specified in FED-STD-101.

Under 6. NOTES add: "(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)"

*6.2 Lines 1 and 2, delete and add: "Acquisition requirements. Acquisition documents must specify the following:".

*6.2 Add: "e. Issue of Department of Defense Index of Specifications and Standards (DODISS) to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1)."

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
AIR FORCE -99

Preparing Activity:
AIR FORCE -71

PROJECT NUMBER:
6620 - F507

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:19Z
Check the source to verify that this is the current version before use.