MILITARY STANDARD

NUMBERING AND CODING OF ENGINEERING DRAWINGS, ASSOCIATED LISTS, AND DOCUMENTS

TO ALL ACTIVITIES:

1. The following pages of MIL–STD–31 have been revised and supersede the pages listed:

New page	*Date*	*Superseded page*	*Date*
iii	6 July 1960	iii	1 April 1959
Page 4	6 July 1960	Page 4	1 April 1959

2. Retain this notice and insert the table of contents.

Source: https://assist.dla.mil -- Downloaded: 20261O-23T20
Check the source to verify that this is the current version befor

CONTENTS

		Page
1.	SCOPE	1
2.	REFERENCED DOCUMENTS	1
3.	DEFINITIONS	2
3.1	Engineering drawings	2
3.2	Associated list	2
3.3	Associated documents	2
3.4	Code identification number	2
3.5	Document identification number	2
3.6	Drawing number	2
3.7	Part number	2
4.	GENERAL REQUIREMENTS	3
4.1	Identification requirements	3
4.1.1	New drawings and associated lists	3
4.1.2	Existing drawings and associated lists	3
4.1.3	Associated documents	3
5.	DETAIL REQUIREMENTS	4
5.1	Code identification number	4
5.2	Drawing number	4
5.2.1	Letters	4
5.2.2	Numbers	4
5.2.3	Dashes	4
5.3	Associated lists	4
5.3.1	List of materials (list of parts)	4
5.3.2	Data lists and index lists	4
5.4	Records	4
5.5	Transferring design responsibility to another activity	4

Supersedes page iii of 1 April 1959.

Source: https://assist.dla.mil -- Downloaded: 20260-23T20:51Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 IDENTIFICATION REQUIREMENTS. Except as otherwise stated in the contract or order, all drawings, associated lists, or documents procured, prepared by, or furnished to, Department of Defense activities shall be identified by a code identification number and drawing number in conformance with 5.1 and 5.2 of this standard.

4.1.1 *New drawings and associated lists.* New drawings and associated lists shall be assigned a code identifying number and a drawing number in conformance with this standard.

4.1.2 *Existing drawings and associated lists.* Existing drawings and associated lists used in connection with new design, documentation, contracts, or orders shall be assigned a code identification number in conformance with 5.1 of this standard. This number shall be added to the drawing as near to the drawing number as possible.

4.1.3 *Associated documents.* Unless otherwise stated in the contract or order, all documents other than Government or industry specifications and standards referenced on Class 1 or Class 2 drawings as specified in Specification MIL–D–70327 shall have a document identification number, which should be given a prominent place on the document, and a code identification number in conformance with 5.1. The code identification number shall be preceded by "CODE IDENT NO" and shall be either adjacent to or in close proximity to the document identification number. The contractor design activity is responsible for assigning or obtaining document identification numbers and code identification numbers for documents used with Class 2 drawings. The Government procuring activity shall assign or obtain document identification numbers and code identification numbers for all documents used with Class 1 drawings.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

5. DETAIL REQUIREMENTS

5.1 CODE IDENTIFICATION NUMBER. The code identification number shall always be the code number of the design activity whose drawing number is assigned to the drawing, and shall be entered on the drawing in the appropriate block except as noted in 4.1.2 for existing drawings. Activities not assigned a code identification number shall request such identification in conformance with Cataloging Handbook H4–1.

5.2 DRAWING NUMBER. The drawing or part number including combinations of letters, numbers, and dashes, shall not exceed 15 characters. Blank spaces are not permitted within the drawing number or part numbers. The code identification number, drawing revision letter, and the symbols "DL", "IL", and "LM" when prefixed to the drawing number shall not be considered part of the drawing number.

5.2.1 *Letters.* Letters used as part of an identification number or drawing number shall be upper case (capital) letters. The letters "I", "O", "Q", and "X" shall not be used.

5.2.2 *Numbers.* Numbers used shall be whole arabic numerals. Fractional, decimal, and roman numerals shall not be used.

5.2.3 *Dashes.* Dashes between letters and letters, or letters and numerals, shall not be used.

5.3 ASSOCIATED LISTS

5.3.1 *List of materials (list of parts).* A list of materials (list of parts) prepared separate from the drawing shall bear the same identification number as the assembly drawing to which it applies, in which case the drawing number shall be prefixed by the letters "LM." When the list of material is included on the drawing, the symbol "LM" shall not be prefixed to the drawing.

5.3.2 *Data lists and index lists.* Data lists and index lists shall consist of the same drawing number as the assembly to which it pertains, and the drawing number shall be prefixed by the letters "DL" for data lists, and "IL" for index lists. When no drawing exists, the list shall be assigned a number by the preparing activity in accordance with this standard. This number shall be prefixed by the symbol "DL" or "IL" as above.

5.4 RECORDS. A complete and accurate record of drawing numbers shall be maintained by the activity allocating or assigning the identifying numbers.

5.5 TRANSFERRING DESIGN RESPONSIBILITY TO ANOTHER ACTIVITY. When the design responsibility for engineering drawings is transferred from one design activity to another, the drawing number (3.6) and the part number (3.7) shall be transferred to the current design activity; and the H4–1 code identification number (5.1) shall be changed to that of the current design activity. Changing the H4–1 code shall constitute a drawing revision.

Notice. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility for any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.

Copies of this standard for Military use may be obtained as indicated in the foreword to the Index of Military Specifications and Standards.

Copies of this standard may be obtained for other than official use by individuals, firms, and contractors from the Superintendent of Documents, U.S. Goverment Printing Office, Washington 25, D. C.

Both the title and identifying symbol number should be stipulated when requesting copies of Military Standards.

Custodians:
Army—Ordnance Corps
Navy—Bureau of Naval Weapons
Air Force—*AMC*

Preparing activity:
Army—Ordnance Corps

Supersedes page 4 of 1 April 1959.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.